

(19) World Intellectual Property Organization  
International Bureau(43) International Publication Date  
15 May 2003 (15.05.2003)

PCT

(10) International Publication Number  
**WO 03/040096 A2**


- (51) International Patent Classification<sup>7</sup>: C07D
- (21) International Application Number: PCT/US02/36072
- (22) International Filing Date:  
8 November 2002 (08.11.2002)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/337,122 8 November 2001 (08.11.2001) US  
60/344,086 28 December 2001 (28.12.2001) US  
60/345,635 3 January 2002 (03.01.2002) US
- (71) Applicants (for all designated States except US): **ELAN PHARMACEUTICALS, INC.** [US/US]; 800 Gateway Boulevard, South San Francisco, CA 94080 (US). **PHARMACIA & UPJOHN COMPANY** [US/US]; 301 Henrietta Street, Kalamazoo, MI 49007 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **JOHN, Varghese** [US/US]; 1722 18th Avenue, San Francisco, CA 94122 (US). **MAILLARD, Michel** [US/US]; 219 Shorebird Circle, Redwood Shores, CA 94065 (US). **JAGODZINSKA, Barbara** [US/US]; 1485 Kentfield Avenue, Redwood City, CA 94061 (US). **BECK, James, P.** [US/US]; 8351 Canary Lane, Kalamazoo, MI 49009 (US). **GAILUNAS, Andrea** [US/US]; 1105 Baywater Avenue #1, Burlingame, CA 94010 (US). **FANG, Larry** [US/US]; 1193 Beach Park Blvd., Foster City, CA 94404 (US). **SEALY, Jennifer** [US/US]; 37 Lorton Avenue #3, Burlingame, CA 94010 (US). **TENBRINK, Ruth** [IN/US]; 5725 DE Avenue East, Kalamazoo, MI 49004 (US). **FRESKOS, John** [US/US]; 7572 York Drive, Clayton, MO 63105 (US). **MICKELSON, John** [US/US]; 60887 Valley View Blvd., Mattawan, MI 49071 (US). **SAMALA, Lakshman** [IN/US]; 6238 Independence Drive, Portage, MI 49024 (US). **HOM, Roy** [US/US]; 82 Ina Drive, San Francisco, CA 94112 (US).
- (74) Agent: **SARUSSI, Steven, J.**; McDonnell Boehnen Hulbert & Berghoff, 300 South Wacker Drive, Suite 3200, Chicago, IL 60606 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 03/040096 A2




(54) Title: N, N'-SUBSTITUTED-1,3-DIAMINO-2-HYDROXYPROPANE DERIVATIVES

(57) Abstract: Disclosed are compounds of the formula (I), wherein the variables R<sub>N</sub>, R<sub>C</sub>, R<sub>1</sub>, R<sub>2</sub>, and R<sub>3</sub> are as defined herein. These compounds have activity as inhibitors of betasecretase and are therefore useful in treating a variety of disorders such as Alzheimer's Disease.

What is claimed is:

1. A compound of the formula



or a pharmaceutically acceptable salt thereof wherein

5 where  $\text{R}_1$  is:

(I)  $\text{C}_1\text{-}\text{C}_6$  alkyl, optionally substituted with one, two or three substituents selected from the group consisting of  $\text{C}_1\text{-}\text{C}_3$  alkyl,  $\text{C}_3\text{-}\text{C}_8$  cycloalkyl (optionally substituted with  $\text{C}_1\text{-}\text{C}_3$  alkyl  $\text{C}_1\text{-}\text{C}_3$  alkoxy), -F, -Cl, -Br, -I, -OH, -SH,  $-\text{C}\equiv\text{N}$ ,  $-\text{CF}_3$ ,  $\text{C}_1\text{-}\text{C}_3$  10 alkoxy,  $-\text{NR}_{1-a}\text{R}_{1-b}$ , and  $-\text{OC=O-NR}_{1-a}\text{R}_{1-b}$ , where  $\text{R}_{1-a}$  and  $\text{R}_{1-b}$  are independently at each occurrence-H or  $\text{C}_1\text{-}\text{C}_6$  alkyl,

(II)  $-\text{CH}_2\text{-S(O)}_{0-2}\text{-}(\text{C}_1\text{-}\text{C}_6\text{ alkyl})$ ,

(III)  $-\text{CH}_2\text{-CH}_2\text{-S(O)}_{0-2}\text{-}(\text{C}_1\text{-}\text{C}_6\text{ alkyl})$ ,

(IV)  $\text{C}_2\text{-}\text{C}_6$  alkenyl with one or two double bonds,

15 optionally substituted with one, two or three substituents selected from the group consisting of -F, -Cl, -OH, -SH,  $-\text{C}\equiv\text{N}$ ,  $-\text{CF}_3$ ,  $\text{C}_1\text{-}\text{C}_3$  alkoxy,  $-\text{NR}_{1-a}\text{R}_{1-b}$  where  $\text{R}_{1-a}$  and  $\text{R}_{1-b}$  are -H or  $\text{C}_1\text{-}\text{C}_6$  alkyl,

(V)  $\text{C}_2\text{-}\text{C}_6$  alkynyl with one or two triple bonds, optionally substituted with one, two or three substituents selected from the group consisting of -F, -Cl, -OH, -SH,  $-\text{C}\equiv\text{N}$ ,  $-\text{CF}_3$ ,  $\text{C}_1\text{-}\text{C}_3$  20 alkoxy,  $-\text{NR}_{1-a}\text{R}_{1-b}$  where  $\text{R}_{1-a}$  and  $\text{R}_{1-b}$  are -H or  $\text{C}_1\text{-}\text{C}_6$  alkyl,

(VI)  $-(\text{CH}_2)_{n_1}\text{-}(\text{R}_1\text{-aryl})$  where  $n_1$  is zero or one and where  $\text{R}_1\text{-aryl}$  is phenyl, naphthyl, indanyl, indenyl, dihydronaphthayl, 25 or tetralinyl each of which is optionally substituted with one, two, three, four, or five of the following substituents on the aryl ring:

(A)  $\text{C}_1\text{-}\text{C}_6$  alkyl optionally substituted with one, two or three substituents selected from the group consisting of  $\text{C}_1\text{-}\text{C}_3$  alkyl, -F, -Cl, -Br, -I, -OH, -SH,  $-\text{NR}_{1-a}\text{R}_{1-b}$ ,  $-\text{C}\equiv\text{N}$ ,  $-\text{CF}_3$ , and  $\text{C}_1\text{-}\text{C}_3$  alkoxy,

(B) C<sub>2</sub>-C<sub>6</sub> alkenyl optionally substituted with one, two or three substituents selected from the group consisting of -F, -Cl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

5 (C) C<sub>2</sub>-C<sub>6</sub> optionally substituted with one, two or three substituents selected from the group consisting of -F, -Cl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

(D) -F, Cl, -Br and -I,

(E) -C<sub>1</sub>-C<sub>6</sub> haloalkoxy

(F) -C<sub>1</sub>-C<sub>6</sub> alkoxy

10 (G) -NR<sub>N-2</sub>R<sub>N-3</sub>,

(H) -OH,

(I) -C≡N,

15 (J) C<sub>3</sub>-C<sub>7</sub> cycloalkyl, optionally substituted with one, two or three substituents independently selected from the group consisting of -F, -Cl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

(K) -CO-(C<sub>1</sub>-C<sub>4</sub> alkyl),

(L) -SO<sub>2</sub>-NR<sub>1-a</sub>R<sub>1-b</sub>,

(M) -CO-NR<sub>1-a</sub>R<sub>1-b</sub>,

20 (N) -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl),

(VII) -(CH<sub>2</sub>)<sub>n1</sub>-(R<sub>1</sub>-heteroaryl) where R<sub>1</sub>-heteroaryl is selected from the group consisting of pyridinyl, pyrimidinyl, quinolinyl, benzothienyl, indolyl, indolinyl, pyridazinyl, pyrazinyl, isoindolyl, isoquinolyl, quinazolinyl, quinoxalinyl, phthalazinyl, imidazolyl, isoxazolyl, pyrazolyl, oxazolyl, thiazolyl, indolizinyl, indazolyl, benzothiazolyl, benzimidazolyl, benzofuranyl, furanyl, thienyl, pyrrolyl, oxadiazolyl, thiadiazolyl, triazolyl, tetrazolyl, oxazolopyridinyl, imidazopyridinyl, isothiazolyl, naphthyridinyl, cinnolinyl, carbazolyl, beta-carbolinyl, isochromanyl, chromanyl, tetrahydroisoquinolinyl, isoindolinyl, isobenzotetrahydrofuran, isobenzotetrahydrothienyl, isobenzothienyl, benzoxazolyl, pyridopyridinyl, benzotetrahydrofuran, benzotetrahydrothienyl, purinyl,

benzodioxolyl, triazinyl, phenoazazinyl, phenothiazinyl,  
pteridinyl, benzothiazolyl, imidazopyridinyl, imidazothiazolyl,  
dihydrobenzisoxazinyl, benzisoxazinyl, benzoxazinyl,  
dihydrobenzisothiazinyl, benzopyranyl, benzothiopyranyl,  
5 coumarinyl, isocoumarinyl, chromonyl, chromanonyl,  
tetrahydroquinolinyl, dihydroquinolinyl, dihydroquinolinonyl,  
dihydroisoquinolinonyl, dihydrocoumarinyl,  
dihydroisocoumarinyl, isoindolinonyl, benzodioxanyl,  
benzoxazolinonyl, pyridinyl-N-oxide, pyrrolyl N-oxide,  
10 pyrimidinyl N-oxide, pyridazinyl N-oxide, pyrazinyl N-oxide,  
quinolinyl N-oxide, indolyl N-oxide, indolinyl N-oxide,  
isoquinolyl N-oxide, quinazolinyl N-oxide, quinoxalinyl N-  
oxide, phthalazinyl N-oxide, imidazolyl N-oxide, isoxazolyl N-  
oxide, oxazolyl N-oxide, thiazolyl N-oxide, indolizinyl N-  
15 oxide, indazolyl N-oxide, benzothiazolyl N-oxide,  
benzimidazolyl N-oxide, pyrrolyl N-oxide, oxadiazolyl N-oxide,  
thiadiazolyl N-oxide, triazolyl N-oxide, tetrazolyl N-oxide,  
benzothiopyranyl S-oxide, and benzothiopyranyl S,S-dioxide,

where the R<sub>1</sub>-heteroaryl group is bonded to -(CH<sub>2</sub>)<sub>n1</sub>- by  
20 any ring atom of the parent R<sub>N</sub>-heteroaryl group substituted by  
hydrogen such that the new bond to the R<sub>1</sub>-heteroaryl group  
replaces the hydrogen atom and its bond, where heteroaryl is  
optionally substituted with one, two, three, four, or five of:  
(1) C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with one, two  
25 or three substituents selected from the group consisting of C<sub>1</sub>-  
C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH,  
-SH, -NR<sub>1-a</sub>R<sub>1-b</sub>, -C≡N, -CF<sub>3</sub>, and C<sub>1</sub>-C<sub>3</sub> alkoxy,  
(2) C<sub>2</sub>-C<sub>6</sub> alkenyl with one or two double bonds,  
optionally substituted with one, two or three substituents  
30 selected from the group consisting of -F, -Cl, -OH, -SH, -C≡N,  
-CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,  
(3) C<sub>2</sub>-C<sub>6</sub> alkynyl with one or two triple bonds,  
optionally substituted with one, two or three substituents

selected from the group consisting of -F, -Cl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

(4) -F, -Cl, -Br and -I,

(5) -C<sub>1</sub>-C<sub>6</sub> haloalkoxy,

5 (6) -C<sub>1</sub>-C<sub>6</sub> alkoxy

(7) -NR<sub>N-2</sub>R<sub>N-3</sub>,

(8) -OH,

(9) -C≡N,

10 (10) C<sub>3</sub>-C<sub>7</sub> cycloalkyl, optionally substituted with one, two or three substituents independently selected from the group consisting of -F, -Cl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

(11) -CO-(C<sub>1</sub>-C<sub>4</sub> alkyl),

(12) -SO<sub>2</sub>-NR<sub>1-a</sub>R<sub>1-b</sub>,

15 (13) -CO-NR<sub>1-a</sub>R<sub>1-b</sub>,

(14) -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), with the proviso that when n<sub>1</sub> is zero R<sub>1-heteroaryl</sub> is not bonded to the carbon chain by nitrogen,

(VIII) -(CH<sub>2</sub>)<sub>n1</sub>-(R<sub>1-heterocycle</sub>) where n<sub>1</sub> is as defined above and R<sub>1-heterocycle</sub> is selected from the group consisting of morpholinyl, thiomorpholinyl, thiomorpholinyl S-oxide, thiomorpholinyl S,S-dioxide, piperazinyl, homopiperazinyl, pyrrolidinyl, pyrrolinyl, tetrahydropyranyl, piperidinyl, tetrahydrofuranlyl, tetrahydrothienyl, homopiperidinyl, 25 homomorpholinyl, homothiomorpholinyl, homothiomorpholinyl S,S-dioxide, oxazolidinonyl, dihydropyrazolyl, dihydropyrrolyl, dihydropyrazinyl, dihydropyridinyl, dihydropyrimidinyl, dihydrofuryl, dihydropyranyl, tetrahydrothienyl S-oxide, tetrahydrothienyl S,S-dioxide, homothiomorpholinyl S-oxide, 30 dithianyl, pyranyl, dihydrofuranyl, pyrrolidinonyl, imidazolidinonyl, imidazolidinondionyl, wherein each of the above is optionally fused to a benzene, pyridine, or pyrimidine ring, and

where the R<sub>1</sub>-heterocycle group is bonded by any atom of [REDACTED] parent R<sub>1</sub>-heterocycle group substituted by hydrogen such that the new bond to the R<sub>1</sub>-heterocycle group replaces the hydrogen atom and its bond, where heterocycle is optionally substituted with 5 one, two, three or four:

(1) C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with one, two or three substituents independently selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -NR<sub>1-a</sub>R<sub>1-b</sub>, -C≡N, -CF<sub>3</sub>, and C<sub>1</sub>-C<sub>3</sub> alkoxy,

10 (2) C<sub>2</sub>-C<sub>6</sub> alkenyl optionally substituted with one, two or three substituents selected from the group consisting of -F, -Cl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, -NR<sub>1-a</sub>R<sub>1-b</sub>, )

15 (3) C<sub>2</sub>-C<sub>6</sub> alkynyl optionally substituted with one, two or three substituents independently selected from the group consisting of -F, -Cl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

20 (4) -F, -Cl, -Br and -I,  
(5) C<sub>1</sub>-C<sub>6</sub> alkoxy,  
(6) -C<sub>1</sub>-C<sub>6</sub> haloalkoxy,

(7) -NR<sub>N-2</sub>R<sub>N-3</sub>,  
(8) -OH,  
(9) -C≡N,

25 (10) C<sub>3</sub>-C<sub>7</sub> cycloalkyl, optionally substituted with ( ) one, two or three substituents independently selected from the group consisting of -F, -Cl, -OH, -SH  
-C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

30 (11) -CO-(C<sub>1</sub>-C<sub>4</sub> alkyl),  
(12) -SO<sub>2</sub>-NR<sub>1-a</sub>R<sub>1-b</sub>,  
(13) -CO-NR<sub>1-a</sub>R<sub>1-b</sub>,  
(14) -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl),  
(15) =O, with the proviso that when n<sub>1</sub> is zero R<sub>1</sub>-heterocycle is not bonded to the carbon chain by nitrogen;  
where R<sub>2</sub> is selected from the group consisting of:

(I) -H,

(II) C<sub>1</sub>-C<sub>6</sub> alkyl, optionally substituted with one, two or three substituents independently selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

5 (III) -(CH<sub>2</sub>)<sub>0-4</sub>-R<sub>30</sub> where R<sub>30</sub> is R<sub>1</sub>-aryl, R<sub>1</sub>-heteroaryl, or R<sub>1</sub>-heterocycle

(IV) C<sub>2</sub>-C<sub>6</sub> alkenyl with one or two double bonds, optionally substituted with one, two or three substituents independently selected from the group consisting of

10 -F, -Cl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

(V) C<sub>2</sub>-C<sub>6</sub> alkynyl optionally substituted with one, two or three substituents independently selected from the group consisting of -F, -Cl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

15 (VI) -(CH<sub>2</sub>)<sub>0-4</sub>-C<sub>3</sub>-C<sub>7</sub> cycloalkyl, optionally substituted with one, two or three substituents independently selected from the group consisting of -F, -Cl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

where R<sub>3</sub> is selected from the group consisting of:

20 (I)-H,

(II) C<sub>1</sub>-C<sub>6</sub> alkyl, optionally substituted with one, two or three substituents selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

25 (III) -(CH<sub>2</sub>)<sub>0-4</sub>-R<sub>30</sub>,

(IV) C<sub>2</sub>-C<sub>6</sub> alkenyl,

(V) C<sub>2</sub>-C<sub>6</sub> alkynyl,

(VI) -(CH<sub>2</sub>)<sub>0-4</sub>-C<sub>3</sub>-C<sub>7</sub> cycloalkyl, optionally substituted with one, two or three substituents independently selected from the group consisting of -F, -Cl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

30 or R<sub>2</sub> and R<sub>3</sub> are taken together with the carbon to which they are attached to form a carbocycle of three, four, five, six,

and seven carbon atoms, optionally where one carbon atom is replaced by a heteroatom selected from the group consisting of -O-, -S-, -SO<sub>2</sub>-, -NR<sub>N-2</sub>-; R<sub>N</sub> is:

5 (I) R<sub>N-1</sub>-X<sub>N</sub>- where X<sub>N</sub> is selected from the group consisting of:

- (A) -CO-,
- (B) -SO<sub>2</sub>-,
- (C) -(CR'R")<sub>1-6</sub> wherein

10 R' and R" at each occurrence are the same or different and are -H, C<sub>1</sub>-C<sub>4</sub> alkyl, phenyl, or pyridyl

(D) -CO-(CR'R")<sub>1-6</sub>-X<sub>N-1</sub> wherein X<sub>N-1</sub> is selected from the group consisting of -O-, -S- and -NR'-,

- (E) a single bond, and
- (F) -CO-(CR'R")<sub>1-6</sub>-

15 where R<sub>N-1</sub> is selected from the group consisting of:

(A) R<sub>N</sub>-aryl wherein R<sub>N</sub>-aryl at each occurrence is independently phenyl; naphthyl; tetralinyl; indanyl; indenyl; dihydronaphthyl; or 6,7,8,9-tetrahydro-5H-

20 benzo[a]cycloheptenyl; each of which is optionally substituted with 1, 2, or 3 groups that at each occurrence are independently:

(1) C<sub>1</sub>-C<sub>6</sub> alkyl, optionally substituted with one, two or three substituents selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>, wherein R<sub>1-a</sub> and R<sub>1-b</sub> at each occurrence are independently H or C<sub>1</sub>-C<sub>6</sub> alkyl.

- (2) -OH,
- (3) -NO<sub>2</sub>,
- (4) -F, -Cl, -Br, -I,
- (5) -CO<sub>2</sub>H,
- (6) -C≡N,

(7)  $-(CH_2)_{0-4}-CO-NR_{N-2}R_{N-3}$  wherein at each occurrence  $R_{N-2}$  and  $R_{N-3}$  are the same or different and are selected from the group consisting of:

(a) -H,

5 (b)  $-C_1-C_8$  alkyl optionally substituted

with one substituent selected from the group consisting of:

(i) -OH,

(ii)  $-NR'R''$

(iii) phenyl,

10 (c)  $-C_1-C_8$  alkyl optionally substituted

with 1, 2, or 3 groups that are independently -F, -Cl, -Br, or -I,

(d)  $-C_3-C_8$  cycloalkyl,

(e)  $-(C_1-C_2 \text{ alkyl})-(C_3-C_8 \text{ cycloalkyl})$ ,

15 (f)  $-(C_1-C_6 \text{ alkyl})-O-(C_1-C_3 \text{ alkyl})$ ,

(g)  $-C_2-C_6$  alkenyl,

(h)  $-C_2-C_6$  alkynyl,

(i)  $-C_1-C_6$  alkyl chain with one double bond

and one triple bond,

20 (j)  $-R_1\text{-aryl}$ ,

(k)  $-R_1\text{-heteroaryl}$ ,

(l)  $-R_1\text{-heterocycle}$ , or

(m)  $R_{N-2}$ ,  $R_{N-3}$  and the nitrogen to which they

are attached form a 5, 6, or 7 membered heterocycloalkyl or

25 heteroaryl group, wherein said heterocycloalkyl or heteroaryl group is optionally fused to a benzene, pyridine, or pyrimidine ring, and said groups are unsubstituted or substituted with 1,

2, 3, 4, or 5 groups that at each occurrence are independently

$C_1-C_6$  alkyl,  $C_1-C_6$  alkoxy, halogen, halo  $C_1-C_6$  alkyl, halo  $C_1-C_6$

30 alkoxy, -CN,  $-NO_2$ ,  $-NH_2$ ,  $NH(C_1-C_6 \text{ alkyl})$ ,  $N(C_1-C_6 \text{ alkyl})(C_1-C_6$

alkyl),  $-OH$ ,  $-C(O)NH_2$ ,  $-C(O)NH(C_1-C_6 \text{ alkyl})$ ,  $-C(O)N(C_1-C_6$

alkyl)( $C_1-C_6 \text{ alkyl}$ ),  $C_1-C_6$  alkoxy  $C_1-C_6$  alkyl,  $C_1-C_6$  thioalkoxy,

and  $C_1-C_6$  thioalkoxy  $C_1-C_6$  alkyl;

(8)  $-(CR'R'')_{0-4}CO-OR'$

(B) -R<sub>N</sub>-heteroaryl where R<sub>N</sub>-heteroaryl is selected from the group consisting of pyridinyl, pyrimidinyl, quinolinyl, benzothienyl, indolyl, indolinyl, pyridazinyl, pyrazinyl, isoindolyl, isoquinolyl, quinazolinyl, quinoxalinyl, phthalazinyl, imidazolyl, isoxazolyl, pyrazolyl, oxazolyl, thiazolyl, indolizinyl, indazolyl, benzisothiazolyl, benzimidazolyl, benzofuranyl, furanyl, thienyl, pyrrolyl, oxadiazolyl, thiadiazolyl, triazolyl, tetrazolyl, oxazolopyridinyl, imidazopyridinyl, isothiazolyl, naphthyridinyl, cinnolinyl, carbazolyl, beta-carbolinyl, isochromanyl, chromanyl, tetrahydroisoquinolinyl, isoindolinyl, isobenzotetrahydrofuranyl, isobenzotetrahydrothienyl, isobenzothienyl, benzoxazolyl, pyridopyridinyl, benzotetrahydrofuranyl, benzotetrahydrothienyl, purinyl, benzodioxolyl, triazinyl, henoxazinyl, phenothiazinyl, pteridinyl, benzothiazolyl, imidazothiazolyl, dihydrobenzisoxazinyl, benzisoxazinyl, benzoxazinyl, dihydrobenzisothiazinyl, benzopyranyl, benzothiopyranyl, coumarinyl, isocoumarinyl, chromonyl, chromanonyl, tetrahydroquinolinyl, dihydroquinolinyl, dihydroquinolinonyl, dihydroisoquinolinonyl, dihydrocoumarinyl, dihydroisocoumarinyl, isoindolinonyl, benzodioxanyl, benzoxazolinonyl, pyridinyl-N-oxide, pyrrolyl N-oxide, pyrimidinyl N-oxide, pyridazinyl N-oxide, pyrazinyl N-oxide, quinolinyl N-oxide, indolyl N-oxide, indolinyl N-oxide, isoquinolyl N-oxide, quinazolinyl N-oxide, quinoxalinyl N-oxide, phthalazinyl N-oxide, imidazolyl N-oxide, isoxazolyl N-oxide, oxazolyl N-oxide, thiazolyl N-oxide, indolizinyl N-oxide, indazolyl N-oxide, benzothiazolyl N-oxide, benzimidazolyl N-oxide, pyrrolyl N-oxide, oxadiazolyl N-oxide, thiadiazolyl N-oxide, triazolyl N-oxide, tetrazolyl N-oxide, benzothiopyranyl S-oxide, benzothiopyranyl S,S-dioxide, imidazopyrazolyl, quinazolinonyl, pyrazopyridyl, benzooxadiazolyl, dihydropyrimidinonyl, and

dihydrobenzfuranonyl, where each of the above is optionally fused to a benzene, pyridine, or pyrimidine ring,

where the  $R_N$ -heteroaryl group is bonded by any atom of the parent  $R_N$ -heteroaryl group substituted by hydrogen such that 5 the new bond to the  $R_N$ -heteroaryl group replaces the hydrogen atom and its bond, where heteroaryl is optionally substituted with one, two, three, or four of:

- (1)  $C_1-C_6$  alkyl, optionally substituted with one, two or three substituents independently selected from the 10 group consisting of  $C_1-C_3$  alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>,  $C_1-C_3$  alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,
- (2) -OH,
- (3) -NO<sub>2</sub>,
- (4) -F, -Cl, -Br, -I,
- 15 (5) -CO<sub>2</sub>H,
- (6) -C≡N,
- (7) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-NR<sub>N-2</sub>R<sub>N-3</sub>,
- (8) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-( $C_1-C_{12}$  alkyl),
- (9) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-( $C_2-C_{12}$  alkenyl),
- 20 (10) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-( $C_2-C_{12}$  alkynyl),
- (11) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-( $C_3-C_8$  cycloalkyl),
- (12) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>1</sub>-aryl,
- (13) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>1</sub>-heteroaryl,
- (14) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>1</sub>-heterocycle,
- 25 (15) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>N-4</sub>
- (16) -(CH<sub>2</sub>)<sub>0-4</sub>-CO<sub>2</sub>-R<sub>N-5</sub>
- (17) -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-NR<sub>N-2</sub>R<sub>N-3</sub>,
- (18) -(CH<sub>2</sub>)<sub>0-4</sub>-SO-(aryl  $C_1-C_8$  alkyl),
- (19) -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-( $C_1-C_{12}$  alkyl),
- 30 (20) -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-( $C_3-C_8$  cycloalkyl),
- (21) -(CH<sub>2</sub>)<sub>0-4</sub>-N(H or R<sub>N-5</sub>)-CO-O-R<sub>N-5</sub>,
- (22) -(CH<sub>2</sub>)<sub>0-4</sub>-N(H or R<sub>N-5</sub>)-CO-N(R<sub>N-5</sub>)<sub>2</sub>,
- (23) -(CH<sub>2</sub>)<sub>0-4</sub>-N-CS-N(R<sub>N-5</sub>)<sub>2</sub>,
- (24) -(CH<sub>2</sub>)<sub>0-4</sub>-N(-H or R<sub>N-5</sub>)-CO-R<sub>N-2</sub>,

- (25)  $-(CH_2)_{0-4}-NR_{N-2}R_{N-3},$
- (26)  $-(CH_2)_{0-4}-R_{N-4},$
- (27)  $-(CH_2)_{0-4}-O-CO-(C_1-C_6 \text{ alkyl}),$
- (28)  $-(CH_2)_{0-4}-O-P(O)-(OR_{100})_2,$
- 5 (29)  $-(CH_2)_{0-4}-O-CO-N(R_{N-5})_2,$
- (30)  $-(CH_2)_{0-4}-O-CS-N(R_{N-5})_2,$
- (31)  $-(CH_2)_{0-4}-O-(R_{N-5}),$
- (32)  $-(CH_2)_{0-4}-O-(R_{N-5})-COOH,$
- (33)  $-(CH_2)_{0-4}-S-(R_{N-5}),$
- 10 (34)  $-(CH_2)_{0-4}-O-(C_1-C_6 \text{ alkyl}$  optionally substituted with one, two, three, four, or five of -F),  
  - (35)  $C_3-C_8$  cycloalkyl,
  - (36)  $C_2-C_6$  alkenyl optionally substituted with  $C_1-C_3$  alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>,  $C_1-C_3$  alkoxy, or  $-NR_{1-a}R_{1-b},$
- (37)  $C_2-C_6$  alkynyl optionally substituted with  $C_1-C_3$  alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>,  $C_1-C_3$  alkoxy, or  $-NR_{1-a}R_{1-b},$
- (38)  $-(CH_2)_{0-4}-N(-H \text{ or } R_{N-5})-SO_2-R_{N-2},$
- 20 (39)  $-(CH_2)_{1-4}-C_3-C_8$  cycloalkyl,  
  - (C)  $R_N\text{-aryl}-W-R_N\text{-aryl},$
  - (D)  $R_N\text{-aryl}-W-R_N\text{-heteroaryl},$
  - (E)  $R_N\text{-aryl}-W-R_1\text{-heterocycle},$
  - (F)  $R_N\text{-heteroaryl}-W-R_N\text{-aryl},$
  - 25 (G)  $R_N\text{-heteroaryl}-W-R_N\text{-heteroaryl},$
  - (H)  $R_N\text{-heteroaryl}-W-R_1\text{-heterocycle},$
  - (I)  $R_N\text{-heterocycle}-W-R_N\text{-aryl},$
  - (J)  $R_N\text{-heterocycle}-W-R_N\text{-heteroaryl},$
  - (K)  $R_N\text{-heterocycle}-W-R_1\text{-heterocycle},$
- 30 where W is  
  - (1)  $-(CH_2)_{1-4}-,$
  - (2)  $-O-,$
  - (3)  $-S(O)_{0-2}-,$
  - (4)  $-N(R_{N-5})-,$

(5) -CO-; or

(6) a bond;

(II) -CO-(C<sub>1</sub>-C<sub>10</sub> alkyl) wherein the alkyl is optionally substituted with one two or three substituents independently selected from the group consisting of:

(A) -OH,

(B) -C<sub>1</sub>-C<sub>6</sub> alkoxy,

(C) -C<sub>1</sub>-C<sub>6</sub> thioalkoxy,

(D) -CO<sub>2</sub>-R<sub>N-8</sub> where R<sub>N-8</sub> at each occurrence is independently -H, C<sub>1</sub>-C<sub>6</sub> alkyl or -phenyl which is optionally substituted with 1 or 2 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkoxy, C<sub>1</sub>-C<sub>4</sub> alkyl or -C(O)NH<sub>2</sub>,

(E) -CO-NR<sub>N-2</sub>R<sub>N-3</sub>,

(F) -CO-R<sub>N-4</sub>,

(G) -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>8</sub> alkyl),

(H) -SO<sub>2</sub>-NR<sub>N-2</sub>R<sub>N-3</sub>,

(I) -NH-CO-(C<sub>1</sub>-C<sub>6</sub> alkyl),

(J) -NH-CO-O-R<sub>N-8</sub>,

(K) -NR<sub>N-2</sub>R<sub>N-3</sub>,

(L) -R<sub>N-4</sub>,

(M) -O-CO-(C<sub>1</sub>-C<sub>6</sub> alkyl),

(N) -O-CO-NR<sub>N-8</sub>R<sub>N-8</sub>,

(O) -O-(C<sub>1</sub>-C<sub>5</sub> alkyl)-COOH,

(P) -O-(C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with one, two, or three groups that are independently -F, -Cl, -Br, or -I),

(Q) -NH-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl),

(R) halogen,

(S) -N(H or R<sub>N-5</sub>)-SO<sub>2</sub>-R<sub>N-2</sub>,

(T) -N(H or R<sub>N-5</sub>)-CO-(R<sub>N-2</sub>), and

(U) -SO<sub>2</sub>-R<sub>N-2</sub>,

(V) R<sub>N</sub>-aryl;

(III)  $-\text{CO}-\text{(C}_1\text{-C}_6\text{ alkyl)}-\text{O}-\text{(C}_1\text{-C}_6\text{ alkyl)}$  wherein each alkyl is unsubstituted or independently substituted with one, two, or three substituents selected from the group consisting of :

- (A)  $-\text{OH}$ ,
- 5 (B)  $-\text{C}_1\text{-C}_6$  alkoxy,
- (C)  $-\text{C}_1\text{-C}_6$  thioalkoxy,
- (D)  $-\text{CO-O-R}_{\text{N-8}}$ ,
- (E)  $-\text{CO-NR}_{\text{N-2}}\text{R}_{\text{N-3}}$ ,
- (F)  $-\text{CO-R}_{\text{N-4}}$ ,
- 10 (G)  $-\text{SO}_2\text{-}(\text{C}_1\text{-C}_8\text{ alkyl})$ ,
- (H)  $-\text{SO}_2\text{-NR}_{\text{N-2}}\text{R}_{\text{N-3}}$ ,
- (I)  $-\text{NH-CO-}(\text{C}_1\text{-C}_6\text{ alkyl})$ ,
- (J)  $-\text{NH-CO-O-R}_{\text{N-8}}$ ,
- (K)  $-\text{NR}_{\text{N-2}}\text{R}_{\text{N-3}}$ ,
- 15 (L)  $-\text{R}_{\text{N-4}}$ ,
- (M)  $-\text{O-CO-}(\text{C}_1\text{-C}_6\text{ alkyl})$ ,
- (N)  $-\text{O-CO-NR}_{\text{N-8}}\text{R}_{\text{N-8}}$ ,
- (O)  $-\text{O-}(\text{C}_1\text{-C}_5\text{ alkyl})-\text{CO}_2\text{H}$ ,
- (P)  $-\text{O-}(\text{C}_1\text{-C}_6\text{ alkyl}$  optionally substituted with  
20 one, two, or three groups that are independently  $-\text{F}$ ,  $-\text{Cl}$ ,  $-\text{Br}$ ,  
or  $-\text{I}$ ),
- (Q)  $-\text{NH-SO}_2\text{-}(\text{C}_1\text{-C}_6\text{ alkyl})$ ,
- (R) halogen,
- (S)  $-\text{N(H or R}_{\text{N-5}}\text{)-SO}_2\text{-R}_{\text{N-2}}$ ,
- 25 (T)  $-\text{N(H or R}_{\text{N-5}}\text{)-CO-}(\text{R}_{\text{N-2}})$ ,
- (U)  $-\text{SO}_2\text{-R}_{\text{N-2}}$ , and
- (V)  $\text{R}_{\text{N-aryl}}$ ;

(IV)  $-\text{CO-}(\text{C}_1\text{-C}_6\text{ alkyl})-\text{S-}(\text{C}_1\text{-C}_6\text{ alkyl})$  wherein each alkyl is unsubstituted or substituted with one, two, or three of  
30 substituents independently selected from the group consisting  
of:

- (A)  $-\text{OH}$ ,
- (B)  $-\text{C}_1\text{-C}_6$  alkoxy,
- (C)  $-\text{C}_1\text{-C}_6$  thioalkoxy,

- (D)  $-\text{CO}-\text{O}-\text{R}_{\text{N}-8}$ ,
- (E)  $-\text{CO}-\text{NR}_{\text{N}-2}\text{R}_{\text{N}-3}$ ,
- (F)  $-\text{CO}-\text{R}_{\text{N}-4}$ ,
- (G)  $-\text{SO}_2-(\text{C}_1-\text{C}_8 \text{ alkyl})$ ,
- 5 (H)  $-\text{SO}_2-\text{NR}_{\text{N}-2}\text{R}_{\text{N}-3}$ ,
- (I)  $-\text{NH}-\text{CO}-(\text{C}_1-\text{C}_6 \text{ alkyl})$ ,
- (J)  $-\text{NH}-\text{CO}-\text{O}-\text{R}_{\text{N}-8}$ ,
- (K)  $-\text{NR}_{\text{N}-2}\text{R}_{\text{N}-3}$ ,
- (L)  $-\text{R}_{\text{N}-4}$ ,
- 10 (M)  $-\text{O}-\text{CO}-(\text{C}_1-\text{C}_6 \text{ alkyl})$ ,
- (N)  $-\text{O}-\text{CO}-\text{NR}_{\text{N}-8}\text{R}_{\text{N}-8}$ ,
- (O)  $-\text{O}-(\text{C}_1-\text{C}_5 \text{ alkyl})-\text{COOH}$ ,
- (P)  $-\text{O}-(\text{C}_1-\text{C}_6 \text{ alkyl}$  optionally substituted with one,  
15 two, or three groups that are independently  $-\text{F}$ ,  $-\text{Cl}$ ,  $-\text{Br}$ , or  $-\text{I}$ ),
- (Q)  $-\text{NH}-\text{SO}_2-(\text{C}_1-\text{C}_6 \text{ alkyl})$ ,
- (R) halogen,
- (S)  $-\text{N}(\text{H} \text{ or } \text{R}_{\text{N}-5})-\text{SO}_2-\text{R}_{\text{N}-2}$ ,
- (T)  $-\text{N}(\text{H} \text{ or } \text{R}_{\text{N}-5})-\text{CO}-(\text{R}_{\text{N}-2})$ ,
- 20 (U)  $-\text{SO}_2-\text{R}_{\text{N}-2}$ , and
- (V)  $\text{R}_{\text{N-aryl}}$ ;
- (V)  $-\text{CO}-\text{CH}(-(\text{CH}_2)_{0-2}-\text{O}-\text{R}_{\text{N}-10})-(\text{CH}_2)_{0-2}-(\text{R}_{\text{N-aryl}} \text{ or } \text{R}_{\text{N-heteroaryl}}))$

wherein

- $\text{R}_{\text{N}-10}$  is selected from the group consisting of:
- 25 (1)  $-\text{H}$ ,
  - (2)  $\text{C}_1-\text{C}_6 \text{ alkyl}$ ,
  - (3)  $\text{C}_3-\text{C}_8 \text{ cycloalkyl}$ ,
  - (4)  $\text{C}_2-\text{C}_6 \text{ alkenyl}$ ,
  - (5)  $\text{C}_2-\text{C}_6 \text{ alkynyl}$ ,
  - 30 (6)  $\text{R}_{\text{1-aryl}}$ ,
  - (7)  $\text{R}_{\text{N-heteroaryl}}$ ,
  - (8)  $\text{R}_{\text{N-heterocycle}}$ ,

(VI)  $-\text{CO}-\text{(C}_3\text{-C}_8\text{ cycloalkyl)}$  where the cycloalkyl group is optionally substituted with one or two substituents independently selected from the group consisting of:

- (A)  $-(\text{CH}_2)_0\text{-}4\text{-OH}$ ,
- 5 (B)  $-(\text{CH}_2)_0\text{-}4\text{-C}_1\text{-C}_6$  alkoxy,
- (C)  $-(\text{CH}_2)_0\text{-}4\text{-C}_1\text{-C}_6$  thioalkoxy,
- (D)  $-(\text{CH}_2)_0\text{-}4\text{-CO-O-R}_{\text{N-8}}$ ,
- (E)  $-(\text{CH}_2)_0\text{-}4\text{-CO-NR}_{\text{N-2}}\text{R}_{\text{N-3}}$ ,
- (F)  $-(\text{CH}_2)_0\text{-}4\text{-CO-R}_{\text{N-4}}$ ,
- 10 (G)  $-(\text{CH}_2)_0\text{-}4\text{-SO}_2\text{-}(\text{C}_1\text{-C}_8\text{ alkyl})$ ,
- (H)  $-(\text{CH}_2)_0\text{-}4\text{-SO}_2\text{-NR}_{\text{N-2}}\text{R}_{\text{N-3}}$ ,
- (I)  $-(\text{CH}_2)_0\text{-}4\text{-NH-CO-(C}_1\text{-C}_6\text{ alkyl)}$ ,
- (J)  $-\text{NH-CO-O-R}_{\text{N-8}}$ ,
- (K)  $-(\text{CH}_2)_0\text{-}4\text{-NR}_{\text{N-2}}\text{R}_{\text{N-3}}$ ,
- 15 (L)  $-(\text{CH}_2)_0\text{-}4\text{-R}_{\text{N-4}}$ ,
- (M)  $-\text{O-CO-(C}_1\text{-C}_6\text{ alkyl)}$ ,
- (N)  $-\text{O-CO-NR}_{\text{N-8}}\text{R}_{\text{N-8}}$ ,
- (O)  $-\text{O-(C}_1\text{-C}_6\text{ alkyl)-CO}_2\text{H}$ ,
- (P)  $-\text{O-(C}_1\text{-C}_6\text{ alkyl}$  optionally substituted with one,  
20 two, or three groups that are independently selected from -F, -Cl, -Br, and -I),  
  - (Q)  $-\text{NH-SO}_2\text{-}(\text{C}_1\text{-C}_6\text{ alkyl})$ ,
  - (R) halogen,
  - (S)  $-\text{N(H or R}_{\text{N-5}}\text{)-SO}_2\text{-R}_{\text{N-2}}$ ,
- 25 (T)  $-\text{N(H or R}_{\text{N-5}}\text{)-CO-(R}_{\text{N-2}}\text{)}$ ,
- (U)  $-\text{SO}_2\text{-R}_{\text{N-2}}$ , and
- (V)  $\text{R}_{\text{N-aryl}}$ ;

where  $\text{R}_{\text{C}}$  is:

- (I)  $-\text{C}_1\text{-C}_{10}$  alkyl optionally substituted with one, two or  
30 three substituents selected from the group consisting of  $\text{C}_1\text{-C}_3$  alkyl, -F, -Cl, -Br, -I, -OH,

-SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-phenyl, -NR<sub>1-a</sub>R<sub>1-b</sub>, -OC=O NR<sub>1-a</sub>R<sub>1-b</sub>, -S(=O)<sub>0-2</sub> R<sub>1-a</sub>, -NR<sub>1-a</sub>C=O NR<sub>1-a</sub>R<sub>1-b</sub>, -C=O NR<sub>1-a</sub>R<sub>1-b</sub>, and -S(=O)<sub>2</sub> NR<sub>1-a</sub>R<sub>1-b</sub>,

(II) -(CH<sub>2</sub>)<sub>0-3</sub>-(C<sub>3</sub>-C<sub>8</sub>) cycloalkyl where cycloalkyl can be  
5 optionally substituted with one, two or three substituents  
independently selected from the group consisting of C<sub>1</sub>-C<sub>3</sub>  
alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-  
phenyl, -CO<sub>2</sub>H, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), and -NR<sub>1-a</sub>R<sub>1-b</sub>,

(III) -(CR<sub>c-x</sub>R<sub>c-y</sub>)<sub>0-4</sub>-R<sub>c</sub>-aryl at each occurrence is  
10 independently phenyl; naphthyl; tetralinyl; indanyl; indenyl;  
dihydronaphthyl; or 6,7,8,9-tetrahydro-5H-  
benzo[a]cycloheptenyl; each of which is optionally substituted  
with 1, 2, or 3 groups that at each occurrence are  
independently:

15 (1) C<sub>1</sub>-C<sub>6</sub> alkyl, optionally substituted with one, two  
or three substituents selected from the group consisting of C<sub>1</sub>-  
C<sub>3</sub> alkyl, -F, -Cl, -Br, -I,  
-OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

20 (2) -OH,  
(3) -NO<sub>2</sub>,  
(4) -F, -Cl, -Br, -I,  
(5) -CO<sub>2</sub>H,  
(6) -C≡N, and  
(7) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-NR<sub>N-2</sub>R<sub>N-3</sub>;

25 where R<sub>c-x</sub> and R<sub>c-y</sub> are independently

-H,

C<sub>1</sub>-C<sub>4</sub> alkyl optionally substituted with one or two -  
OH,

30 C<sub>1</sub>-C<sub>4</sub> alkoxy optionally substituted with 1, 2, or 3 -  
F,  
-(CH<sub>2</sub>)<sub>0-4</sub>-C<sub>3</sub>-C<sub>8</sub> cycloalkyl,  
C<sub>2</sub>-C<sub>6</sub> alkenyl,  
C<sub>2</sub>-C<sub>6</sub> alkynyl, and  
phenyl,

or  $R_{C-x}$  and  $R_{C-y}$  are taken together with the carbon to which they are attached to form a carbocycle of three, four, five, six and seven carbon atoms, optionally where one carbon atom is replaced by a heteroatom selected from the group consisting of 5  $-O-$ ,  $-S-$ ,  $-SO_2-$ ,  $-NR_{N-2}-$  and  $R_{C-aryl}$  is defined as is defined above;

(IV)  $-(CR_{C-x}R_{C-y})_{0-4}-R_C-heteraryl$  where  $R_C-heteraryl$  at each occurrence is independently selected from the group consisting of pyridinyl, pyrimidinyl, quinolinyl, benzothienyl, indolyl, 10 indolinyl, pyridazinyl, pyrazinyl, isoindolyl, isoquinolyl, quinazolinyl, quinoxaliny, phthalazinyl, imidazolyl, isoxazolyl, pyrazolyl, oxazolyl, thiazolyl, indolizinyl, indazolyl, benzoisothiazolyl, benzimidazolyl, benzofuranyl, furanyl, thienyl, pyrrolyl, oxadiazolyl, thiadiazolyl, 15 triazolyl, tetrazolyl, oxazolopyridinyl, isothiazolyl, naphthyridinyl, cinnolinyl, carbazolyl, beta-carbolinyl, isochromanyl, chromanyl, tetrahydroisoquinolinyl, isoindolinyl, isobenzotetrahydrofuranyl, isobenzotetrahydrothienyl, isobenzothienyl, benzoxazolyl, pyridopyridinyl, 20 benzotetrahydrofuranyl, benzotetrahydrothienyl, purinyl, benzodioxolyl, triazinyl, henoxazinyl, phenothiazinyl, pteridinyl, benzothiazolyl, imidazopyridinyl, imidazothiazolyl, dihydrobenzisoxazinyl, benzisoxazinyl, benzoxazinyl, dihydrobenzisothiazinyl, benzopyranyl, benzothiopyranyl, 25 coumarinyl, isocoumarinyl, chromonyl, chromanonyl, tetrahydroquinolinyl, dihydroquinolinyl, dihydroquinolinonyl, dihydroisoquinolinonyl, dihydrocoumarinyl, dihydroisocoumarinyl, isoindolinonyl, benzodioxanyl, benzoxazolinonyl, imidazopyrazolyl, quinazolinonyl, 30 pyrazopyridyl, benzooxadiazolyl, dihydropyrimidinonyl, dihydrobenzofuranonyl, pyridinyl-N-oxide, pyrrolyl N-oxide, pyrimidinyl N-oxide, pyridazinyl N-oxide, pyrazinyl N-oxide, quinolinyl N-oxide, indolyl N-oxide, indolinyl N-oxide, isoquinolyl N-oxide, quinazolinyl N-oxide, quinoxaliny N-

oxide, phthalazinyl N-oxide, imidazolyl N-oxide, isoxazolyl N-oxide, oxazolyl N-oxide, thiazolyl N-oxide, indolizinyl N-oxide, indazolyl N-oxide, benzothiazolyl N-oxide,

benzimidazolyl N-oxide, pyrrolyl N-oxide, oxadiazolyl N-oxide,

5 thiadiazolyl N-oxide, triazolyl N-oxide, tetrazolyl N-oxide,

benzothiopyranyl S-oxide, and benzothiopyranyl S,S-dioxide,

where the  $R_C$ -heteroaryl group is bonded by any atom of the parent  $R_C$ -heteroaryl group substituted by hydrogen such that the new bond to the  $R_C$ -heteroaryl group replaces the hydrogen atom and  
10 its bond, where heteroaryl is optionally substituted 1, 2, 3,  
or 4 groups that are independently:

(1)  $C_1-C_6$  alkyl, optionally substituted with 1, 2, or  
3 groups independently selected from the group consisting of

$C_1-C_3$  alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>,  $C_1-C_3$

15 alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

(2) -OH,

(3) -NO<sub>2</sub>,

(4) -F, -Cl, -Br, -I,

(5) -CO-OH,

20 (6) -C≡N,

(7) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-NR<sub>N-2</sub>R<sub>N-3</sub>,

(8) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-( $C_1-C_{12}$  alkyl),

(9) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-( $C_2-C_{12}$  alkenyl),

(10) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-( $C_2-C_{12}$  alkynyl),

25 (11) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-( $C_3-C_7$  cycloalkyl),

(12) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>1</sub>-aryl,

(13) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>1</sub>-heteroaryl,

(14) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>1</sub>-heterocycle,

(15) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>N-4</sub>,

30 (16) -(CH<sub>2</sub>)<sub>0-4</sub>-CO-O-R<sub>N-5</sub>,

(17) -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-NR<sub>N-2</sub>R<sub>N-3</sub>,

(18) -(CH<sub>2</sub>)<sub>0-4</sub>-SO-( $C_1-C_8$  alkyl),

(19) -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-( $C_1-C_{12}$  alkyl),

(20) -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-( $C_3-C_7$  cycloalkyl),

- (21)  $-(CH_2)_{0-4}-N(H \text{ or } R_{N-5})-CO-O-R_{N-5},$
- (22)  $-(CH_2)_{0-4}-N(H \text{ or } R_{N-5})-CO-N(R_{N-5})_2,$
- (23)  $-(CH_2)_{0-4}-N-CS-N(R_{N-5})_2,$
- (24)  $-(CH_2)_{0-4}-N(-H \text{ or } R_{N-5})-CO-R_{N-2},$
- 5 (25)  $-(CH_2)_{0-4}-NR_{N-2}R_{N-3},$
- (26)  $-(CH_2)_{0-4}-R_{N-4},$
- (27)  $-(CH_2)_{0-4}-O-CO-(C_1-C_6 \text{ alkyl}),$
- (28)  $-(CH_2)_{0-4}-O-P(O)-(OR_{100})_2,$
- (29)  $-(CH_2)_{0-4}-O-CO-N(R_{N-5})_2,$
- 10 (30)  $-(CH_2)_{0-4}-O-CS-N(R_{N-5})_2,$
- (31)  $-(CH_2)_{0-4}-O-(R_{N-5}),$
- (32)  $-(CH_2)_{0-4}-O-(R_{N-5})-COOH,$
- (33)  $-(CH_2)_{0-4}-S-(R_{N-5}),$
- (34)  $-(CH_2)_{0-4}-O-(C_1-C_6 \text{ alkyl optionally substituted}$   
15  $\text{with one, two, three, four, or five of } -F),$   
  - (35)  $C_3-C_8 \text{ cycloalkyl},$
  - (36)  $C_2-C_6 \text{ alkenyl optionally substituted with } C_1-C_3$   
 $\text{alkyl, } -F, -Cl, -Br, -I, -OH, -SH, -C\equiv N, -CF_3, C_1-C_3 \text{ alkoxy, or}$   
 $-NR_{1-a}R_{1-b},$
- 20 (37)  $C_2-C_6 \text{ alkynyl optionally substituted with } C_1-C_3$   
 $\text{alkyl, } -F, -Cl, -Br, -I, -OH, -SH, -C\equiv N, -CF_3, C_1-C_3 \text{ alkoxy, or}$   
 $-NR_{1-a}R_{1-b},$
- (38)  $-(CH_2)_{0-4}-N(-H \text{ or } R_{N-5})-SO_2-R_{N-2}, \text{ and}$
- (39)  $-(CH_2)_{1-4}-(C_3-C_8 \text{ cycloalkyl}),$
- 25 (V)  $-(CR_{C-x}R_{C-y})_{0-4}-R_C-aryl-R_C-aryl,$
- (VI)  $-(CR_{C-x}R_{C-y})_{0-4}-R_C-aryl-R_C-heteroaryl,$
- (VII)  $-(CR_{C-x}R_{C-y})_{0-4}-R_C-heteroaryl-R_C-aryl,$
- (VIII)  $-(CR_{C-x}R_{C-y})_{0-4}-R_C-heteroaryl-R_C-heteroaryl,$
- (IX)  $-(CR_{C-x}R_{C-y})_{0-4}-R_C-aryl-R_C-heterocycle, \text{ wherein}$
- 30  $R_C-heterocycle \text{ is selected from the group consisting of}$   
 $\text{morpholinyl, thiomorpholinyl, thiomorpholinyl S-oxide,}$   
 $\text{thiomorpholinyl S,S-dioxide, piperazinyl, homopiperazinyl,}$   
 $\text{pyrrolidinyl, pyrrolinyl, tetrahydropyranyl, piperidinyl,}$   
 $\text{tetrahydrofuranyl, tetrahydrothienyl, homopiperidinyl,}$

homomorpholinyl, homothiomorpholinyl, homothiomorpholinyl S,S-dioxide, oxazolidinonyl, dihydropyrazolyl, dihydropyrrolyl, dihydropyrazinyl, dihydropyridinyl, dihydropyrimidinyl, dihydrofuryl, dihydropyranyl, tetrahydrothienyl S-oxide,

5 tetrahydrothienyl S,S-dioxide, homothiomorpholinyl S-oxide, dithianyl, pyranyl, dihydrofuranyl, pyrrolidinonyl, imidazolidinonyl, imidazolidinondionyl, wherein each of the above is optionally fused to a benzene, pyridine, or pyrimidine ring, and

10 where the R<sub>1</sub>-heterocycle group is bonded by any atom of the parent R<sub>1</sub>-heterocycle group substituted by hydrogen such that the new bond to the R<sub>1</sub>-heterocycle group replaces the hydrogen atom and its bond, where heterocycle is optionally substituted with one, two, three or four:

15 (1) C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with one, two or three substituents independently selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -NR<sub>1-a</sub>R<sub>1-b</sub>, -C≡N, -CF<sub>3</sub>, and C<sub>1</sub>-C<sub>3</sub> alkoxy,

20 (2) C<sub>2</sub>-C<sub>6</sub> alkenyl optionally substituted with one, two or three substituents selected from the group consisting of -F, -Cl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, -NR<sub>1-a</sub>R<sub>1-b</sub>,

25 (3) C<sub>2</sub>-C<sub>6</sub> alkynyl optionally substituted with one, two or three substituents independently selected from the group consisting of -F, -Cl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

(4) -F, -Cl, -Br and -I,

(5) C<sub>1</sub>-C<sub>6</sub> alkoxy,

(6) -C<sub>1</sub>-C<sub>6</sub> haloalkoxy,

(7) -NR<sub>N-2</sub>R<sub>N-3</sub>,

30 (8) -OH,

(9) -C≡N,

(10) C<sub>3</sub>-C<sub>7</sub> cycloalkyl, optionally substituted with one, two or three substituents independently selected from the group consisting of -F, -Cl, -OH, -SH

-C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

(11) -CO-(C<sub>1</sub>-C<sub>4</sub> alkyl),

(12) -SO<sub>2</sub>-NR<sub>1-a</sub>R<sub>1-b</sub>,

(13) -CO-NR<sub>1-a</sub>R<sub>1-b</sub>,

5 (14) -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl),

(15) =O, with the proviso that when n<sub>1</sub> is zero R<sub>1</sub>-heterocycle is not bonded to the carbon chain by nitrogen;

(X) -(CR<sub>C-x</sub>R<sub>C-y</sub>)<sub>0-4</sub>-R<sub>C</sub>-heteroaryl-R<sub>C</sub>-heterocycle,

(XI) -(CR<sub>C-x</sub>R<sub>C-y</sub>)<sub>0-4</sub>-R<sub>C</sub>-heterocycle-R<sub>C</sub>-aryl,

10 (XII) -(CR<sub>C-x</sub>R<sub>C-y</sub>)<sub>0-4</sub>-R<sub>C</sub>-heterocycle-R<sub>C</sub>-heteroaryl,

(XIII) -(CR<sub>C-x</sub>R<sub>C-y</sub>)<sub>0-4</sub>-R<sub>C</sub>-heterocycle-R<sub>C</sub>-heterocycle,

(XIV) -(CR<sub>C-x</sub>R<sub>C-y</sub>)<sub>0-4</sub>-R<sub>C</sub>-heterocycle,

(XV) -[C(R<sub>C-1</sub>)(R<sub>C-2</sub>)]<sub>1-3</sub>-CO-N-(R<sub>C-3</sub>)<sub>2</sub> where R<sub>C-1</sub> and R<sub>C-2</sub> are the same or different and are selected from the group consisting of:

(A) -H,

(B) -C<sub>1</sub>-C<sub>6</sub> alkyl, optionally substituted with one, two or three substituents selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH,

20 -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-phenyl, and -NR<sub>1-a</sub>R<sub>1</sub>,

(C) C<sub>2</sub>-C<sub>6</sub> alkenyl optionally substituted with one, two or three substituents selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-phenyl, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

25 (D) C<sub>2</sub>-C<sub>6</sub> alkynyl optionally substituted with one, two or three substituents selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-phenyl, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

(E) -(CH<sub>2</sub>)<sub>1-2</sub>-S(O)<sub>0-2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl),

30 (F) -(CH<sub>2</sub>)<sub>0-4</sub>-C<sub>3</sub>-C<sub>8</sub> cycloalkyl, optionally substituted with one, two or three substituents selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-phenyl, and -NR<sub>1-a</sub>R<sub>1-b</sub>

(G) -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>C</sub>-aryl,

(H) -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>C</sub>-heteroaryl,

(I) -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>C</sub>-heterocycle,

(J) -R<sub>C</sub>-heteroaryl,

(K) -R<sub>C</sub>-heterocycle,

5 (M) -(CH<sub>2</sub>)<sub>1-4</sub>-R<sub>C-4</sub>-(CH<sub>2</sub>)<sub>0-4</sub>-R<sub>C</sub>-aryl where R<sub>C-4</sub> is -O-, -S- or

-NR<sub>C-5</sub>- where R<sub>C-5</sub> is C<sub>1</sub>-C<sub>6</sub> alkyl,

(N) -(CH<sub>2</sub>)<sub>1-4</sub>-R<sub>C-4</sub>-(CH<sub>2</sub>)<sub>0-4</sub>-R<sub>C</sub>-heteroaryl,

(O) -R<sub>C</sub>-aryl,

10 and where R<sub>C-3</sub> at each occurrence is the same or different and is:

(A) -H,

15 (B) -C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with one, two or three substituents independently selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-phenyl, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

20 (C) C<sub>2</sub>-C<sub>6</sub> alkenyl with one or two double bonds, optionally substituted with one, two or three substituents independently selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-phenyl, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

25 (D) C<sub>2</sub>-C<sub>6</sub> alkynyl optionally substituted with one, two or three substituents independently selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-phenyl, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

30 (E) -(CH<sub>2</sub>)<sub>0-4</sub>-C<sub>3</sub>-C<sub>8</sub> cycloalkyl, optionally substituted with one, two or three substituents independently selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-phenyl, -NR<sub>1-a</sub>R<sub>1-b</sub>,

(F) -R<sub>C</sub>-aryl,

(G) -R<sub>C</sub>-heteroaryl,

(H) -R<sub>C</sub>-heterocycle,

(I) -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>C</sub>-aryl,

J) -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>C</sub>-heteroaryl,

(K) -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>C</sub>-heterocycle,

(XVI) -CH(R<sub>C</sub>-aryl)<sub>2</sub>,

(XVII) -CH(R<sub>C</sub>-heteroaryl)<sub>2</sub>,

(XVIII) -CH(R<sub>C</sub>-aryl)(R<sub>C</sub>-heteroaryl),

5 (XIX) -cyclopentyl, -cyclohexyl, or -cycloheptyl ring fused to R<sub>C</sub>-aryl or R<sub>C</sub>-heteroaryl or R<sub>C</sub>-heterocycle, where one carbon of cyclopentyl, cyclohexyl, or -cycloheptyl is optionally replaced with NH, NR<sub>N-5</sub>, O, S(=O)<sub>0-2</sub>, and where cyclopentyl, cyclohexyl, or -cycloheptyl can be optionally substituted with one or two -

10 C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, =O, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

(XX) C<sub>2</sub>-C<sub>10</sub> alkenyl optionally substituted with one, two or three substituents selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-phenyl, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

(XXI) C<sub>2</sub>-C<sub>10</sub> alkynyl optionally substituted with one, two or three substituents selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -F, -Cl, -Br, -I, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-phenyl, and -NR<sub>1-a</sub>R<sub>1-b</sub>,

20 (XXI) -(CH<sub>2</sub>)<sub>0-1</sub>-CHR<sub>C-6</sub>-(CH<sub>2</sub>)<sub>0-1</sub>-R<sub>C</sub>-aryl where R<sub>C-6</sub> is -(CH<sub>2</sub>)<sub>0-6</sub>-OH,

(XXII) -(CH<sub>2</sub>)<sub>0-1</sub>-CHR<sub>C-6</sub>-(CH<sub>2</sub>)<sub>0-1</sub>-R<sub>C</sub>-heteroaryl,

(XXIII) -CH(-R<sub>C</sub>-aryl or R<sub>C</sub>-heteroaryl)-CO<sub>2</sub>(C<sub>1</sub>-C<sub>4</sub> alkyl), ( )

(XXIV) -CH(-CH<sub>2</sub>-OH)-CH(-OH)-NO<sub>2</sub>,

25 (XXV) (C<sub>1</sub>-C<sub>6</sub> alkyl)-O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-OH,

(XXVII) -CH<sub>2</sub>-NH-CH<sub>2</sub>-CH(-O-CH<sub>2</sub>-CH<sub>3</sub>)<sub>2</sub>,

(XXVIII) -H,


(XXIX) -(CH<sub>2</sub>)<sub>0-6</sub>-C(=NR<sub>1-a</sub>)(NR<sub>1-a</sub>R<sub>1-b</sub>);

R<sub>25</sub> at each occurrence is independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, halo C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkanoyl, each of which is unsubstituted or substituted with 1, 2, 3, or 4 groups independently selected from halogen, alkyl, hydroxy, alkoxy, and NH<sub>2</sub>, and -R<sub>26</sub>-R<sub>27</sub>, wherein

R<sub>26</sub> is selected from the group consisting of -C(O)-, -SO<sub>2</sub>-, -CO<sub>2</sub>-, -C(O)NH-, and -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-;

R<sub>27</sub> is selected from the group consisting of C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, aryl C<sub>1</sub>-C<sub>6</sub> alkyl, heterocycloalkyl, and 5 heteroaryl, wherein each of the above is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, halogen, haloalkyl, hydroxyalkyl, -C(O)NH<sub>2</sub>, NH<sub>2</sub>, NH(C<sub>1</sub>-C<sub>6</sub> alkyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl).

10 2. A compound of the formula



Z51

and pharmaceutically acceptable salts thereof wherein  
m is 0-5;

15 B is aryl or heteroaryl optionally substituted with one or two groups independently selected from R<sub>6</sub>, R'<sub>6</sub>, R''<sub>6</sub> and R'''<sub>6</sub>, or

B is cycloalkyl or heterocycloalkyl optionally substituted with one, two, three, four, five, six, seven or eight groups

20 independently selected from R<sub>6a</sub>, R<sub>6b</sub>, R'<sub>6a</sub>, R'<sub>6b</sub>, R''<sub>6a</sub>, R''<sub>6b</sub>, R'''<sub>6a</sub> and R'''<sub>6b</sub>;

25 C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>7</sub> alkenyl or C<sub>2</sub>-C<sub>7</sub> alkynyl, each of which is optionally substituted with one, two or three groups selected from -NRR', -SR, -CN, -OCF<sub>3</sub>, -CF<sub>3</sub>, -CONRR', -CO<sub>2</sub>R, -SO<sub>2</sub>NRR', -O-P(=O)(OR)(OR'), -N(R)-C(=O)(R'), -N(R)(SO<sub>2</sub>R'), -SO<sub>2</sub>R, -C(=O)R, -NO<sub>2</sub>, halogen, -(CH<sub>2</sub>)<sub>0-4</sub>-aryl, and -(CH<sub>2</sub>)<sub>0-4</sub>-heteroaryl, or R and R' independently are -H, -(C<sub>1</sub>-C<sub>10</sub>) alkyl, -(CH<sub>2</sub>)<sub>0-4</sub>-R<sub>ary1</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-Rheteroaryl, -(CH<sub>2</sub>)<sub>0-4</sub>-Rheterocycl1, or

30 C<sub>2</sub>-C<sub>7</sub> alkenyl or C<sub>2</sub>-C<sub>7</sub> alkynyl, each of which is optionally substituted with one, two or three substituents selected from the group consisting of halogen, -OH,

-SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, mono- or dialkylamino, and C<sub>1</sub>-C<sub>6</sub> alkyl, or

-(CH<sub>2</sub>)<sub>0-4-</sub> C<sub>3</sub>-C<sub>7</sub> cycloalkyl optionally substituted with one, two or three substituents selected from the group

5 consisting of halogen, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, mono- or dialkylamino, and C<sub>1</sub>-C<sub>6</sub> alkyl;

benzyl where the phenyl ring is optionally substituted with 1-3 groups independently selected from halogen,

10 -OH, -SH, -C≡N, mono or dialkylamino, C<sub>1</sub>-C<sub>6</sub> alkoxy, or trifluoromethyl;

R<sub>6</sub>, R'<sub>6</sub>, R''<sub>6</sub>, R'''<sub>6</sub>, R<sub>6a</sub>, R<sub>6b</sub>, R'<sub>6a</sub>, R''<sub>6a</sub>, R'''<sub>6a</sub> and R'''<sub>6b</sub> independently are -OR, -NO<sub>2</sub>, halogen, -CO<sub>2</sub>R, -C≡N, -NRR', -SR, -SO<sub>2</sub>R, -C(=O)R, -OCF<sub>3</sub>, -CF<sub>3</sub>, -CONRR', -SO<sub>2</sub>NRR', -O-P(=O)(OR)(OR'), -N(R)(COR'), -N(R)(SO<sub>2</sub>R'), -(CH<sub>2</sub>)<sub>0-4</sub>-CO-NR<sub>7</sub>R'<sub>7</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-O-(CH<sub>2</sub>)<sub>0-4</sub>-CONRR', -(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>1</sub>-C<sub>12</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>2</sub>-C<sub>12</sub> alkenyl), -(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>2</sub>-C<sub>12</sub> alkynyl), -(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-R<sub>ary1</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-Rheteroaryl, -(CH<sub>2</sub>)<sub>0-4</sub>-Rheterocycl1, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>ary1</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>heteroaryl</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>heterocycl1</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>10</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-O-R<sub>11</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-NR<sub>7</sub>R'<sub>7</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-SO-(C<sub>1</sub>-C<sub>8</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>12</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-N(H or R<sub>11</sub>)-CO-O-R<sub>11</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-N(H or R<sub>11</sub>)-CO-N(R<sub>11</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-N(H or R<sub>11</sub>)-CS-N(R<sub>11</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-N(-H or R<sub>11</sub>)-CO-R<sub>7</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-NR<sub>7</sub>R'<sub>7</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-R<sub>10</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-O-CO-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-O-P(O)-(O-R<sub>ary1</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-O-CO-N(R<sub>11</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-O-CS-N(R<sub>11</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-O-(R<sub>11</sub>), -(CH<sub>2</sub>)<sub>0-4</sub>-O-(R<sub>11</sub>)-COOH, -(CH<sub>2</sub>)<sub>0-4</sub>-S-(R<sub>11</sub>), C<sub>3</sub>-C<sub>7</sub> cycloalkyl, -(CH<sub>2</sub>)<sub>0-4</sub>-N(-H or R<sub>11</sub>)-SO<sub>2</sub>-R<sub>7</sub>, or -(CH<sub>2</sub>)<sub>0-4</sub>- C<sub>3</sub>-C<sub>7</sub> cycloalkyl, or

25 C<sub>1</sub>-C<sub>8</sub> alkyl optionally substituted with one, two or three groups independently selected from C<sub>1</sub>-C<sub>6</sub> alkyl, -F, -Cl, -Br, -I, -OR, -NO<sub>2</sub>, -F, -Cl, -Br, -I, -CO<sub>2</sub>R, -C≡N, -NRR', -SR, -SO<sub>2</sub>R, -C(=O)R, -OCF<sub>3</sub>, -CF<sub>3</sub>, -CONRR', -SO<sub>2</sub>NRR', -O-P(=O)(OR)(OR'), -N(R)(COR'), -

30 C<sub>1</sub>-C<sub>8</sub> alkyl optionally substituted with one, two or three groups independently selected from C<sub>1</sub>-C<sub>6</sub> alkyl, -F, -Cl, -Br, -I, -OR, -NO<sub>2</sub>, -F, -Cl, -Br, -I, -CO<sub>2</sub>R, -C≡N, -NRR', -SR, -SO<sub>2</sub>R, -C(=O)R, -OCF<sub>3</sub>, -CF<sub>3</sub>, -CONRR', -SO<sub>2</sub>NRR', -O-P(=O)(OR)(OR'), -N(R)(COR'), -

N(R)(SO<sub>2</sub>R'), -(CH<sub>2</sub>)<sub>0-4</sub>-CO-NR<sub>7</sub>R', -(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>1</sub>-C<sub>12</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>2</sub>-C<sub>12</sub> alkenyl), -(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>2</sub>-C<sub>12</sub> alkynyl), -(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-Raryl, -(CH<sub>2</sub>)<sub>0-4</sub>-Rheteroaryl, -(CH<sub>2</sub>)<sub>0-4</sub>-Rheterocycl, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-Raryl, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-Rheteroaryl, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-Rheterocycl, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>10</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-O-R<sub>11</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-NR<sub>7</sub>R', -(CH<sub>2</sub>)<sub>0-4</sub>-SO-(C<sub>1</sub>-C<sub>8</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>12</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-N(H or R<sub>11</sub>)-CO-O-R<sub>11</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-N(H or R<sub>11</sub>)-CO-N(R<sub>11</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-N(H or R<sub>11</sub>)-CS-N(R<sub>11</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-N(-H or R<sub>11</sub>)-CO-R<sub>7</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-NR<sub>7</sub>R', -(CH<sub>2</sub>)<sub>0-4</sub>-R<sub>10</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-O-CO-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-O-P(O)-(O-Raryl)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-O-CO-N(R<sub>11</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-O-CS-N(R<sub>11</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-O-(R<sub>11</sub>), -(CH<sub>2</sub>)<sub>0-4</sub>-O-(R<sub>11</sub>)-COOH, -(CH<sub>2</sub>)<sub>0-4</sub>-S-(R<sub>11</sub>), C<sub>3</sub>-C<sub>7</sub> cycloalkyl, -(CH<sub>2</sub>)<sub>0-4</sub>-N(-H or R<sub>11</sub>)-SO<sub>2</sub>-R<sub>7</sub>, or -(CH<sub>2</sub>)<sub>0-4</sub>-C<sub>3</sub>-C<sub>7</sub> cycloalkyl, or  
 15 C<sub>2</sub>-C<sub>7</sub> alkenyl or C<sub>2</sub>-C<sub>7</sub> alkynyl, each of which is optionally substituted with one, two or three groups independently selected from halogen or -OH, or  
 20 C<sub>2</sub>-C<sub>7</sub> alkenyl or C<sub>2</sub>-C<sub>7</sub> alkynyl, each of which is optionally substituted with one, two or three groups independently selected from halogen, C<sub>1</sub>-C<sub>3</sub> alkyl, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, and mono- or dialkylamino, or  
 25 -(CH<sub>2</sub>)<sub>0-4</sub>-O-(C<sub>1</sub>-C<sub>6</sub> alkyl), where the alkyl portion is optionally substituted with one, two, three, four, or five of halogen, or  
 any two of R<sub>6a</sub>, R<sub>6b</sub>, R'<sub>6a</sub>, R'<sub>6b</sub>, R''<sub>6a</sub>, R''<sub>6b</sub>, R'''<sub>6a</sub> and R'''<sub>6b</sub>  
 30 together are oxo;  
 R<sub>7</sub> and R', are the same or different and represent -H, -C<sub>3</sub>-C<sub>7</sub> cycloalkyl, -(C<sub>1</sub>-C<sub>2</sub> alkyl)-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-O-(C<sub>1</sub>-C<sub>3</sub> alkyl), -C<sub>2</sub>-C<sub>6</sub> alkenyl, -C<sub>2</sub>-C<sub>6</sub> alkynyl, -C<sub>1</sub>-

C<sub>6</sub> alkyl chain with one double bond and one triple bond, or  
-C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with -OH or -NH<sub>2</sub>; or;  
-C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with one, two or three  
5 groups independently selected from halogen; or  
heterocyclyl optionally substituted with halogen, amino,  
mono- or dialkylamino, -OH, -C≡N, -SO<sub>2</sub>-NH<sub>2</sub>, -SO<sub>2</sub>-NH-  
C<sub>1</sub>-C<sub>6</sub> alkyl, -SO<sub>2</sub>-N(C<sub>1</sub>-C<sub>6</sub> alkyl)<sub>2</sub>, -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), -  
CO-NH<sub>2</sub>, -CO-NH-C<sub>1</sub>-C<sub>6</sub> alkyl, oxo and -CO-N(C<sub>1</sub>-C<sub>6</sub>  
10 alkyl)<sub>2</sub>; or  
C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with one, two or  
three groups independently selected from C<sub>1</sub>-C<sub>3</sub>  
alkyl, halogen, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub>  
alkoxy, amino, and mono- or dialkylamino; or  
15 C<sub>2</sub>-C<sub>6</sub> alkenyl or C<sub>2</sub>-C<sub>6</sub> alkynyl, each of which is  
optionally substituted with one, two or three  
groups independently selected from C<sub>1</sub>-C<sub>3</sub> alkyl,  
halogen, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy,  
amino, and mono- or dialkylamino; or  
20 C<sub>1</sub>-C<sub>6</sub> alkoxy optionally substituted with one, two or  
three of halogen;  
aryl or heteroaryl, each of which is optionally  
25 substituted with halogen, amino, mono- or  
dialkylamino, -OH, -C≡N, -SO<sub>2</sub>-NH<sub>2</sub>, -SO<sub>2</sub>-NH-C<sub>1</sub>-C<sub>6</sub>  
alkyl, -SO<sub>2</sub>-N(C<sub>1</sub>-C<sub>6</sub> alkyl)<sub>2</sub>, -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), -CO-  
NH<sub>2</sub>, -CO-NH-C<sub>1</sub>-C<sub>6</sub> alkyl, and -CO-N(C<sub>1</sub>-C<sub>6</sub> alkyl)<sub>2</sub>; or  
C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with one, two or  
30 three groups independently selected from C<sub>1</sub>-C<sub>3</sub>  
alkyl, halogen, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub>  
alkoxy, amino, and mono- or dialkylamino; or  
C<sub>2</sub>-C<sub>6</sub> alkenyl or C<sub>2</sub>-C<sub>6</sub> alkynyl, each of which is  
optionally substituted with one, two or three  
groups independently selected from C<sub>1</sub>-C<sub>3</sub> alkyl,

halogen, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, and mono- or dialkylamino; or C<sub>1</sub>-C<sub>6</sub> alkoxy optionally substituted with one, two or three of halogen;

- 5 R<sub>10</sub> is heterocyclyl optionally substituted with one, two, three or four groups independently selected from C<sub>1</sub>-C<sub>6</sub> alkyl; R<sub>11</sub> is C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, -(CH<sub>2</sub>)<sub>0-2</sub>-R<sub>aryl</sub>, or -(CH<sub>2</sub>)<sub>0-2</sub>-R<sub>heteroaryl</sub>; R<sub>aryl</sub> is aryl optionally substituted with halogen, amino, mono- or dialkylamino, -OH, -C≡N, -SO<sub>2</sub>-NH<sub>2</sub>, -SO<sub>2</sub>-NH-C<sub>1</sub>-C<sub>6</sub> alkyl, -SO<sub>2</sub>-N(C<sub>1</sub>-C<sub>6</sub> alkyl)<sub>2</sub>, -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), -CO-NH<sub>2</sub>, -CO-NH-C<sub>1</sub>-C<sub>6</sub> alkyl, or -CO-N(C<sub>1</sub>-C<sub>6</sub> alkyl)<sub>2</sub>; or
- 10 C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with one, two or three groups independently selected from C<sub>1</sub>-C<sub>3</sub> alkyl, halogen, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, and mono- or dialkylamino; or
- 15 C<sub>2</sub>-C<sub>6</sub> alkenyl or C<sub>2</sub>-C<sub>6</sub> alkynyl, each of which is optionally substituted with one, two or three groups independently selected from C<sub>1</sub>-C<sub>3</sub> alkyl, halogen, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, and mono- or dialkylamino; or
- 20 C<sub>1</sub>-C<sub>6</sub> alkoxy optionally substituted with one, two or three of halogen;
- 25 R<sub>heteroaryl</sub> is heteroaryl, each of which is optionally substituted with halogen, amino, mono- or dialkylamino, -OH, -C≡N, -SO<sub>2</sub>-NH<sub>2</sub>, -SO<sub>2</sub>-NH-C<sub>1</sub>-C<sub>6</sub> alkyl, -SO<sub>2</sub>-N(C<sub>1</sub>-C<sub>6</sub> alkyl)<sub>2</sub>, -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), -CO-NH<sub>2</sub>, -CO-NH-C<sub>1</sub>-C<sub>6</sub> alkyl, or -CO-N(C<sub>1</sub>-C<sub>6</sub> alkyl)<sub>2</sub>; or
- 30 C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with one, two or three groups independently selected from C<sub>1</sub>-C<sub>3</sub> alkyl, halogen, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, and mono- or dialkylamino; or

C<sub>2</sub>-C<sub>6</sub> alkenyl or C<sub>2</sub>-C<sub>6</sub> alkynyl, each of which is optionally substituted with one, two or three groups independently selected from C<sub>1</sub>-C<sub>3</sub> alkyl, halogen, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, and mono-  
5 or dialkylamino; or

C<sub>1</sub>-C<sub>6</sub> alkoxy optionally substituted with one, two or three of halogen;

R<sub>heterocyclyl</sub> is heterocyclyl optionally substituted with halogen, amino, mono- or dialkylamino, -OH, -C≡N, -SO<sub>2</sub>-NH<sub>2</sub>, -SO<sub>2</sub>-NH-  
10 C<sub>1</sub>-C<sub>6</sub> alkyl, -SO<sub>2</sub>-N(C<sub>1</sub>-C<sub>6</sub> alkyl)<sub>2</sub>, -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), -CO-NH<sub>2</sub>, -CO-NH-C<sub>1</sub>-C<sub>6</sub> alkyl, =O or -CO-N(C<sub>1</sub>-C<sub>6</sub> alkyl)<sub>2</sub>; or  
C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with one, two or three  
15 groups independently selected from C<sub>1</sub>-C<sub>3</sub> alkyl, halogen, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, and mono- or dialkylamino; or


C<sub>2</sub>-C<sub>6</sub> alkenyl or C<sub>2</sub>-C<sub>6</sub> alkynyl, each of which is optionally substituted with one, two or three groups independently selected from C<sub>1</sub>-C<sub>3</sub> alkyl, halogen, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, and mono-  
20 or dialkylamino; or

C<sub>1</sub>-C<sub>6</sub> alkoxy optionally substituted with one, two or three of halogen;

R<sub>2</sub> and R<sub>3</sub> are independently hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl; or  
R<sub>2</sub> and R<sub>3</sub> taken together with the carbon atom to which they are  
25 attached form a 3 or 4-membered ring;

R<sub>c</sub> is hydrogen or phenyl optionally substituted with C<sub>1</sub>-C<sub>3</sub> alkyl, C<sub>2</sub>-C<sub>4</sub> alkynyl, trifluoromethyl, or C<sub>1</sub>-C<sub>2</sub> alkoxy.

### 3. A compound of the formula



30

or a pharmaceutically acceptable salt thereof, wherein

R<sub>30</sub> is selected from the group consisting of phenyl,  
pyrazolopyrimidinyl, oxa-aza-benzoazulenyl, isoxazolyl,  
triazolopyridinyl, pyrrolidinonyl, tetrahydrothia-aza-  
fluorenyl, pyridyl, piperidinyl,  
5 dihydrocyclopentaquinolinyl, furyl, naphthothienyl,  
phthalazinonyl, thiadiazolyl, thienopyrimidinonyl, oxa-  
daza-cyclopentanaphthalenyl, dihydrobenzodioxepinyl,  
chromanonyl, chromenonyl, oxazolidinyl, benzophenone,  
pyrazinyl mono N-oxide, benzofuranyl, pyrazolyl,  
10 -isoxazolyl-phenyl, phenyl-triazolyl, benzimidazolyl,  
indolyl, phenyl-pyrrolyl, chromanyl, isoquinolinyl, -  
thienyl-thienyl, benzothienyl, -phenyl-thiadiazolyl,  
chromanonyl, quinolinyl, -pyrrolyl-C(O)-phenyl, -phenyl-O-  
phenyl, -phenyl-oxazolyl, -pyrrolidinonyl-phenyl, -phenyl-  
15 pyrimidinyl, -phenyl-oxadiazolyl, bicyclo[2.2.1]heptenyl,  
cyclopentyl, thieno[2,3-b]thiophene, cyclohexyl, -phenyl-  
imidazolyl, benzoxazole; dihydro-1H-indolyl; 2,3-dihydro-  
benzo[b]thiophene 1,1-dioxide; benzo[b]thiophene 1,1-  
dioxide; 2,3-dihydro-benzo[d]isothiazole 1,1-dioxide; -  
20 phenyl-thiazolyl; -phenyl-pyrazolyl, -phenyl-C(O)-  
piperidyl, -phenyl-C(O)-pyrrolidinyl, -phenyl-isoxazolyl,  
isoindolyl, purinyl, oxazolyl, thiazolyl, pyridazinonyl,  
thiazolyl, pyranyl, dihydropyranopyridinyl, diazepanyl,  
azepanyl, cyclopropyl, dihydronaphthoisoxazolyl,  
25 benzoindazolyl, dihydrocyclopentachromenonyl,  
imidazopyrazolyl, tetrahydrocyclopentachromenonyl,  
dihydroquinolinonyl, pyridyl N-oxide, isochromanyl,  
quinazolinonyl, pyrazolopyridinyl, dihydrobenzothiophene  
dioxide, dihydrofurobenzoisoxazolyl, dihydropyrimidine  
30 dionyl, thienopyrazolyl, oxazolyl,  
tetrahydrocyclopentapyrazolyl, dihydronaphthalenonyl,  
dihydrobenzofuranonyl, dihydrocyclopentathiienyl,  
tetrahydrocyclopentapyrazolyl, tetrahydropyrazoloazepinyl,  
indazolyl, tetrahydrocycloheptaaisoxazolyl,

tetrahydroindolonyl, pyrrolidinyl, thienopyridinyl,  
dioxodihydrobenzoisothiazolonyl, triazolopyrimidinyl;  
thienyl, dihydrothienopyrimidinonyl, benzooxadiazolyl,  
carbazolyl, chromeno[3,4-d]isoxazolyl, chromanonyl,  
5        triazolopyridazinyl, oxazolidinyl, -pyrrolyl-(C<sub>1</sub>-C<sub>6</sub>  
alkyl)-pyridyl, -pyrrolyl-cyclohexyl, pyrrolidinonyl,  
dihdropyrazolyl, benzooxadiazolyl mono N-oxide, 1-H-  
pyridazinonyl, -phenyl-dihydro-1-H-pyrazolidinonyl, -  
phenyl-pyrrolidinyl dione, thienoindolyl,  
10      thioxobenzothiazolyl, pyrazolopyridinyl, thiomorpholinyl  
S-oxide, dihydrofurylbenzisoxazolyl, benzoisothiazolinonyl  
1,1-dioxide; tetrahydropyrimidinyl dione,  
tetrahydrothiopyranylindolyl, benzodioxepinyl, -phenyl-  
pyrazolidinonyl, dihydronaphthyl, tetrahydronaphthyl,  
15      isoindolinyl dione, -imidazole-benzyl, -thiene-  
dihydrooxazolyl, thienoquinolinyl, -pyrrolidine-phenyl,  
benzoxazolidinonyl, pyrrolopyridinyl, indanonyl, 1-H-  
imidazo[1,2-b]pyrazolyl, dihydrocyclopenta[b]thienyl,  
dihydroindazolonyl, tetrahydropyrazoloazepinyl,  
20      tetrahydrobenzofuranonyl, thienopyrazolyl,  
cyclopenta[c]pyrazolyl, tetrahydrocyclopenta[c]pyrazolyl,  
tetrahydroquinoxalinyl dione, tetrahydroindazolyl,  
imidazobenzoxazinyl, -phenyl-dihydropyrrolyl dione,  
-phenyl-O-benzyl, -phenyl-benzyl, 3',4'-dihydro-1'H-  
25      spiro[[1,3]dioxolane-2,2'-naphthalenyl, wherein each of  
the above is unsubstituted or substituted with 1, 2, 3, 4,  
or 5 groups that are independently selected from the group  
consisting of  
C<sub>1</sub>-C<sub>10</sub> alkyl optionally substituted with 1 phenyl or 1 CN;  
30      OH, hydroxy C<sub>1</sub>-C<sub>10</sub> alkyl optionally substituted with  
phenyl or (C<sub>1</sub>-C<sub>4</sub> alkyl)phenyl, C<sub>1</sub>-C<sub>6</sub> alkoxy optionally  
substituted with 1 or 2 groups that are independently  
hydroxy or phenyl; haloalkyl, haloalkoxy, (CH<sub>2</sub>)<sub>0</sub>-  
4C(O)NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl

group is optionally substituted with 1, 2, or 3 groups that are independently halogen or  $R_{33}$ ,  $-SO_2-$   
5  $NH(C_1-C_6$  alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH, alkoxy, or  $R_{33}$ ;  $-(C_1-C_6$  alkyl)- $SO_2-$ ( $C_1-C_6$  alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH,  $C_1-C_4$  alkoxy, or  $R_{33}$ ;  $-SO_2-(C_1-C_6$  alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently OH or  $C_1-C_4$  alkoxy,  $-SO_2-N(C_1-C_6$  alkyl)( $C_1-C_6$  alkyl) wherein each alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH or  $R_{33}$ ;  $-SO_2-NH(C_1-C_6$  alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 groups that are independently  $C_1-C_4$  alkoxy or halogen,  $-(C_1-C_6$  alkyl)-O-phenyl,  $-(C_1-C_6$  alkyl)-O-( $C_1-C_6$  alkyl)-phenyl, triazolidine-3,5-dione, halogen,  $-NHC(O)NH_2$ ,  $-NHC(O)NH(C_1-C_6$  alkyl),  $-NHC(O)N(C_1-C_6$  alkyl)( $C_1-C_6$  alkyl),  $-N(C_1-C_6$  alkyl)C(O)NH<sub>2</sub>,  $-N(C_1-C_6$  alkyl)C(O)NH( $C_1-C_6$  alkyl),  $-N(C_1-C_6$  alkyl)C(O)N( $C_1-C_6$  alkyl)( $C_1-C_6$  alkyl),  $-(C_1-C_6$  alkyl) thiienyl,  $-(C_1-C_6$  alkyl) furanyl,  $-S-(C_1-C_6$  alkyl) phenyl,  $-SO_2NR_{31}R_{32}$ ,  $-C(O)-NR_{31}R_{32}$ ,  $-NR_{31}R_{32}$ , dithiane,  $-NHC(S)NH_2$ ,  $-NHC(S)NH(C_1-C_6$  alkyl),  $-NHC(S)N(C_1-C_6$  alkyl)( $C_1-C_6$  alkyl),  $-CO_2(C_1-C_6$  alkyl), tetrahydropyran, phenyl optionally substituted with 1 or 2 groups that are independently F, Cl or Br; pyridine,  $-C_2-C_4$  alkynyl-phenyl,  $-O-C_3-C_8$  cycloalkyl,  $-O-(C_1-C_6$  alkyl)- $R_{33}$ ; 10 pyrrole optionally substituted with one or two methyl groups; 2,3-dihydro-benzofuran; benzo[1,2,5]oxadiazole,  $-C(O)-(C_1-C_{10}$  alkyl) wherein the alkyl group is optionally substituted with NH<sub>2</sub>,  $N(C_1-C_6$  alkyl), or  $N(C_1-C_6$  alkyl)( $C_1-C_6$  alkyl);  $-$

C(O)NH-phenyl, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, 4,4-dimethyl-4,5-dihydro-oxazole, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-S-pyridine, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-SO<sub>2</sub>-pyridine, -(C<sub>1</sub>-C<sub>6</sub> thioalkoxy)-pyridine, thiazole optionally substituted with 1 or 2 methyl groups, pyrazole, -S-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently CN or OH; indole, (C<sub>1</sub>-C<sub>6</sub> thioalkoxy)-(C<sub>1</sub>-C<sub>6</sub> alkyl), C<sub>2</sub>-C<sub>8</sub> alkynyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>10</sub> alkyl) wherein the alkyl group is optionally substituted with OH; -NHC(O)NH(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -NHC(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>6</sub> alkoxy)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy); -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with phenyl; -C(O)-furan; and imidazolyl; wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl is optionally substituted with 1, 2, 3 or 4 independently selected halogen atoms; -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-imidazolyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)phenyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)pyridyl, -C(O)furanyl, (C<sub>1</sub>-C<sub>6</sub> alkyl)-tetrahydrofuran, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-furanyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-thienyl, -pyrrolidinyl-benzyl, -(C<sub>1</sub>-C<sub>6</sub> thioalkoxy)-(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), (C<sub>1</sub>-C<sub>6</sub> alkoxy), -(C<sub>2</sub>-C<sub>6</sub> alkenyloxy), -(C<sub>1</sub>-C<sub>6</sub>

alkyl)-CO<sub>2</sub>- (C<sub>1</sub>-C<sub>6</sub> alkyl), and -C(O)-piperidinyl optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkyl; wherein the phenyl and pyridyl groups are unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, hydroxy, C<sub>1</sub>-C<sub>4</sub> alkoxy, halogen, or

5 R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached form a 5, 6, or 7 membered heterocycloalkyl or a 6 membered heteroaryl ring, each of which is optionally fused to a benzene, pyridine or pyrimidine ring and each of which is optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkoxy, hydroxy, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -C(O)NH<sub>2</sub>, -C(O)NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl;

10 15 R<sub>33</sub> at each occurrence is independently, H, NH<sub>2</sub>, NH(C<sub>1</sub>-C<sub>6</sub> alkyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(phenyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(benzyl);

20 R<sub>35</sub> is phenyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -S-phenyl, benzodioxole, thienyl, C<sub>1</sub>-C<sub>6</sub> alkyl, furanyl, imidazolyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OH, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, halogen, halo C<sub>1</sub>-C<sub>6</sub> alkyl, halo C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl), or (CH<sub>2</sub>)<sub>0-4</sub>CN;

25 R<sub>40</sub> is phenyl, -phenyl-pyridyl, biphenyl, -phenyl-benzothienyl, -phenyl-thienyl, -phenyl-furanyl, -phenyl-pyrimidinyl, -phenyl-isoxazolyl, -C(O)-pyridyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)NH-phenyl wherein the phenyl is optionally substituted with 1, 2, or 3 halogen atoms; -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -SO<sub>2</sub>NH<sub>2</sub>, -SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), CN, -(CH<sub>2</sub>)<sub>0-4</sub>-(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-C(O)O-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>33</sub>, C<sub>1</sub>-C<sub>10</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-NHC(O)-(C<sub>1</sub>-C<sub>4</sub> alkyl), -

(CH<sub>2</sub>)<sub>0-4</sub>-C(O)NH<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), naphthyl, tetrahydronaphthyl, dihydronaphthyl, -(CH<sub>2</sub>)<sub>0-4</sub>-imidazolyl, -(CH<sub>2</sub>)<sub>0-4</sub>-pyrrolidinyl, oxazolidinone 3,4-dihydro-

5 benzo[e][1,2]oxathiine 2,2-dioxide, pyrimidinyl, 3,4-dihydro-2H-benzo[e][1,2]thiazine 1,1-dioxide, pyridyl, or pyrimidyl, alkoxyalkyl, -phenyl-benzothienyl, -phenyl-cyclohexyl, -phenyl-cyclopentyl, -phenyl-(C<sub>1</sub>-C<sub>6</sub> alkyl)-cyclopentyl, -phenyl-(C<sub>1</sub>-C<sub>6</sub> alkyl)-cyclohexyl, -phenyl-oxazolyl, furanyl, tetrahydrofuranyl, 7-oxa-

10 bicyclo[2.2.1]heptyl; -dihydro-1-H-pyrazolidinone-phenyl; -phenyl-bicyclo[2.2.1] heptyl; imidazo[2,1-b][1,3]thiazolyl; azepanonyl; piperidinyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-piperidinyl; bicyclo[2.2.1] heptyl; chromanonyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-morpholinyl; -phenyl-C(O)-piperidinyl;

15 tetrahydrothiazolopyridinyl, -pyrrolo-C(O)-pyrrolidinyl; -phenyl-C(O)-phenyl; -phenyl-O-phenyl; -phenyl-O-benzyl; -phenyl-tetrahydropyridazinonyl; and -phenyl-dihydropyridazinonyl;

20 wherein each of the above is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently halogen, C<sub>1</sub>-C<sub>8</sub> alkyl optionally substituted with 1 or two groups that are independently CN or OH; C<sub>1</sub>-C<sub>6</sub> alkoxy, halo (C<sub>1</sub>-C<sub>8</sub> alkyl), halo (C<sub>1</sub>-C<sub>4</sub> alkoxy), -O-(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 halogens, CN, -CHO, C<sub>1</sub>-C<sub>4</sub> thioalkoxy, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>4</sub> alkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl) wherein the alkyl groups are optionally substituted with 1, 2, or 3 halogens; OH; -SO<sub>2</sub>R<sub>33</sub>; R<sub>33</sub>; C<sub>2</sub>-C<sub>8</sub> alkynyl; C<sub>2</sub>-C<sub>8</sub> alkenyl; thioalkoxyalkyl; -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>10</sub> alkyl); -NR<sub>31</sub>R<sub>32</sub>; -C(O)-NR<sub>31</sub>R<sub>32</sub>; -OC(O)R<sub>33</sub>; C<sub>1</sub>-C<sub>8</sub> alkanoyl; and -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)-(C<sub>1</sub>-C<sub>6</sub> alkoxy), -C(O)-(C<sub>1</sub>-C<sub>6</sub> alkoxy); -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NR<sub>31</sub>R<sub>32</sub>; -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl);

25

30


R<sub>41a</sub> and R<sub>41</sub> are independently H, cyclohexyl, phenyl, or C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with 1 or 2 groups that are phenyl, hydroxy, C<sub>1</sub>-C<sub>4</sub> thioalkoxy, C<sub>1</sub>-C<sub>4</sub> thioalkoxy C<sub>1</sub>-C<sub>6</sub> alkyl; or -C<sub>1</sub>-C<sub>6</sub> alkyl-SO<sub>2</sub>-C<sub>1</sub>-C<sub>6</sub> alkyl;

5 R<sub>40</sub>, R<sub>41</sub>, and the atom to which they are attached form a C<sub>3</sub>-C<sub>8</sub> cycloalkyl ring which is optionally substituted with C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, halogen, -CO<sub>2</sub>NH<sub>2</sub>, -CO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> alkyl), or -CO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl); a thiazolyl ring which is optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkyl; isoxazolyl 10 ring which is optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkyl; phenyl which is optionally substituted with 1, 2, or 3 groups that are independently halogen or C<sub>1</sub>-C<sub>6</sub> alkyl; -pyrrolidinyl-benzyl; piperidinyl optionally substituted with 1 or 2 groups that are independently -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl) or -C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl);

15 and

20 R<sub>42</sub> is H, C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with OH; benzyl; -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl); -NHC(O)-phenyl wherein the phenyl is optionally substituted with 1 or 2 alkyl groups; -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl); -CO<sub>2</sub>-(benzyl); or -C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl).

#### 4. A compound according to claim 3 of the formula



or a pharmaceutically acceptable salt thereof, wherein

25 R<sub>51</sub> at each occurrence is independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl) wherein the alkyl group is optionally substituted with 1, 2, or 3 halogens, -SO<sub>2</sub>-NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH<sub>2</sub>, -SO<sub>2</sub>-NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>4</sub> alkyl), -SO<sub>2</sub>-NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>4</sub> alkyl)(C<sub>1</sub>-C<sub>4</sub> alkyl), [1,2,4]triazolidine-3,5-dione, -NHC(O)NH<sub>2</sub>, -NHC(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH<sub>2</sub>, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub>

alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), halogen, -CF<sub>3</sub>, OH,  
-SO<sub>2</sub>NR<sub>31</sub>R<sub>32</sub>, -C(O)NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>R<sub>32</sub>, hydroxy C<sub>1</sub>-C<sub>10</sub> alkyl  
optionally substituted with phenyl or (C<sub>1</sub>-C<sub>4</sub> alkyl)phenyl,  
-O-(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl, -NHC(S)NH<sub>2</sub>, -NHC(S)NH(C<sub>1</sub>-C<sub>6</sub>  
5 alkyl), -NHC(S)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), (C<sub>1</sub>-C<sub>4</sub> alkyl)-O-  
phenyl, -C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is  
optionally substituted with NH<sub>2</sub>, N(C<sub>1</sub>-C<sub>6</sub> alkyl), or N(C<sub>1</sub>-C<sub>6</sub>  
10 alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl); -O-C<sub>3</sub>-C<sub>6</sub> cycloalkyl, oxazole  
optionally substituted with 1, or 2 groups that are  
independently C<sub>1</sub>-C<sub>4</sub> alkyl or phenyl, hydroxy C<sub>1</sub>-C<sub>4</sub> alkoxy,  
aminoalkoxy, NH(C<sub>1</sub>-C<sub>6</sub> alkyl)-alkoxy, N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-  
C<sub>6</sub> alkyl)-alkoxy,  
wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently  
selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub>  
15 alkyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, -(C<sub>1</sub>-C<sub>6</sub>  
alkyl)-C(O)NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub>  
alkyl)-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub>  
20 alkyl)-NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub>  
alkyl)-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub>  
alkyl)phenyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)pyridyl, -C(O)furanyl,  
25 (C<sub>1</sub>-C<sub>6</sub> alkyl)-tetrahydrofuran, wherein  
the phenyl and pyridyl groups are unsubstituted or  
substituted with 1, 2, 3, 4, or 5 groups that  
are independently C<sub>1</sub>-C<sub>4</sub> alkyl, hydroxy, C<sub>1</sub>-C<sub>4</sub>  
alkoxy, halogen, or  
25 wherein at each occurrence R<sub>31</sub>, R<sub>32</sub> and the nitrogen to  
which they are attached independently form a  
pyrrolidinyl, piperazinyl, piperidinyl, azepanyl,  
30 pyridinyl, or pyrimidinyl ring, each of which is  
optionally fused to a benzene, pyridine or pyrimidine  
ring and each of which is optionally substituted with  
C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxy, hydroxy C<sub>1</sub>-C<sub>6</sub>  
alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -C(O)NH<sub>2</sub>, or -C(O)NH-  
(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl.

5. A compound according to claim 4 wherein R<sub>41</sub> and R<sub>42</sub> are both hydrogen.

5 6. A compound according to claim 4 wherein R<sub>35</sub> is phenyl, cyclohexyl, -S-phenyl, benzodioxole, thienyl, C<sub>3</sub>-C<sub>6</sub> alkyl, furanyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OH, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, halogen, halo C<sub>1</sub>-C<sub>6</sub> alkyl, halo C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl).

10 7. A compound according to claim 3 wherein R<sub>35</sub> is phenyl, cyclohexyl, -S-phenyl, benzodioxole, thienyl, C<sub>3</sub>-C<sub>6</sub> alkyl, furanyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OH, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, halogen, halo C<sub>1</sub>-C<sub>6</sub> alkyl, halo C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl);

15 R<sub>40</sub> is phenyl, -phenyl-pyridine, biphenyl, -phenyl-benzothienyl, -phenyl-thienyl, -phenyl-furanyl, -phenyl-pyrimidinyl, -phenyl-isooxazolyl, -C(O)-pyridyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)NH-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), CN, -(CH<sub>2</sub>)<sub>0-4</sub>-(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-C(O)O-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>33</sub>, C<sub>1</sub>-C<sub>8</sub> alkyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-NHC(O)-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), tetrahydronaphthyl, dihydronaphthyl, wherein each of the above is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently

halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, halo (C<sub>1</sub>-C<sub>4</sub> alkyl), -O-(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 halogens, -CHO, C<sub>1</sub>-C<sub>4</sub> thioalkoxy, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), -N(C<sub>1</sub>-C<sub>4</sub> alkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl)  
5       wherein the alkyl groups are optionally substituted with 1, 2, or 3 halogens; OH, SO<sub>2</sub>R<sub>33</sub>, R<sub>33</sub>;  
R<sub>41</sub> is H, cyclohexyl, phenyl, or C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with 1 or 2 groups that are phenyl, hydroxy, or C<sub>1</sub>-C<sub>4</sub> thioalkoxy; and  
10      R<sub>42</sub> is hydrogen or -CH<sub>2</sub>CN.

8. A compound according to claim 6 wherein  
R<sub>35</sub> is phenyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -S-phenyl, benzodioxole,  
thienyl, C<sub>3</sub>-C<sub>6</sub> alkyl, furanyl, each of which is  
15       unsubstituted or substituted with 1, 2, 3, 4, or 5 groups  
that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OH,  
hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, halogen, CF<sub>3</sub>, OCF<sub>3</sub>, -Obenzyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl);  
R<sub>40</sub> is phenyl, -phenyl-pyridine, biphenyl, -phenyl-  
20       benzothienyl, -phenyl-thienyl, -phenyl-furanyl, -phenyl-  
pyrimidinyl, -phenyl-isoxazolyl, -C(O)-pyridyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)NH-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), CN, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>3</sub>-C<sub>6</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-C(O)O-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>33</sub>, C<sub>1</sub>-C<sub>8</sub> alkyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-NHC(O)-(C<sub>1</sub>-C<sub>4</sub> alkyl), -C(O)NH<sub>2</sub>,  
25       wherein each of the above rings is unsubstituted or substituted with 1, 2, or 3 groups that are independently  
halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, CF<sub>3</sub>, -O-(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 halogens, -CHO, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), -N(C<sub>1</sub>-C<sub>4</sub> alkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl) wherein the alkyl is optionally substituted with 1, 2, or 3 halogens,  
30

R<sub>41</sub> is H, cyclohexyl, phenyl, or C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with 1 or 2 groups that are phenyl, hydroxy, or C<sub>1</sub>-C<sub>4</sub> thioalkoxy; and

R<sub>42</sub> is hydrogen or -CH<sub>2</sub>CN;

- 5 R<sub>51</sub> at each occurrence is independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl) wherein the alkyl group is optionally substituted with 1, 2, or 3 halogens, -SO<sub>2</sub>-NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH<sub>2</sub>, -SO<sub>2</sub>-NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>4</sub> alkyl), -SO<sub>2</sub>-NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>4</sub> alkyl)(C<sub>1</sub>-C<sub>4</sub> alkyl),
- 10 [1,2,4]triazolidine-3,5-dione, -NHC(O)NH<sub>2</sub>, -NHC(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH<sub>2</sub>, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), halogen, -CF<sub>3</sub>, OH, -SO<sub>2</sub>NR<sub>31</sub>R<sub>32</sub>, -C(O)NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>R<sub>32</sub>, hydroxy C<sub>1</sub>-C<sub>10</sub> alkyl
- 15 optionally substituted with phenyl or 2-methylphenyl, -O-(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl, -NHC(S)NH<sub>2</sub>, -NHC(S)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(S)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), (C<sub>1</sub>-C<sub>4</sub> alkyl)-O-phenyl, -C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with NH<sub>2</sub>, N(C<sub>1</sub>-C<sub>6</sub> alkyl), or N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl); -O-C<sub>3</sub>-C<sub>6</sub> cycloalkyl, oxazole optionally substituted with 1, or 2 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl or phenyl, hydroxy C<sub>1</sub>-C<sub>4</sub> alkoxy, aminoalkoxy, NH(C<sub>1</sub>-C<sub>6</sub> alkyl)-alkoxy, N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl)-alkoxy, wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently
- 20 selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)phenyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)pyridyl, -C(O)furanyl,
- 25 (C<sub>1</sub>-C<sub>6</sub> alkyl)-tetrahydrofuran, wherein the phenyl group is unsubstituted or substituted with 1, 2, or 3 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkoxy, or halogen,
- 30

wherein at each occurrence R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached independently form a pyrrolidinyl, piperazinyl, piperidinyl, or azepanyl, each of which is optionally fused to a benzene, 5 pyridine or pyrimidine ring and each of which is optionally substituted with hydroxy, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -C(O)NH<sub>2</sub>, or -C(O)NH-benzyl.

10 9. A compound according to claim 8 wherein R<sub>35</sub> is phenyl; halophenyl, dihalophenyl; trihalophenyl; tetrahalophenyl; pentahalophenyl; halo, benzyloxyphenyl; halo, alkylphenyl; benzyloxyphenyl; cyclohexyl; (C<sub>1</sub>-C<sub>4</sub> alkoxy)carbonylphenyl; (C<sub>1</sub>-C<sub>4</sub> alkoxy)phenyl; -S-phenyl, or 15 benzodioxole;

R<sub>41</sub> is H, cyclohexyl, phenyl, or C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with 1 or 2 groups that are phenyl, hydroxy, or C<sub>1</sub>-C<sub>4</sub> thioalkoxy; and

R<sub>42</sub> is hydrogen or -CH<sub>2</sub>CN.

20 10. A compound according to claim 9 wherein R<sub>35</sub> is 3,5-dihalophenyl;

R<sub>40</sub> is phenyl, -phenyl-pyridine, biphenyl, -phenyl-benzothienyl, -phenyl-thienyl, -phenyl-furanyl, -phenyl-pyrimidinyl, -phenyl-isoxazolyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)NH-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH<sub>2</sub>, CN, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>3</sub>-C<sub>6</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-C(O)O-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>33</sub>, or C<sub>1</sub>-C<sub>8</sub> alkyl, wherein each of the above is unsubstituted or 25 substituted with 1, 2, or 3 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, CF<sub>3</sub>, -O-(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 halogens, -CHO, or -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl).

11. A compound according to claim 10 wherein  
R<sub>35</sub> is 3,5-difluorophenyl; 3,5-dichlorophenyl; or 3-chloro, 5-  
fluorophenyl; and  
R<sub>40</sub> is phenyl which is unsubstituted or substituted with 1, 2,  
5 or 3 groups that are independently fluoro, chloro, bromo,  
iodo, methyl, ethyl, methoxy, ethoxy, CF<sub>3</sub>, or -Obenzyl  
wherein the phenyl is optionally substituted with 1 or 2  
groups that are independently halogen, or -NHSO<sub>2</sub>CH<sub>3</sub>.

10 12. A compound according to claim 11 wherein  
R<sub>51</sub> at each occurrence is independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub>  
alkoxy, -NHSO<sub>2</sub>CH<sub>3</sub>, -SO<sub>2</sub>-NH-(ethyl)-  
NH(CH<sub>3</sub>), [1,2,4]triazolidine-3,5-dione, -NHC(O)NH<sub>2</sub>, -CF<sub>3</sub>,  
OH, -SO<sub>2</sub>NR<sub>31</sub>R<sub>32</sub>, -C(O)NR<sub>31</sub>R<sub>32</sub>, hydroxyoctyl, -CH(OH)-2-  
15 methylphenyl, -Obenzyl, or -NHC(S)NH(CH<sub>3</sub>);  
wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently  
selected from the group consisting of hydrogen; C<sub>1</sub>-C<sub>6</sub>  
alkyl; hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl; -(CH<sub>2</sub>)C(O)N(CH<sub>3</sub>)<sub>2</sub>; -  
CH<sub>2</sub>CH<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>; benzyl which is optionally substituted  
20 with 1 or 2 groups that are independently C<sub>1</sub>-C<sub>4</sub>  
alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy or halogen; phenethyl;  
-CH<sub>2</sub>CH<sub>2</sub>pyridyl; or -C(O)furanyl; or  
at each occurrence R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they  
25 are attached independently form a pyrrolidinyl,  
piperazinyl, piperidinyl, or azepanyl, each of which  
is optionally substituted with hydroxymethyl,  
hydroxyethyl, methoxymethyl, or -C(O)NH<sub>2</sub>.

30 13. A compound according to claim 12 wherein  
R<sub>40</sub> is 3-ethylphenyl or 3-methoxyphenyl; and  
R<sub>42</sub> is hydrogen.

14. A compound according to claim 12 wherein

$R_{51}$  at each occurrence is independently H, -SO<sub>2</sub>NH-propyl-OH, -SO<sub>2</sub>NH-ethyl-OH, -SO<sub>2</sub>NH-ethyl-OCH<sub>3</sub>, -SO<sub>2</sub>NH-CH(CH<sub>3</sub>)<sub>2</sub>-CH<sub>2</sub>OH, -SO<sub>2</sub>NH-(CH<sub>2</sub>CH(OH)CH<sub>3</sub>), -SO<sub>2</sub>NH-ethyl-NH(CH<sub>3</sub>), -SO<sub>2</sub>NH(CH<sub>2</sub>CH<sub>2</sub>OH)<sub>2</sub>, -SO<sub>2</sub>NHCH(CH<sub>3</sub>)CH<sub>2</sub>OH, -SO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, -SO<sub>2</sub>NH(CH<sub>2</sub>CH(OH)CH<sub>3</sub>), -SO<sub>2</sub>-pyrrolidine, -SO<sub>2</sub>-(2,6-dimethylpiperidine), -SO<sub>2</sub>-(2-propylpiperidine), -SO<sub>2</sub>-(hydroxymethylpropyl), -C(O)-(2-methoxymethylpyrrolidine), -C(O)-(2-methylpyrrolidine), -C(O)-(2,6-dimethylpyrrolidine), -C(O)-(2-hydroxymethylpyrrolidine), -C(O)N(methyl)(ethyl), -C(O)N(methyl)(propyl), -C(O)N(methyl)(butyl), -C(O)N(propyl)(butyl), -C(O)N(allyl)(cyclopentyl), -C(O)N(allyl)(cyclohexyl), -C(O)N(methyl)(methyl), -C(O)N(ethyl)(ethyl), -C(O)N(butyl)(butyl), -C(O)N(isopropyl)(isopropyl), -C(O)N(propyl)(propyl), -C(O)N(methyl)(cyclohexyl), -C(O)N(ethyl)(cyclohexyl), -C(O)NH(cyclobutyl), -C(O)NH(cyclopentyl), -C(O)N(CH<sub>3</sub>)(cyclopentyl), -C(O)NH(2-methylcyclohexyl), -C(O)NH(pentyl), -C(O)N(pentyl)(pentyl), -C(O)NH(isopentyl), -C(O)NH(ethoxyethyl), -C(O)N(CH<sub>3</sub>)(methoxyethyl), -C(O)N(propyl)(methoxyethyl), -C(O)N(methoxyethyl)(methoxyethyl), -C(O)N(ethoxyethyl)(ethoxyethyl), -C(O)N(ethyl)(methoxyethyl), -C(O)N(propyl)(hydroxyethyl), -C(O)N(hydroxyethyl)(ethyl), ethynyl, methyl, bromo, -N(CH<sub>3</sub>)SO<sub>2</sub>(CH<sub>3</sub>), -N(CH<sub>3</sub>)SO<sub>2</sub>-thienyl, -N(hydroxypropyl)SO<sub>2</sub>CH<sub>3</sub>, -CH<sub>2</sub>)-SO<sub>2</sub>-(CH<sub>3</sub>), or -C(O)-CH(CH<sub>3</sub>)CH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>.

15. A compound according to claim 14 wherein there are two  $R_{51}$  groups.

16. A compound according to claim 15 wherein the  $R_{51}$  groups are at the 3 and 5 positions of the phenyl group.

17. A compound according to claim 11 wherein  
R<sub>51</sub> at each occurrence is independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub>  
alkoxy, -C(O)NR<sub>31</sub>R<sub>32</sub>, -C(O)CH<sub>2</sub>NH<sub>2</sub>, cyclopentyloxy, -  
5 NHC(O)NH(ethyl), oxazole optionally substituted with 1 or  
2 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl or phenyl,  
hydroxyethoxy, diethylaminoethoxy,  
wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently  
selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub>  
10 alkyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, -CH<sub>2</sub>-tetrahydrofuran.

18. A compound according to claim 9 wherein  
R<sub>35</sub> is cyclohexyl.

15 19. A compound according to claim 15 wherein  
R<sub>40</sub> is phenyl, or C<sub>1</sub>-C<sub>8</sub> alkyl, wherein each is unsubstituted or  
substituted with 1, 2, 3, 4, or 5 groups that are  
independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, halo (C<sub>1</sub>-  
C<sub>4</sub> alkyl); and  
20 R<sub>42</sub> and R<sub>41</sub> are both hydrogen.

20. A compound according to claim 16 wherein  
R<sub>40</sub> is phenyl, 3-methoxyphenyl, 4-methoxyphenyl, 3-  
ethoxyphenyl, 4-ethoxyphenyl, 3-trifluoromethylphenyl, 4-  
25 trifluoromethylphenyl, 2-methylphenyl, 3-methylphenyl, 2-  
ethylphenyl, 3-ethylphenyl, or C<sub>3</sub>-C<sub>6</sub> alkyl; and  
R<sub>51</sub> at each occurrence is independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub>  
alkoxy, or halogen,  
wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently  
30 selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub>  
alkyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, and -(C<sub>1</sub>-C<sub>6</sub> alkyl)phenyl  
wherein the phenyl group is unsubstituted or  
substituted with 1, 2, or 3 groups that are  
independently C<sub>1</sub>-C<sub>4</sub> alkoxy, or halogen,

wherein at each occurrence R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached independently form a pyrrolidinyl, piperazinyl, piperidinyl, or azepanyl, each of which is optionally fused to a benzene, 5 pyridine or pyrimidine ring and each of which is optionally substituted with hydroxy, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -C(O)NH<sub>2</sub>, or -C(O)NH-benzyl.

10 21. A compound according to claim 9 wherein R<sub>35</sub> is 3-halo, 5-benzyloxyphenyl; 3-benzyloxyphenyl; or 4-benzyloxyphenyl;  
R<sub>41</sub> is H, cyclohexyl, phenyl, or C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with 1 or 2 groups that are phenyl, hydroxy, 15 or C<sub>1</sub>-C<sub>4</sub> thioalkoxy; and  
R<sub>42</sub> is hydrogen or -CH<sub>2</sub>CN.

22. A compound according to claim 21 wherein R<sub>40</sub> is phenyl, -phenyl-pyridine, biphenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)NH-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, 20 -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>3</sub>-C<sub>6</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-C(O)O-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>33</sub>, or C<sub>1</sub>-C<sub>8</sub> alkyl, wherein each of the above is unsubstituted or 25 substituted with 1, 2, or 3 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, CF<sub>3</sub>, -Obenzyl wherein the phenyl is optionally substituted with 1 or 2 halogens, -CHO, or -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl). ( )

30 23. A compound according to claim 22 wherein R<sub>40</sub> is phenyl or C<sub>1</sub>-C<sub>8</sub> alkyl, wherein each of the above is unsubstituted or substituted with 1, 2, or 3 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, CF<sub>3</sub>, -Obenzyl wherein the phenyl is optionally substituted with 1 or 2 halogens, -CHO, or -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl); and

R<sub>41</sub> is hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with 1 or 2 groups that are phenyl, hydroxy, or C<sub>1</sub>-C<sub>4</sub> thioalkoxy;

R<sub>42</sub> is hydrogen; and

R<sub>51</sub> at each occurrence is independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub>

5 alkoxy, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl) wherein the alkyl group is optionally substituted with 1, 2, or 3 halogens, -SO<sub>2</sub>-NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH<sub>2</sub>, -SO<sub>2</sub>-NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>4</sub> alkyl), -SO<sub>2</sub>-NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>4</sub> alkyl)(C<sub>1</sub>-C<sub>4</sub> alkyl), -NHC(O)NH<sub>2</sub>, -NHC(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(O)N(C<sub>1</sub>-C<sub>6</sub>

10 alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH<sub>2</sub>, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), halogen, -CF<sub>3</sub>, OH, -SO<sub>2</sub>NR<sub>31</sub>R<sub>32</sub>, -C(O)NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>R<sub>32</sub>, hydroxy C<sub>1</sub>-C<sub>10</sub> alkyl, -Obenzyl, -

15 NHC(S)NH<sub>2</sub>, -NHC(S)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(S)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), (C<sub>1</sub>-C<sub>4</sub> alkyl)-O-phenyl, -C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), -O-cyclopentyl, -O-cyclohexyl, hydroxy C<sub>1</sub>-C<sub>4</sub> alkoxy, aminoalkoxy, NH(C<sub>1</sub>-C<sub>6</sub> alkyl)-alkoxy, N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl)-alkoxy,

wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently

20 selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), and benzyl wherein the phenyl group is unsubstituted or substituted with 1, or 2 groups that are

25 independently C<sub>1</sub>-C<sub>4</sub> alkoxy, or halogen,

wherein at each occurrence R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached independently form a pyrrolidinyl, piperazinyl, or piperidinyl, each of which is optionally substituted with hydroxy, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -C(O)NH<sub>2</sub>, or -C(O)NH-benzyl.

30

24. A compound according to claim 23 wherein

R<sub>40</sub> is phenyl or C<sub>1</sub>-C<sub>8</sub> alkyl, wherein each of the above is unsubstituted or substituted with 1, 2, or 3 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, or CF<sub>3</sub>; and

- 5 R<sub>51</sub> at each occurrence is independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, -NHSO<sub>2</sub>CH<sub>3</sub>, -NHSO<sub>2</sub>CF<sub>3</sub>, halogen, -CF<sub>3</sub>, OH, -SO<sub>2</sub>NR<sub>31</sub>R<sub>32</sub>, -C(O)NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>R<sub>32</sub>, hydroxy C<sub>1</sub>-C<sub>10</sub> alkyl, hydroxy C<sub>1</sub>-C<sub>4</sub> alkoxy, aminoalkoxy, NH(C<sub>1</sub>-C<sub>6</sub>alkyl)-alkoxy, N(C<sub>1</sub>-C<sub>6</sub>alkyl)(C<sub>1</sub>-C<sub>6</sub>alkyl)-alkoxy,
- 10 wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, and benzyl wherein the phenyl group is unsubstituted or substituted with 1 or 2 groups that are independently methoxy, ethoxy, or halogen, or
- 15 wherein at each occurrence R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached independently form a pyrrolidinyl, piperazinyl, or piperidinyl ring each of which is optionally substituted with hydroxy, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, or-  
20 C(O)NH<sub>2</sub>.

25. A compound according to claim 24 wherein  
R<sub>35</sub> is 3-fluoro, 5-benzyloxyphenyl or 3-chloro, 5-  
25 benzyloxyphenyl.

26. A compound according to claim 9 wherein  
R<sub>35</sub> is -S-phenyl, benzo[1,3]dioxole, furanyl, or thienyl;  
R<sub>41</sub> is H, cyclohexyl, phenyl, or C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with 1 or 2 groups that are phenyl, hydroxy, or C<sub>1</sub>-C<sub>4</sub> thioalkoxy; and  
R<sub>42</sub> is hydrogen or -CH<sub>2</sub>CN.

27. A compound according to claim 26 wherein

R<sub>40</sub> is phenyl, -phenyl-pyridine, biphenyl, -phenyl-pyrimidinyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)NH-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>3</sub>-C<sub>6</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-C(O)O-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>33</sub>, or C<sub>1</sub>-C<sub>8</sub> alkyl, wherein each of the above is unsubstituted or substituted with 1, 2, or 3 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, CF<sub>3</sub>, -Obenzyl wherein the phenyl is optionally substituted with 1 or 2 halogens, -CHO, or -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), -NHSO<sub>2</sub>CF<sub>3</sub>.

10

28. A compound according to claim 27 wherein R<sub>51</sub> at each occurrence is independently selected from the group consisting of

C<sub>1</sub>-C<sub>4</sub> alkyl, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)NH<sub>2</sub>, -C(O)N(C<sub>2</sub>-C<sub>6</sub> alkenyl)(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -C(O)NH(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), C(O)-(pyrrolidine) optionally substituted with 1 or two groups that are independently alkoxyalkyl or hydroxy, halogen, -C(O)N(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)NH(alkoxyalkyl), -C(O)N(alkoxyalkyl)(alkoxyalkyl), -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(alkoxyalkyl), -C(O)N(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl)(alkyl), -NHSO<sub>2</sub>CF<sub>3</sub>, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)-SO<sub>2</sub>-thienyl, -N(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(O)C<sub>1</sub>-C<sub>4</sub> alkyl, 25 oxazolyl optionally substituted with 1 or 2 methyl groups, thiazolyl optionally substituted with 1 or 2 methyl groups, pyrazolyl optionally substituted with 1 or 2 methyl groups, imidazolyl optionally substituted with 1 or 2 methyl groups, isoxazolyl optionally substituted with 1 or 2 methyl groups, pyrimidinyl optionally substituted with 1 or 2 methyl or halogen groups, -NHSO<sub>2</sub>CH<sub>3</sub>, -NHSO<sub>2</sub>-imidazolyl wherein the imidazole ring is optionally substituted with 1 or 2 methyl groups, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>(C<sub>1</sub>-C<sub>6</sub>

alkyl), -SO<sub>2</sub>NH-C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl, -SO<sub>2</sub>NH-C<sub>1</sub>-C<sub>6</sub> alkyl-NH(C<sub>1</sub>-C<sub>4</sub> alkyl), -SO<sub>2</sub>-piperazinyl optionally substituted with 1 or 2 methyl groups, -SO<sub>2</sub>-pyrrolidine optionally substituted with 1 or 2 methyl groups, -SO<sub>2</sub>-piperidine optionally substituted with 1 or 2 C<sub>1</sub>-C<sub>4</sub> alkyl groups, -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>4</sub> hydroxyalkyl)(C<sub>1</sub>-C<sub>4</sub> hydroxyalkyl), -SO<sub>2</sub>NH<sub>2</sub>, -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), C<sub>2</sub>-C<sub>6</sub> alkynyl, -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl), -SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl), -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), or -C(O)-(C<sub>1</sub>-C<sub>10</sub> alkyl).

29. A compound according to claim 28 wherein R<sub>51</sub> at each occurrence is independently selected from the group consisting of -SO<sub>2</sub>NH-propyl-OH, -SO<sub>2</sub>NH-ethyl-OH, -SO<sub>2</sub>NH-ethyl-OCH<sub>3</sub>, -SO<sub>2</sub>NH-CH(CH<sub>3</sub>)<sub>2</sub>-CH<sub>2</sub>OH, -SO<sub>2</sub>NH-(CH<sub>2</sub>CH(OH)CH<sub>3</sub>), -SO<sub>2</sub>NH-ethyl-NH(CH<sub>3</sub>), -SO<sub>2</sub>NH(-CH<sub>2</sub>CH<sub>2</sub>OH)<sub>2</sub>, -SO<sub>2</sub>NHCH(CH<sub>3</sub>)CH<sub>2</sub>OH, -SO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, -SO<sub>2</sub>NH(CH<sub>2</sub>CH(OH)CH<sub>3</sub>), -SO<sub>2</sub>-pyrrolidine, -SO<sub>2</sub>-(2,6-dimethylpiperidine), -SO<sub>2</sub>-(2-propylpiperidine), -SO<sub>2</sub>-(hydroxymethylpropyl), -C(O)-(2-methoxymethylpyrrolidine), -C(O)-(2-methylpyrrolidine), -C(O)-(2,6-dimethylpyrrolidine), -C(O)-(2-hydroxymethylpyrrolidine), -C(O)N(methyl)(ethyl), -C(O)N(methyl)(propyl), -C(O)N(methyl)(butyl), -C(O)N(propyl)(butyl), -C(O)N(allyl)(cyclopentyl), -C(O)N(allyl)(cyclohexyl), -C(O)N(methyl)(methyl), -C(O)N(ethyl)(ethyl), -C(O)N(butyl)(butyl), -C(O)N(isopropyl)(isopropyl), -C(O)N(propyl)(propyl), -C(O)N(methyl)(cyclohexyl), -C(O)N(ethyl)(cyclohexyl), -C(O)NH(cyclobutyl), -C(O)NH(cyclopentyl), -C(O)N(CH<sub>3</sub>)(cyclopentyl), -C(O)NH(2-methylcyclohexyl), -C(O)NH(pentyl), -C(O)N(pentyl)(pentyl), -C(O)NH(isopentyl), -C(O)NH(ethoxyethyl), -C(O)N(CH<sub>3</sub>)(methoxyethyl), -C(O)N(propyl)(methoxyethyl),

-C(O)N(methoxyethyl)(methoxyethyl),  
-C(O)N(ethoxyethyl)(ethoxyethyl),  
-C(O)N(ethyl)(methoxyethyl), -C(O)N(propyl)(hydroxyethyl),  
-C(O)N(hydroxyethyl)(ethyl), ethynyl, methyl, bromo,  
5 -N(CH<sub>3</sub>)SO<sub>2</sub>(CH<sub>3</sub>), -N(CH<sub>3</sub>)SO<sub>2</sub>-thienyl, -  
N(hydroxypropyl)SO<sub>2</sub>CH<sub>3</sub>, -(CH<sub>2</sub>)-SO<sub>2</sub>-(CH<sub>3</sub>), or -C(O)-  
CH(CH<sub>3</sub>)CH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>.

30. A compound according to claim 27 wherein  
10 R<sub>40</sub> is phenyl or C<sub>1</sub>-C<sub>8</sub> alkyl, wherein each of the above is  
unsubstituted or substituted with 1, 2, or 3 groups that  
are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, CF<sub>3</sub>,  
-Obenzyl wherein the phenyl is optionally substituted with  
1 or 2 halogens, -CHO, or -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl); and  
15 R<sub>41</sub> is hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with 1 or  
2 groups that are phenyl, hydroxy, or C<sub>1</sub>-C<sub>4</sub> thioalkoxy;  
and;  
R<sub>42</sub> is hydrogen; and  
R<sub>51</sub> at each occurrence is independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub>  
20 alkoxy, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl) wherein the alkyl group is  
optionally substituted with 1, 2, or 3 halogens, -SO<sub>2</sub>-NH-  
(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH<sub>2</sub>, -SO<sub>2</sub>-NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>4</sub> alkyl), -  
SO<sub>2</sub>-NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>4</sub> alkyl)(C<sub>1</sub>-C<sub>4</sub> alkyl),  
-NHC(O)NH<sub>2</sub>, -NHC(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(O)N(C<sub>1</sub>-C<sub>6</sub>  
25 alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH<sub>2</sub>, -N(C<sub>1</sub>-C<sub>6</sub>  
alkyl)C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub>  
alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), halogen, -CF<sub>3</sub>, OH, -SO<sub>2</sub>NR<sub>31</sub>R<sub>32</sub>,  
-C(O)NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>R<sub>32</sub>, hydroxy C<sub>1</sub>-C<sub>10</sub> alkyl, -Obenzyl, -  
NHC(S)NH<sub>2</sub>, -NHC(S)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(S)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-  
30 C<sub>6</sub> alkyl), (C<sub>1</sub>-C<sub>4</sub> alkyl)-O-phenyl, -C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), -O-  
cyclopentyl, -O-cyclohexyl, hydroxy C<sub>1</sub>-C<sub>4</sub> alkoxy,  
aminoalkoxy, NH(C<sub>1</sub>-C<sub>6</sub> alkyl)-alkoxy, N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub>  
alkyl)-alkoxy,

wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), and benzyl wherein the phenyl group is unsubstituted or substituted with 1, or 2 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkoxy, or halogen,  
5 wherein at each occurrence R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached independently form a pyrrolidinyl, piperazinyl, or piperidinyl, each of which is optionally substituted with hydroxy, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -C(O)NH<sub>2</sub>, or -C(O)NH-benzyl.  
10

15 31. A compound according to claim 30 wherein R<sub>40</sub> is phenyl or C<sub>1</sub>-C<sub>8</sub> alkyl, wherein each of the above is unsubstituted or substituted with 1, 2, or 3 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, or CF<sub>3</sub>; and


20 R<sub>51</sub> at each occurrence is independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, -NHSO<sub>2</sub>CH<sub>3</sub>, -NHSO<sub>2</sub>CF<sub>3</sub>, halogen, -CF<sub>3</sub>, OH, -SO<sub>2</sub>NR<sub>31</sub>R<sub>32</sub>, -C(O)NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>R<sub>32</sub>, hydroxy C<sub>1</sub>-C<sub>10</sub> alkyl, hydroxy C<sub>1</sub>-C<sub>4</sub> alkoxy, aminoalkoxy, NH(C<sub>1</sub>-C<sub>6</sub>alkyl)-alkoxy, N(C<sub>1</sub>-C<sub>6</sub>alkyl)(C<sub>1</sub>-C<sub>6</sub>alkyl)-alkoxy,  
25

wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, and benzyl wherein the phenyl group is unsubstituted or substituted with 1 or 2 groups that are independently methoxy, ethoxy, or halogen, or  
30

wherein at each occurrence R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached independently form a pyrrolidinyl, piperazinyl, or piperidinyl ring each of which is optionally substituted with hydroxy,

hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, or-C(O)NH<sub>2</sub>.

32. A compound of the formula:



5

or a pharmaceutically acceptable salt thereof, wherein  
R<sub>30</sub> is selected from the group consisting of phenyl,  
pyrazolopyrimidinyl, oxa-aza-benzoazulenyl, isoxazolyl,  
triazolopyridinyl, pyrrolidinonyl, tetrahydrothia-aza-  
fluorenyl, pyridyl, piperidinyl,  
dihydrocyclopentaquinolinyl, furyl, naphthothienyl,  
phthalazinonyl, thiadiazolyl, thienopyrimidinonyl, oxa-  
diaza-cyclopentanaphthalenyl, dihydrobenzodioxepinyl,  
chromanonyl, chromenonyl, oxazolidinyl, purinyl, oxaxolyl,  
thiazolyl, pyridazinonyl, thiazolyl, pyranyl,  
dihdropyranopyridinyl, diazepanyl, cyclopropyl,  
dihydronaphthoisoxazolyl, benzoindazole,  
dihydrocyclopentachromenonyl, imidazopyrazolyl,  
tetrahydrocyclopentachromenonyl, dihydroquinolinonyl,  
20 pyridyl, isochromanyl, quinazolinonyl, pyrazolopyridinyl,  
dihydrobenzothiophene dioxide, dihydrofurobenzoisoxazolyl,  
dihdropyrimidine dionyl, thienopyrazolyl, oxazolyl,  
tetrahydrocyclopentapyrazolyl, dihydronaphthalenonyl,  
dihydrobenzofuranonyl, dihydrocyclopentathienyl,  
25 tetrahydrocyclopentapyrazolyl, tetrahydropyrazoloazepinyl,  
indazolyl, tetrahydrocycloheptaisoxazolyl,  
tetrahydroindolonyl, pyrrolidinyl, thienopyridinyl,  
dioxodihydrobenzoisothiazolonyl, triazolopyrimidinyl,  
thienyl, dihydrothienopyrimidinonyl, and benzooxadiazolyl,  
30 wherein each of the above is unsubstituted or substituted  
with 1, 2, 3, 4, or 5 groups that are independently  
selected from the group consisting of

C<sub>1</sub>-C<sub>10</sub> alkyl optionally substituted with phenyl, hydroxy, hydroxy C<sub>1</sub>-C<sub>10</sub> alkyl optionally substituted with phenyl or (C<sub>1</sub>-C<sub>4</sub> alkyl)phenyl, C<sub>1</sub>-C<sub>6</sub> alkoxy optionally substituted with 1 or 2 hydroxy groups, -C(O)NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is 5 optionally substituted with 1, 2, or 3 R<sub>33</sub> groups, -SO<sub>2</sub>-NH(C<sub>1</sub>-C<sub>6</sub> alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl) wherein each alkyl group is optionally substituted with 1 or 2 R<sub>33</sub> groups, -SO<sub>2</sub>-N(C<sub>1</sub>-C<sub>6</sub> alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl) 10 wherein each alkyl group is optionally substituted with 1 or 2 R<sub>33</sub> groups, -SO<sub>2</sub>-NH(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkoxy or halogen, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-O-phenyl, -(C<sub>1</sub>-C<sub>6</sub> 15 alkyl)-O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, triazolidine-3,5-dione, halogen, -NHC(O)NH<sub>2</sub>, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH<sub>2</sub>, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> 20 alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl) thienyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl) furanyl, -S-(C<sub>1</sub>-C<sub>6</sub> alkyl) phenyl, -SO<sub>2</sub>NR<sub>31</sub>R<sub>32</sub>, -C(O)-NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>R<sub>32</sub>, dithiane, -NHC(S)NH<sub>2</sub>, -NHC(S)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(S)N(C<sub>1</sub>-C<sub>6</sub> 25 alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl), -CO<sub>2</sub>(C<sub>1</sub>-C<sub>6</sub> alkyl), tetrahydropyran, phenyl optionally substituted with 1 or 2 groups that are independently F, Cl or Br, pyridine, -C<sub>2</sub>-C<sub>4</sub> alkynyl-phenyl, -O-C<sub>3</sub>-C<sub>6</sub> cycloalkyl, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-R<sub>33</sub>, benzo[1,2,5]oxadiazole, -C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally 30 substituted with NH<sub>2</sub>, N(C<sub>1</sub>-C<sub>6</sub> alkyl), or N(C<sub>1</sub>-C<sub>6</sub> alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl); -C(O)NH-phenyl, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, 4,4-Dimethyl-4,5-dihydro-oxazole, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-S-pyridine, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-SO<sub>2</sub>-pyridine, -(C<sub>1</sub>-C<sub>6</sub> thioalkoxy)-pyridine, wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub>

alkyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)phenyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)pyridyl, -C(O)furanyl, (C<sub>1</sub>-C<sub>6</sub> alkyl)-tetrahydrofuran, wherein  
5 the phenyl and pyridyl groups are unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that  
10 are independently C<sub>1</sub>-C<sub>4</sub> alkyl, hydroxy, C<sub>1</sub>-C<sub>4</sub> alkoxy, halogen, or  
R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached form a  
15 5, 6, or 7 membered heterocycloalkyl or a 6 membered heteroaryl ring, each of which is optionally fused to a benzene, pyridine or pyrimidine ring and each of which is optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkoxy, hydroxy, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -C(O)NH<sub>2</sub>, -C(O)NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl;  
15 R<sub>33</sub> at each occurrence is independently, H, NH<sub>2</sub>, NH(C<sub>1</sub>-C<sub>6</sub> alkyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(phenyl);  
R<sub>35</sub> is phenyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -S-phenyl, benzodioxole,  
20 thienyl, C<sub>1</sub>-C<sub>6</sub> alkyl, furanyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OH, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, halogen, halo C<sub>1</sub>-C<sub>6</sub> alkyl, halo C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl);  
25 R<sub>42</sub> is H, C<sub>1</sub>-C<sub>6</sub> alkyl, benzyl, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), or -NHC(O)-phenyl wherein the phenyl is optionally substituted with 1 or 2 alkyl groups,  
R<sub>55</sub> is cyclohexyl; cyclopentyl; azepanone; phenyl; piperidinyl;  
30 -SO<sub>2</sub>-phenyl; pyrrolidinyl; or 4,5,6,7-tetrahydro-thiazolo[5,4-c]pyridine; wherein each is optionally

substituted with -C(O)NH<sub>2</sub>; -C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl); -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl); C<sub>1</sub>-C<sub>6</sub> alkoxy carbonyl; -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NR<sub>31</sub>R<sub>32</sub>; -(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl; 4,5-dihydro-2H-pyridazin-3-one; C<sub>5</sub>-C<sub>6</sub> cycloalkyl which is optionally substituted with one CN group, phenoxy wherein the phenyl group is optionally substituted with -NHC(O)C<sub>1</sub>-C<sub>6</sub> alkyl, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)C<sub>1</sub>-C<sub>6</sub> alkyl, wherein R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached form a pyrrolidine, piperidine, piperazine, morpholine, or thiomorpholine ring, wherein each ring is unsubstituted or substituted with 1, 2, or 3 groups that are independently OH, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-imidazole wherein the imidazole is optionally substituted with 1 or 2 C<sub>1</sub>-C<sub>4</sub> alkyl groups, or hydroxy (C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with 1 phenyl ring,

10 or R<sub>42</sub>, R<sub>55</sub> and the nitrogen to which they are attached form a tetrahydroisoquinolinyl, dihydroisoquinolinyl, or isoquinolinyl group which is optionally substituted by 1, 2, 3, or 4 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, CN, OH, and phenyl, wherein the phenyl is optionally substituted with halogen, hydroxyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, and C<sub>1</sub>-C<sub>4</sub> alkyl.

25 33. A compound according to claim 32 wherein R<sub>30</sub> is selected from the group consisting of phenyl, pyrrolidinyl, pyridyl, piperidinyl, furyl, cyclopropyl, and thienyl, wherein each of the above is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently selected from the group consisting of C<sub>1</sub>-C<sub>10</sub> alkyl, hydroxy, hydroxy C<sub>1</sub>-C<sub>10</sub> alkyl C<sub>1</sub>-C<sub>6</sub> alkoxy, -NR<sub>31</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -SO<sub>2</sub>-NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -SO<sub>2</sub>-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), halogen, -NHC(O)NH<sub>2</sub>,

-N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH<sub>2</sub>, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -SO<sub>2</sub>NR<sub>31</sub>R<sub>32</sub>, -C(O)-NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>R<sub>32</sub>, -C<sub>2</sub>-C<sub>4</sub> alkynyl-phenyl, -O-C<sub>3</sub>-C<sub>6</sub> cycloalkyl, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-R<sub>33</sub>, benzo[1,2,5]oxadiazole, -C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl);

5       wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), benzyl, and -C(O)furanyl, wherein

10      the phenyl and pyridyl groups are unsubstituted or substituted with 1, 2, or 3, groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, hydroxy, C<sub>1</sub>-C<sub>4</sub> alkoxy, or halogen, or

15      R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached form a 5, 6, or 7 membered heterocycloalkyl or a 6 membered heteroaryl ring; each of which is optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkoxy, hydroxy, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, or -C(O)NH<sub>2</sub>;

20      R<sub>35</sub> is phenyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, or -S-phenyl, each of which is unsubstituted or substituted with 1, 2, or 3 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, CF<sub>3</sub>, OCF<sub>3</sub>, halogen, -Obenzyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl);

25      R<sub>42</sub> is H, C<sub>1</sub>-C<sub>6</sub> alkyl, benzyl, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), or -NHC(O)-phenyl wherein the phenyl is optionally substituted with 1 or 2 alkyl groups,


30      R<sub>55</sub> is cyclohexyl; azepanone; phenyl; piperidinyl; -SO<sub>2</sub>-phenyl; pyrrolidinyl; or 4,5,6,7-tetrahydro-thiazolo[5,4-c]pyridine; wherein each is optionally substituted with -C(O)NH<sub>2</sub>; C<sub>1</sub>-C<sub>6</sub> alkoxycarbonyl; -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NR<sub>31</sub>R<sub>32</sub>;

- (C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl; 4,5-dihydro-2H-pyridazin-3-one; cyclopentyl which is optionally substituted with one CN group, phenoxyloxy wherein the phenyl group is optionally substituted with -NHC(O)C<sub>1</sub>-C<sub>6</sub> alkyl, wherein  
5 R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached form a pyrrolidine, piperidine, piperazine, or morpholine ring, wherein each ring is unsubstituted or substituted with 1, 2, or 3 groups that are independently OH, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-imidazole wherein  
10 the imidazole is optionally substituted with 1 or 2 C<sub>1</sub>-C<sub>4</sub> alkyl groups, or hydroxy (C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with 1 phenyl ring,  
or  
15 R<sub>42</sub>, R<sub>55</sub> and the nitrogen to which they are attached form a tetrahydroisoquinolinyl, group which is optionally substituted by 1, 2, 3, or 4 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, CN, OH, and phenyl, wherein the phenyl is optionally substituted with halogen, hydroxyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, and C<sub>1</sub>-C<sub>4</sub> alkyl.

34. A compound according to claim 33 wherein  
R<sub>30</sub> is selected from the group consisting of phenyl, pyridyl,  
or piperidinyl wherein each of the above is unsubstituted  
25 or substituted with 1, 2, 3, 4, or 5 groups that are independently selected from the group consisting of C<sub>1</sub>-C<sub>10</sub> alkyl, hydroxy, hydroxy C<sub>1</sub>-C<sub>10</sub> alkyl C<sub>1</sub>-C<sub>6</sub> alkoxy, halogen, -SO<sub>2</sub>NR<sub>31</sub>R<sub>32</sub>, -C(O) -NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>R<sub>32</sub>, -O-C<sub>3</sub>-C<sub>6</sub> cycloalkyl, -C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl);  
30 wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>6</sub>

alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl), benzyl, and -C(O)furanyl, wherein  
 the phenyl group is unsubstituted or substituted with  
 1, 2, or 3, groups that are independently C<sub>1</sub>-C<sub>4</sub>  
 5 alkyl, hydroxy, C<sub>1</sub>-C<sub>4</sub> alkoxy, or halogen, or  
 R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached form a  
 pyrrolidinyl, piperidinyl, morpholinyl, pyridinyl, or  
 pyrimidinyl ring, each of which is optionally  
 substituted with C<sub>1</sub>-C<sub>6</sub> alkoxy, hydroxy, hydroxy C<sub>1</sub>-C<sub>6</sub>  
 10 alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, or -C(O)NH<sub>2</sub>;  
 R<sub>35</sub> is phenyl, cyclohexyl, cyclopentyl, or -S-phenyl, each of  
 which is unsubstituted or substituted with 1, 2, or 3  
 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy,  
 15 CF<sub>3</sub>, OCF<sub>3</sub>, halogen, -Obenzyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub>  
 alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl).

35. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein  
 20 R<sub>35</sub> is phenyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -S-phenyl, benzodioxole,  
 thienyl, C<sub>1</sub>-C<sub>6</sub> alkyl, furanyl, each of which is  
 unsubstituted or substituted with 1, 2, 3, 4, or 5 groups  
 that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OH,  
 hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, halogen, halo C<sub>1</sub>-C<sub>6</sub> alkyl, halo C<sub>1</sub>-C<sub>6</sub>  
 25 alkoxy, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub>  
 alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl);  
 R<sub>40</sub> is phenyl, -phenyl-pyridine, biphenyl, -phenyl-  
 benzothienyl, -phenyl-thienyl, -phenyl-furanyl, -phenyl-  
 pyrimidinyl, -phenyl-isooxazolyl, -C(O)-pyridyl, -(C<sub>1</sub>-C<sub>4</sub>  
 30 alkyl)-O-C(O)NH-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)N(C<sub>1</sub>-C<sub>6</sub>  
 alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH<sub>2</sub>,  
 -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub>

alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl), CN, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-C(O)O-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>33</sub>, C<sub>1</sub>-C<sub>8</sub> alkyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-NHC(O)-(C<sub>1</sub>-C<sub>4</sub> alkyl), -C(O)NH<sub>2</sub>, wherein each of the above rings is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, halo (C<sub>1</sub>-C<sub>4</sub> alkyl), -O-(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 halogens, -CHO, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), -N(C<sub>1</sub>-C<sub>4</sub> alkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl) wherein the alkyl is optionally substituted with 1, 2, or 3 halogens,

5 R<sub>42</sub> is H, C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with OH; benzyl; -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl); -NHC(O)-phenyl wherein the phenyl is optionally substituted with 1 or 2 alkyl groups; -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl); -CO<sub>2</sub>-(benzyl); or -C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl);

10 R<sub>52</sub> is H, phenyl, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy), OH, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, mono or di(C<sub>1</sub>-C<sub>6</sub> alkyl)amino, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with a phenyl, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl groups are each optionally substituted with a phenyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>10</sub> alkyl), -NHCO<sub>2</sub>-benzyl, or -NH<sub>2</sub>, and

15 R<sub>60</sub> is -L-V-R<sub>65</sub>, C<sub>1</sub>-C<sub>8</sub> alkyl, or hydroxy C<sub>1</sub>-C<sub>8</sub> alkyl, wherein the alkyl or hydroxyalkyl groups are optionally substituted with 1 or 2 L-V-R<sub>65</sub> groups, wherein

20 L is absent, -C(O)-, -CO<sub>2</sub>-, -C(O)NH-, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NHC(O)-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)-, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(CH<sub>2</sub>)<sub>0-4</sub>-, -(CH<sub>2</sub>)<sub>0-4</sub>-O-(CH<sub>2</sub>)<sub>0-4</sub>-, -(CH<sub>2</sub>)<sub>0-4</sub>-S-(CH<sub>2</sub>)<sub>0-4</sub>-, -NHC(O)NH-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NHC(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NH-, -N(benzyl)-, -N(phenyl)-, -(CH<sub>2</sub>)<sub>0-4</sub>-NHSO<sub>2</sub>-(CH<sub>2</sub>)<sub>0-4</sub>-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>-, -SO<sub>2</sub>NH-, -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, or C<sub>2</sub>-C<sub>6</sub> alkenyl; or

25

30

V is absent, -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)NH-, -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, cyclopropyl optionally substituted with 1 or 2 C<sub>1</sub>-C<sub>4</sub> alkyl groups, =NH, =NOH, =N-alkoxy, C<sub>1</sub>-C<sub>8</sub> alkyl optionally substituted with 1 or 2 OH; or  
5 -CH(phenyl)- wherein the phenyl is optionally substituted with 1, 2, 3, 4, or 5 groups that are independently halogen or OH; cyclopentyl; cyclohexyl; or -CH(phenyl)-;

R<sub>65</sub> is cyclohexyl; cyclopentyl; phenyl; -(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl; NH<sub>2</sub>; mono or di(C<sub>1</sub>-C<sub>10</sub> alkyl)amino wherein the alkyl group or groups are optionally substituted with 1 or 2 groups that are independently cyclopropyl, phenyl or OH; oxadiazolyl; triazolopyrimidinyl; triazolyl; thiadiazolyl; 3H-quinazolin-2-onyl; 10 pyrimidinyl; pyridyl; pyridyl N-oxide; -(C<sub>1</sub>-C<sub>6</sub> alkyl)-pyridyl; piperazinyl; phthalazinyl; tetrahydro-thiophenyl 1,1-dioxide; tetrazolyl; C<sub>3</sub>-C<sub>6</sub> cycloalkyl-C<sub>1</sub>-C<sub>6</sub> alkyl; -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl); -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl); benzothiazolyl; hexahydro-15 isoindole-1,3-dionyl; benzimidazolyl; benzoxazolyl; [1,2,4]triazolo[1,5-a]pyrimidinyl; [1,2,4]triazolo[4,3-a]pyrimidinyl, thiazolyl; thiadiazolyl; imidazo[1,2-a]pyridine; 3-aza-bicyclo[3.2.2]nonane; pyrrolidinonyl; diazepanyl; 20 benzo[1,2,5]thiadiazolyl; -NHSO<sub>2</sub>-(4-methylphenyl); [1,2,4]triazolo[4,3-b]pyridazinyl, benzopyrrolidinonyl; morpholinyl; thiomorpholinyl; thiomorpholinyl S-oxide; thiomorpholinyl S,S-dioxide; 2,3-dihydro-benzo[b]thiophene 1,1-dioxide; 25 pyrrolidinyl; [1,2,4]oxadiazole; C<sub>1</sub>-C<sub>10</sub> alkyl; isoxazolyl; 2,3-dihydro-1H-indolyl; quinazolinonyl; quinazolinyl; piperidyl; -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl); dibenzofuranyl; dihydroindolinonyl; 30 triazolobenzimidazolyl; benzotriazolyl;

tetrahydrobenzofuranonyl; benzofuranyl;  
 dihydrobenzofuranyl, tetrahydrofuranyl; furanyl;  
 oxazolopyridinyl; tetrahydrobenzothienyl;  
 dihydropurinyl dione; indolyl; thieryl; imidazolyl;  
 5           cyclohexanonyl; naphthyl; tetrahydrothienyl S,S-dioxide; chromanyl; isoindolinonyl;  
 [1,2,4]triazolo[4,3-a]pyrimidinyl; -phenyl-oxazolidinonyl; 3-oxo-2,3-dihydroimidazo[2,1-b][1,3]thiazolyl; dihydrothiazolyl; benzodioxinyl;  
 10           2,3 dihydrobenzimidazolidinonyl;  
 tetrahydrocyclopenta[b]chromenonyl; 1-H-benzo[g]indazolyl; 4,5-dihydronaphtho[2,1-d]isoxazolyl; tetraazolo[1,5-b]pyridazinyl; pyrrolyl; dihydropyrazolidinonyl; -NHSO<sub>2</sub>NH<sub>2</sub>; -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>NH<sub>2</sub>; -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> alkyl); -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl); -NHSO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl);  
 15           tetrahydrobenzothienyl; imidazolidinyl dione; diazepanonyl; or dihydroanthracenyl dione; wherein each of the above is optionally substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>6</sub> alkyl, CF<sub>3</sub>, halogen, phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl, -C(O)phenyl, pyrrolidine-dione, C<sub>1</sub>-C<sub>6</sub> alkoxy, -C(O)-furan, -C(O)NH<sub>2</sub>, -C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)C<sub>1</sub>-C<sub>6</sub> alkyl, -CO<sub>2</sub>H, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>8</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>8</sub> alkyl), (C<sub>1</sub>-C<sub>6</sub> alkoxy), OH, oxazolyl, (C<sub>1</sub>-C<sub>6</sub> thioalkoxy), or CN.  
 20           25  
 30

36. A compound according to claim 35 wherein

R<sub>35</sub> is phenyl, cyclohexyl, -S-phenyl, or benzodioxole, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently methyl, ethyl, methoxy, ethoxy, OH, halogen, CF<sub>3</sub>, OCF<sub>3</sub>, -Obenzyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl);

R<sub>40</sub> is phenyl, -phenyl-pyridine, biphenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(cyclopentyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-C(O)O-(C<sub>1</sub>-C<sub>4</sub> alkyl), C<sub>1</sub>-C<sub>8</sub> alkyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-

10 NHC(O)-(C<sub>1</sub>-C<sub>4</sub> alkyl), -C(O)NH<sub>2</sub>, wherein each of the above rings is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, halo (C<sub>1</sub>-C<sub>4</sub> alkyl), -Obenzyl wherein the phenyl is optionally substituted with 1 or 2 halogens,

15 R<sub>42</sub> is H, C<sub>1</sub>-C<sub>6</sub> alkyl, or benzyl;

R<sub>52</sub> is H, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy), OH, C<sub>1</sub>-C<sub>4</sub> alkyl, and

20 R<sub>60</sub> is -L-V-R<sub>65</sub>, C<sub>1</sub>-C<sub>8</sub> alkyl, or hydroxy C<sub>1</sub>-C<sub>8</sub> alkyl, wherein the alkyl or hydroxyalkyl groups are optionally substituted with 1 or 2 L-V-R<sub>65</sub> groups, wherein

L is absent, -C(O)-, -CO<sub>2</sub>-, -C(O)NH-, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NHC(O)-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)-, -SO<sub>2</sub>-, -(CH<sub>2</sub>)<sub>0-4</sub>-O-(CH<sub>2</sub>)<sub>0-4</sub>-, -(CH<sub>2</sub>)<sub>0-4</sub>-S-(CH<sub>2</sub>)<sub>0-4</sub>-, -NHC(O)NH-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NHC(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NH-, -N(benzyl)-, -(CH<sub>2</sub>)<sub>0-4</sub>-NHSO<sub>2</sub>-(CH<sub>2</sub>)<sub>0-4</sub>-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>-, -SO<sub>2</sub>NH-, -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, and

V is absent, -C(O)NH-, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, cyclopropyl,

30 R<sub>65</sub> is cyclohexyl; cyclopentyl; phenyl; -(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl; NH<sub>2</sub>; mono or di(C<sub>1</sub>-C<sub>6</sub> alkyl)amino wherein the alkyl group or groups are optionally substituted with 1 or 2 groups that are independently cyclopropyl, phenyl or OH; oxadiazolyl; triazolopyrimidinyl;

triazolyl; thiadiazolyl; 3H-quinazolin-2-onyl;  
 pyrimidinyl; pyridyl; pyridyl N-oxide; -(C<sub>1</sub>-C<sub>6</sub>  
 alkyl)-pyridyl; piperazinyl; phthalazinyl;  
 tetrahydro-thiophenyl 1,1-dioxide; tetrazolyl; C<sub>3</sub>-C<sub>6</sub>  
 5 cycloalkyl-C<sub>1</sub>-C<sub>6</sub> alkyl; -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub>  
 alkyl)-; benzothiazole; hexahydro-isoindole-1,3-  
 dionyl; benzimidazolyl; benzoxazolyl;  
 [1,2,4]triazolo[1,5-a]pyrimidinyl; thiazolyl;  
 thiadiazolyl; imidazo[1,2-a]pyridine; C<sub>1</sub>-C<sub>6</sub> alkyl; 3-  
 10 aza-bicyclo[3.2.2]nonane; pyrrolidinonyl; diazepanyl;  
 benzo[1,2,5]thiadiazolyl; -NHSO<sub>2</sub>-(4-methylphenyl);  
 [1,2,4]triazolo[4,3-b]pyridazinyl,  
 benzopyrrolidinonyl; thiomorpholinyl S-oxide; 2,3-  
 dihydro-benzo[b]thiophene 1,1-dioxide; pyrrolidinyl;  
 15 [1,2,4]oxadiazole; C<sub>1</sub>-C<sub>10</sub> alkyl; isoxazolyl; 2,3-  
 dihydro-1H-indolyl; wherein each of the above is  
 optionally substituted with 1, 2, 3, 4, or 5 groups  
 that are independently  
 C<sub>1</sub>-C<sub>6</sub> alkyl, CF<sub>3</sub>, halogen, phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl,  
 20 -C(O)phenyl, pyrrolidine-dione, C<sub>1</sub>-C<sub>6</sub> alkoxy, -C(O)-  
 furan, -C(O)NH<sub>2</sub>, -C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)N(C<sub>1</sub>-C<sub>6</sub>  
 alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), cyclopropyl, benzoxazole,  
 pyridine, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-  
 (C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)C<sub>1</sub>-C<sub>6</sub> alkyl.

25

37. A compound according to claim 36 wherein  
 R<sub>35</sub> is phenyl, cyclohexyl, -S-phenyl, benzodioxole, furanyl, or  
 thieryl, each of which is unsubstituted or substituted  
 with 1, 2, 3, 4, or 5 groups that are independently  
 methyl, ethyl, methoxy, ethoxy, OH, halogen, CF<sub>3</sub>, OCF<sub>3</sub>, -  
 Obenzyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(C<sub>1</sub>-C<sub>2</sub> alkyl)-(C<sub>5</sub>-C<sub>6</sub>  
 30 cycloalkyl);  
 R<sub>40</sub> is phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub>  
 alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-

C<sub>4</sub> alkyl)-(cyclopentyl), C<sub>1</sub>-C<sub>8</sub> alkyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-NHC(O)-(C<sub>1</sub>-C<sub>4</sub> alkyl), -C(O)NH<sub>2</sub>, wherein each of the above rings is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, halo (C<sub>1</sub>-C<sub>4</sub> alkyl), -Obenzyl wherein the phenyl is optionally substituted with 1 or 2 halogens,

5 R<sub>42</sub> is H, C<sub>1</sub>-C<sub>6</sub> alkyl, or benzyl;

R<sub>52</sub> is H, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy), OH, C<sub>1</sub>-C<sub>4</sub>

10 alkyl, and

R<sub>60</sub> is -L-R<sub>65</sub>, or C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with 1 or 2 L-R<sub>65</sub> groups, wherein

( ) L is absent, -C(O)-, -C(O)NH-, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NHC(O)-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)-, -SO<sub>2</sub>-, -(CH<sub>2</sub>)<sub>0-4</sub>-O-(CH<sub>2</sub>)<sub>0-4</sub>-, -S-, -NHC(O)NH-, -NH-, -N(benzyl)-, -(CH<sub>2</sub>)<sub>0-4</sub>-NHSO<sub>2</sub>-(CH<sub>2</sub>)<sub>0-4</sub>-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>-, -SO<sub>2</sub>NH-, -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)-.

38. A compound according to claim 32 wherein R<sub>35</sub> is  
20 phenyl; halophenyl, dihalophenyl; trihalophenyl; tetrahalophenyl; pentahalophenyl; phenyl substituted with one halogen and one benzyloxygroup; phenyl substituted with one halogen and one alkyl group; benzyloxyphenyl; cyclohexyl; (C<sub>1</sub>-C<sub>4</sub> alkoxy)carbonylphenyl; (C<sub>1</sub>-C<sub>4</sub> alkoxyl)phenyl; -S-phenyl, or benzodioxole;

25 R<sub>40</sub> is phenyl, or -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH<sub>2</sub>, wherein each of the above is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently halogen, methyl, ethyl, methoxy, ethoxy, or -Obenzyl wherein the phenyl is  
30 optionally substituted with 1 or 2 halogens,

R<sub>42</sub> is H.

39. A compound according to claim 38 wherein

R<sub>35</sub> is a halophenyl, dihalophenyl, trihalophenyl, phenyl substituted with one halogen and one benzyloxygroup; phenyl substituted with one halogen and one alkyl group; benzyloxyphenyl, or (C<sub>1</sub>-C<sub>4</sub> alkoxy)phenyl.

5

40. A compound according to claim 3 wherein R<sub>30</sub> is pyridyl or pyrimidyl wherein each is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently selected from the group consisting of  
10 C<sub>1</sub>-C<sub>10</sub> alkyl optionally substituted with 1 phenyl or 1 CN; OH, hydroxy C<sub>1</sub>-C<sub>10</sub> alkyl optionally substituted with phenyl or (C<sub>1</sub>-C<sub>4</sub> alkyl)phenyl, C<sub>1</sub>-C<sub>6</sub> alkoxy optionally substituted with 1 or 2 groups that are independently hydroxy or phenyl; haloalkyl, haloalkoxy, (CH<sub>2</sub>)<sub>0</sub>-  
15 4C(O)NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with 1, 2, or 3 groups that are independently halogen or R<sub>33</sub>, -SO<sub>2</sub>-NH(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH, alkoxy, or R<sub>33</sub>; -(C<sub>1</sub>-C<sub>6</sub> alkyl)-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH, C<sub>1</sub>-C<sub>4</sub> alkoxy, or R<sub>33</sub>; -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH or C<sub>1</sub>-C<sub>4</sub> alkoxy, -SO<sub>2</sub>-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein each alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH or R<sub>33</sub>; -SO<sub>2</sub>-NH(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkoxy or halogen, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-O-phenyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, triazolidine-3,5-dione, halogen, -NHC(O)NH<sub>2</sub>, -NHC(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub>  
20 alkyl)  
25  
30

alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH<sub>2</sub>, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl) thieryl, -(C<sub>1</sub>-C<sub>6</sub> alkyl) furanyl, -S-(C<sub>1</sub>-C<sub>6</sub> alkyl) phenyl, -SO<sub>2</sub>NR<sub>31</sub>R<sub>32</sub>, -C(O)-NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>R<sub>32</sub>, dithiane, -NHC(S)NH<sub>2</sub>, -NHC(S)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(S)N(C<sub>1</sub>-C<sub>6</sub> alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl), -CO<sub>2</sub>(C<sub>1</sub>-C<sub>6</sub> alkyl), tetrahydropyran, phenyl optionally substituted with 1 or 2 groups that are independently F, Cl or Br; pyridine, -C<sub>2</sub>-C<sub>4</sub> alkynyl-phenyl, -O-C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-R<sub>33</sub>; pyrrole optionally substituted with one or two methyl groups; 2,3-dihydro-benzofuran;

( ) benzo[1,2,5]oxadiazole, -C(O)-(C<sub>1</sub>-C<sub>10</sub> alkyl) wherein the alkyl group is optionally substituted with NH<sub>2</sub>, N(C<sub>1</sub>-C<sub>6</sub> alkyl), or N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl); -C(O)NH-phenyl, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, 4,4-dimethyl-4,5-dihydro-oxazole, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-S-pyridine, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-SO<sub>2</sub>-pyridine, -(C<sub>1</sub>-C<sub>6</sub> thioalkoxy)-pyridine, thiazole optionally substituted with 1 or 2 methyl groups, pyrazole, -S-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently CN or OH; indole, (C<sub>1</sub>-C<sub>6</sub> thioalkoxy)-(C<sub>1</sub>-C<sub>6</sub> alkyl), C<sub>2</sub>-C<sub>8</sub> alkynyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>10</sub> alkyl) wherein the alkyl group is optionally substituted with OH; -NHC(O)NH(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -NHC(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>6</sub> alkoxy)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy); -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with phenyl; -C(O)-furan; and imidazolyl; wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub>

haloalkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl is optionally substituted with 1, 2, 3 or 4 independently selected halogen atoms; -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-imidazolyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)phenyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)pyridyl, -C(O)furanyl, (C<sub>1</sub>-C<sub>6</sub> alkyl)-tetrahydrofuran, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-furanyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-thienyl, -pyrrolidinyl-benzyl, -(C<sub>1</sub>-C<sub>6</sub> thioalkoxy)-(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), (C<sub>1</sub>-C<sub>6</sub> alkoxy), -(C<sub>2</sub>-C<sub>6</sub> alkenyloxy), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), and -C(O)-piperidinyl optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkyl; wherein the phenyl and pyridyl groups are unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, hydroxy, C<sub>1</sub>-C<sub>4</sub> alkoxy, halogen, or R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached form a 5, 6, or 7 membered heterocycloalkyl or a 6 membered heteroaryl ring, each of which is optionally fused to a benzene, pyridine or pyrimidine ring and each of which is optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkoxy, hydroxy, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -C(O)NH<sub>2</sub>, -C(O)NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl; and R<sub>33</sub> at each occurrence is independently, H, NH<sub>2</sub>, NH(C<sub>1</sub>-C<sub>6</sub> alkyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(phenyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(benzyl);.

41. A compound according to claim 40 wherein R<sub>35</sub> is phenyl; halophenyl, dihalophenyl; trihalophenyl; tetrahalophenyl; pentahalophenyl; phenyl substituted with

one halogen and one benzyloxy group; phenyl substituted with one halogen and one alkyl group; benzyloxyphenyl; cyclohexyl; ( $C_1-C_4$  alkoxy)carbonylphenyl; ( $C_1-C_4$  alkoxy)phenyl; -S-phenyl, or benzodioxole.

5

42. A compound according to claim 41 wherein  
R<sub>40</sub> is phenyl, -phenyl-pyridine, biphenyl, -phenyl-  
benzothienyl, -phenyl-thienyl, -phenyl-furanyl, -phenyl-  
pyrimidinyl, -phenyl-isoxazolyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)NH-  
phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub>  
10 alkyl)-SO<sub>2</sub>NH<sub>2</sub>, CN, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>3</sub>-C<sub>6</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>4</sub>  
alkyl)-C(O)O-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>33</sub>, C<sub>1</sub>-C<sub>8</sub> alkyl,  
15 pyridyl, or pyrimidyl, wherein each of the above is  
unsubstituted or substituted with 1, 2, or 3 groups that  
are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, CF<sub>3</sub>,  
-O-(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl wherein the phenyl is optionally  
20 substituted with 1 or 2 halogens, -CHO, or -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub>  
alkyl).

20

43. A compound according to claim 42 wherein  
R<sub>30</sub> is pyridyl or pyrimidyl wherein each of the above is  
unsubstituted or substituted with 1, 2, or 3 groups that  
are independently selected from the group consisting of  
-SO<sub>2</sub>NR<sub>31</sub>R<sub>32</sub>, -C(O)-NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>R<sub>32</sub>, C<sub>1</sub>-C<sub>4</sub> alkyl, halogen, C<sub>1</sub>-  
25 C<sub>4</sub> alkoxy,

30

C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>6</sub>  
alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub>  
alkyl)phenyl, and -(C<sub>1</sub>-C<sub>6</sub> alkyl)pyridyl, wherein  
R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently selected  
from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl,  
C<sub>2</sub>-C<sub>6</sub> alkenyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl,  
C<sub>1</sub>-C<sub>6</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl)-,  
(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH(C<sub>1</sub>-C<sub>6</sub>  
alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl),

- (C<sub>1</sub>-C<sub>6</sub> alkyl)-NH<sub>2</sub>, - (C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>6</sub> alkyl), - (C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), - (C<sub>1</sub>-C<sub>6</sub> alkyl)phenyl, - (C<sub>1</sub>-C<sub>6</sub> alkyl)pyridyl, -C(O)furanyl, (C<sub>1</sub>-C<sub>6</sub> alkyl)-tetrahydrofuran, or

5 R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached form a pyrrolidinyl, piperidinyl, piperazinyl, pyridyl, or pyrimidyl ring each of which is optionally fused to a benzene, pyridine or pyrimidine ring and each of which is optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkoxy, hydroxy, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -C(O)NH<sub>2</sub>, -C(O)NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl.

10

44. A compound according to claim 43 wherein R<sub>40</sub> is phenyl, pyridyl, or pyrimidyl, wherein each of the above 15 is unsubstituted or substituted with 1, 2, or 3 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, CF<sub>3</sub>, -O-(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 halogens, -CHO, or -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl).

20

45. A compound according to claim 44 wherein R<sub>35</sub> is phenyl; halophenyl, or dihalophenyl.

46. A compound according to claim 45 wherein 25 R<sub>30</sub> is pyridyl which is unsubstituted or substituted with 1 or 2 groups that are independently selected from the group consisting of


C<sub>1</sub>-C<sub>4</sub> alkyl, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)NH<sub>2</sub>, -C(O)N(C<sub>2</sub>-C<sub>6</sub> alkenyl)(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -C(O)NH(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), C(O)-(pyrrolidine) 30 optionally substituted with 1 or two groups that are independently alkoxyalkyl or hydroxy, halogen, -C(O)N(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)NH(alkoxyalkyl),

-C(O)N(alkoxyalkyl)(alkoxyalkyl), -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)  
(alkoxyalkyl), -C(O)N(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl)(alkyl),  
-NHSO<sub>2</sub>CF<sub>3</sub>, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)-SO<sub>2</sub>-thienyl, -N(C<sub>1</sub>-C<sub>6</sub>  
hydroxyalkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(O)C<sub>1</sub>-C<sub>4</sub> alkyl,  
5 oxazolyl optionally substituted with 1 or 2 methyl  
groups, thiazolyl optionally substituted with 1 or 2  
methyl groups, pyrazolyl optionally substituted with  
1 or 2 methyl groups, imidazolyl optionally  
substituted with 1 or 2 methyl groups, isoxazolyl  
10 optionally substituted with 1 or 2 methyl groups,  
pyrimidinyl optionally substituted with 1 or 2 methyl  
or halogen groups, -NHSO<sub>2</sub>CH<sub>3</sub>, -NHSO<sub>2</sub>-imidazolyl  
wherein the imidazole ring is optionally substituted  
15 with 1 or 2 methyl groups, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>(C<sub>1</sub>-C<sub>6</sub>  
alkyl), -SO<sub>2</sub>NH-C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl, -SO<sub>2</sub>NH-C<sub>1</sub>-C<sub>6</sub> alkyl-  
NH(C<sub>1</sub>-C<sub>4</sub> alkyl), -SO<sub>2</sub>-piperazinyl optionally  
substituted with 1 or 2 methyl groups, -SO<sub>2</sub>-  
20 pyrrolidine optionally substituted with 1 or 2 methyl  
groups, -SO<sub>2</sub>-piperidine optionally substituted with 1  
or 2 C<sub>1</sub>-C<sub>4</sub> alkyl groups, -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>4</sub> hydroxyalkyl)(C<sub>1</sub>-  
C<sub>4</sub> hydroxyalkyl), -SO<sub>2</sub>NH<sub>2</sub>, -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub>  
alkyl), C<sub>2</sub>-C<sub>6</sub> alkynyl, -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl), -  
25 SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl), -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub>  
hydroxyalkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), or -  
C(O)-(C<sub>1</sub>-C<sub>10</sub> alkyl).

47. A compound according to claim 46 wherein  
R<sub>30</sub> is pyridyl which is unsubstituted or substituted with at  
least one group which is -SO<sub>2</sub>NH-propyl-OH, -SO<sub>2</sub>NH-ethyl-  
30 OH, -SO<sub>2</sub>NH-ethyl-OCH<sub>3</sub>, -SO<sub>2</sub>NH-CH(CH<sub>3</sub>)<sub>2</sub>-CH<sub>2</sub>OH, -SO<sub>2</sub>NH-  
(CH<sub>2</sub>CH(OH)CH<sub>3</sub>), -SO<sub>2</sub>NH-ethyl-NH(CH<sub>3</sub>), -SO<sub>2</sub>NH(-CH<sub>2</sub>CH<sub>2</sub>OH)<sub>2</sub>,  
-SO<sub>2</sub>NHCH(CH<sub>3</sub>)CH<sub>2</sub>OH, -SO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, -SO<sub>2</sub>NH(CH<sub>2</sub>CH(OH)CH<sub>3</sub>), -SO<sub>2</sub>-  
pyrrolidine, -SO<sub>2</sub>-(2,6-dimethylpiperidine), -SO<sub>2</sub>-(2-  
propylpiperidine), -SO<sub>2</sub>-(hydroxypropyl), -C(O)-(2-

methoxymethylpyrrolidine), -C(O)-(2-methylpyrrolidine),  
 -C(O)-(2,6-dimethylpyrrolidine), -C(O)-(2-hydroxymethylpyrrolidine), -C(O)N(methyl)(ethyl),  
 -C(O)N(methyl)(propyl), -C(O)N(methyl)(butyl),  
 5 -C(O)N(propyl)(butyl), -C(O)N(allyl)(cyclopentyl),  
 -C(O)N(allyl)(cyclohexyl), -C(O)N(methyl)(methyl),  
 -C(O)N(ethyl)(ethyl), -C(O)N(butyl)(butyl),  
 -C(O)N(isopropyl)(isopropyl), -C(O)N(propyl)(propyl),  
 -C(O)N(methyl)(cyclohexyl), -C(O)N(ethyl)(cyclohexyl),  
 10 -C(O)NH(cyclobutyl), -C(O)NH(cyclopentyl),  
 -C(O)N(CH<sub>3</sub>)(cyclopentyl), -C(O)NH(2-methylcyclohexyl),  
 -C(O)NH(pentyl), -C(O)N(pentyl)(pentyl),  
 -C(O)NH(isopentyl), -C(O)NH(ethoxyethyl),  
 -C(O)N(CH<sub>3</sub>)(methoxyethyl), -C(O)N(propyl)(methoxyethyl),  
 15 -C(O)N(methoxyethyl)(methoxyethyl),  
 -C(O)N(ethoxyethyl)(ethoxyethyl),  
 -C(O)N(ethyl)(methoxyethyl), -C(O)N(propyl)(hydroxyethyl),  
 -C(O)N(hydroxyethyl)(ethyl), ethynyl, methyl, bromo,  
 -N(CH<sub>3</sub>)SO<sub>2</sub>(CH<sub>3</sub>), -N(CH<sub>3</sub>)SO<sub>2</sub>-thienyl, -  
 20 N(hydroxypropyl)SO<sub>2</sub>CH<sub>3</sub>, -(CH<sub>2</sub>)-SO<sub>2</sub>-(CH<sub>3</sub>), or -C(O)-  
 CH(CH<sub>3</sub>)CH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>.

48. A compound of the formula wherein



25 or a pharmaceutically acceptable salt thereof, wherein  
 X<sub>10</sub> is -O-, -S-, -NH-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -N(phenyl)-, -  
 N(benzyl)-, -N(CO<sub>2</sub>-C<sub>1</sub>-C<sub>6</sub> alkyl)-; -N(CO<sub>2</sub>-C<sub>1</sub>-C<sub>6</sub> alkyl-  
 phenyl)-, or haloalkyl;  
 R<sub>35</sub> is phenyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -S-phenyl, benzodioxole,  
 30 thiienyl, C<sub>1</sub>-C<sub>6</sub> alkyl, furanyl, each of which is  
 unsubstituted or substituted with 1, 2, 3, 4, or 5 groups  
 that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OH,

hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, halogen, halo C<sub>1</sub>-C<sub>6</sub> alkyl, halo C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl);

R<sub>40</sub> is phenyl, -phenyl-pyridine, biphenyl, -phenyl-  
5 benzothienyl, -phenyl-thienyl, -phenyl-furanyl, -phenyl-pyrimidinyl, -phenyl-isooxazolyl, -C(O)-pyridyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)NH-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), CN, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-C(O)O-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>33</sub>, C<sub>1</sub>-C<sub>8</sub> alkyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-NHC(O)-(C<sub>1</sub>-C<sub>4</sub> alkyl), -C(O)NH<sub>2</sub>, wherein each of the above rings is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, halo (C<sub>1</sub>-C<sub>4</sub> alkyl), -O-(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 halogens, -CHO, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), -N(C<sub>1</sub>-C<sub>4</sub> alkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl) wherein the alkyl is optionally substituted with 1, 2, or 3 halogens,

20 R<sub>42</sub> is H, C<sub>1</sub>-C<sub>6</sub> alkyl, benzyl, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), or -NHC(O)-phenyl wherein the phenyl is optionally substituted with 1 or 2 alkyl groups;

R<sub>52</sub> is H, phenyl, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy), OH, C<sub>1</sub>-

25 C<sub>6</sub> alkyl, mono or di(C<sub>1</sub>-C<sub>6</sub> alkyl)amino, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with a phenyl, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl groups are each optionally substituted with a phenyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>10</sub> alkyl), -NHCO<sub>2</sub>-benzyl, or -NH<sub>2</sub>, and

30 R<sub>60</sub> is -L-V-R<sub>65</sub>, C<sub>1</sub>-C<sub>8</sub> alkyl, or hydroxy C<sub>1</sub>-C<sub>8</sub> alkyl, wherein the alkyl or hydroxyalkyl groups are optionally substituted with 1 or 2 L-V-R<sub>65</sub> groups, wherein

L is absent, -C(O)-, -CO<sub>2</sub>-, -C(O)NH-, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NHC(O)-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)-, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(CH<sub>2</sub>)<sub>0-4</sub>-, -(CH<sub>2</sub>)<sub>0-4</sub>-O-(CH<sub>2</sub>)<sub>0-4</sub>-, -(CH<sub>2</sub>)<sub>0-4</sub>-S-(CH<sub>2</sub>)<sub>0-4</sub>-, -NHC(O)NH-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NHC(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NH-, -N(benzyl)-, -N(phenyl)-, -(CH<sub>2</sub>)<sub>0-4</sub>-NHSO<sub>2</sub>-(CH<sub>2</sub>)<sub>0-4</sub>-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>-, -SO<sub>2</sub>NH-, -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, or


V is absent, -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)NH-, -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, cyclopropyl optionally substituted with 1 or 2 C<sub>1</sub>-C<sub>4</sub> alkyl groups, =NH, =NOH, =N-alkoxy, C<sub>3</sub>-C<sub>8</sub> alkyl optionally substituted with 1 or 2 OH, or -CH(phenyl)- wherein the phenyl is optionally substituted with 1, 2, 3, 4, or 5 groups that are halogen or OH;

R<sub>65</sub> is cyclohexyl; cyclopentyl; phenyl; -(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl; NH<sub>2</sub>; mono or di(C<sub>1</sub>-C<sub>10</sub> alkyl)amino wherein the alkyl group or groups are optionally substituted with 1 or 2 groups that are independently cyclopropyl, phenyl or OH; oxadiazolyl; triazolopyrimidinyl; triazolyl; thiadiazolyl; 3H-quinazolin-2-onyl; pyrimidinyl; pyridyl; pyridyl N-oxide; -(C<sub>1</sub>-C<sub>6</sub> alkyl)-pyridyl; piperazinyl; phthalazinyl; tetrahydro-thiophenyl 1,1-dioxide; tetrazolyl; C<sub>3</sub>-C<sub>6</sub> cycloalkyl-C<sub>1</sub>-C<sub>6</sub> alkyl; -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl)-; benzothiazole; hexahydro-isoindole-1,3-dionyl; benzimidazolyl; benzoxazolyl; [1,2,4]triazolo[1,5-a]pyrimidinyl; thiazolyl; thiadiazolyl; imidazo[1,2-a]pyridine; C<sub>1</sub>-C<sub>6</sub> alkyl; 3-aza-bicyclo[3.2.2]nonane; pyrrolidinonyl; diazepanyl; benzo[1,2,5]thiadiazolyl; -NHSO<sub>2</sub>-(4-methylphenyl); [1,2,4]triazolo[4,3-b]pyridazinyl, benzopyrrolidinonyl; morpholinyl; thiomorpholinyl; thiomorpholinyl S-oxide; thiomorpholinyl S,S-dioxide; 2,3-dihydro-benzo[b]thiophene 1,1-dioxide;

pyrrolidinyl; [1,2,4]oxadiazole; C<sub>1</sub>-C<sub>10</sub> alkyl; isoxazolyl; 2,3-dihydro-1H-indolyl; quinazolinonyl, quinazolinyl, piperidyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-(C<sub>1</sub>-C<sub>6</sub>)alkyl)-phenyl, or C<sub>2</sub>-C<sub>6</sub> alkynyl;

5 wherein each of the above is optionally substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>6</sub> alkyl, CF<sub>3</sub>, halogen, phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl, -C(O)phenyl, pyrrolidine-dione, C<sub>1</sub>-C<sub>6</sub> alkoxy, -C(O)-furan, -C(O)NH<sub>2</sub>, -C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), cyclopropyl, -(CH<sub>2</sub>)<sub>0-4</sub>-cyclopentyl, benzoxazolyl, pyridine, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)C<sub>1</sub>-C<sub>6</sub> alkyl, -CO<sub>2</sub>H, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>8</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>8</sub> alkyl), -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl).

49. A compound of the formula wherein



20 or a pharmaceutically acceptable salt thereof, wherein X<sub>10</sub> is -O-, -S-, -NH-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl); R<sub>35</sub> is phenyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -S-phenyl, benzodioxole, thienyl, C<sub>1</sub>-C<sub>6</sub> alkyl, furanyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups 25 that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OH, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, halogen, halo C<sub>1</sub>-C<sub>6</sub> alkyl, halo C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl); R<sub>40</sub> is phenyl, -phenyl-pyridine, biphenyl, -phenyl-benzothienyl, -phenyl-thienyl, -phenyl-furanyl, -phenyl-pyrimidinyl, -phenyl-isoxazolyl, -C(O)-pyridyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)NH-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)N(C<sub>1</sub>-C<sub>6</sub>

alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH<sub>2</sub>, - (C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), CN, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), - (C<sub>1</sub>-C<sub>4</sub> alkyl)-C(O)O-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>33</sub>, C<sub>1</sub>-C<sub>8</sub> alkyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-NHC(O)-(C<sub>1</sub>-C<sub>4</sub> alkyl), -C(O)NH<sub>2</sub>, wherein each of the above rings is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, halo (C<sub>1</sub>-C<sub>4</sub> alkyl), -O-(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 halogens, -CHO, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), -N(C<sub>1</sub>-C<sub>4</sub> alkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl) wherein the alkyl is optionally substituted with 1, 2, or 3 halogens,

R<sub>42</sub> is H, C<sub>1</sub>-C<sub>6</sub> alkyl, benzyl, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), or -NHC(O)-phenyl wherein the phenyl is optionally substituted with 1 or 2 alkyl groups;

R<sub>52</sub> is H, phenyl, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy), OH, C<sub>1</sub>-C<sub>6</sub> alkyl, mono or di(C<sub>1</sub>-C<sub>6</sub> alkyl)amino, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted with a phenyl, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl groups are each optionally substituted with a phenyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>10</sub> alkyl), -NHCO<sub>2</sub>-benzyl, or -NH<sub>2</sub>, and

R<sub>60</sub> is -L-V-R<sub>65</sub>, C<sub>1</sub>-C<sub>8</sub> alkyl, or hydroxy C<sub>1</sub>-C<sub>8</sub> alkyl, wherein the alkyl or hydroxyalkyl groups are optionally substituted with 1 or 2 L-V-R<sub>65</sub> groups, wherein

L is absent, -C(O)-, -CO<sub>2</sub>-, -C(O)NH-, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NHC(O)-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)-, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(CH<sub>2</sub>)<sub>0-4</sub>-, -(CH<sub>2</sub>)<sub>0-4</sub>-O-(CH<sub>2</sub>)<sub>0-4</sub>-, -(CH<sub>2</sub>)<sub>0-4</sub>-S-(CH<sub>2</sub>)<sub>0-4</sub>-, -NHC(O)NH-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NHC(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NH-, -N(benzyl)-, -N(phenyl)-, -(CH<sub>2</sub>)<sub>0-4</sub>-NHSO<sub>2</sub>-(CH<sub>2</sub>)<sub>0-4</sub>-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>-, -SO<sub>2</sub>NH-, -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, or

V is absent, -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)NH-, -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, cyclopropyl optionally substituted with 1 or 2 C<sub>1</sub>-C<sub>4</sub> alkyl groups, =NH, =NOH, =N-alkoxy, C<sub>3</sub>-C<sub>8</sub> alkyl optionally substituted with 1 or 2 OH, or -CH(phenyl)- wherein the phenyl is optionally substituted with 1, 2, 3, 4, or 5 groups that are halogen or OH;

5 R<sub>65</sub> is cyclohexyl; cyclopentyl; phenyl; -(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl; NH<sub>2</sub>; mono or di(C<sub>1</sub>-C<sub>10</sub> alkyl)amino wherein the alkyl group or groups are optionally substituted with 1 or 2 groups that are independently cyclopropyl, phenyl or OH; oxadiazolyl; triazolopyrimidinyl; triazolyl; thiadiazolyl; 3H-quinazolin-2-onyl; pyrimidinyl; pyridyl; pyridyl N-oxide; -(C<sub>1</sub>-C<sub>6</sub> alkyl)-pyridyl; piperazinyl; phthalazinyl; tetrahydro-thiophenyl 1,1-dioxide; tetrazolyl; C<sub>3</sub>-C<sub>6</sub> cycloalkyl-C<sub>1</sub>-C<sub>6</sub> alkyl; -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl)-; benzothiazole; hexahydro-isoindole-1,3-dionyl; benzimidazolyl; benzoxazolyl;

10 15 [1,2,4]triazolo[1,5-a]pyrimidinyl; thiazolyl; thiadiazolyl; imidazo[1,2-a]pyridine; C<sub>1</sub>-C<sub>6</sub> alkyl; 3-aza-bicyclo[3.2.2]nonane; pyrrolidinonyl; diazepanyl; benzo[1,2,5]thiadiazolyl; -NHSO<sub>2</sub>-(4-methylphenyl); [1,2,4]triazolo[4,3-b]pyridazinyl,

20 25 benzopyrrolidinonyl; morpholinyl; thiomorpholinyl; thiomorpholinyl S-oxide; thiomorpholinyl S,S-dioxide; 2,3-dihydro-benzo[b]thiophene 1,1-dioxide; pyrrolidinyl; [1,2,4]oxadiazole; C<sub>1</sub>-C<sub>10</sub> alkyl; isoxazolyl; 2,3-dihydro-1H-indolyl; quinazolinonyl,


30 30 quinazolinyl, piperidyl, wherein each of the above is optionally substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>6</sub> alkyl, CF<sub>3</sub>, halogen, phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl, -C(O)phenyl, pyrrolidine-dione, C<sub>1</sub>-C<sub>6</sub>

alkoxy, -C(O)-furan, -C(O)NH<sub>2</sub>, -C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), cyclopropyl, -(CH<sub>2</sub>)<sub>0-4</sub>-cyclopentyl, benzoxazolyl, pyridine, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)C<sub>1</sub>-C<sub>6</sub> alkyl, -CO<sub>2</sub>H, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>8</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>8</sub> alkyl).

5

## 50. A compound of the formula

10



15

20

25

30

or a pharmaceutically acceptable salt thereof, wherein R<sub>30</sub> is selected from the group consisting of phenyl, pyrazolopyrimidinyl, oxa-aza-benzoazulenyl, isoxazolyl, triazolopyridinyl, pyrrolidinonyl, tetrahydrothia-aza-fluorenyl, pyridyl, piperidinyl, dihydrocyclopentaquinolinyl, furyl, naphthothienyl, phthalazinonyl, thiadiazolyl, thienopyrimidinonyl, oxa-diaza-cyclopentanaphthalenyl, dihydrobenzodioxepinyl, chromanonyl, chromenonyl, oxazolidinyl, benzophenone, pyrazinyl mono N-oxide, benzofuranyl, pyrazolyl, -isoxazolyl-phenyl, phenyl-triazolyl, benzimidazolyl, indolyl, phenyl-pyrrolyl, chromanyl, isoquinolinyl, -thienyl-thienyl, benzothienyl, -phenyl-thiadiazolyl, chromanonyl, quinolinyl, -pyrrolyl-C(O)-phenyl, -phenyl-O-phenyl, -phenyl-oxazolyl, -pyrrolidinonyl-phenyl, -phenyl-pyrimidinyl, -phenyl-oxadiazolyl, bicyclo[2.2.1]heptenyl, cyclopentyl, thieno[2,3-b]thiophene, cyclohexyl, -phenyl-imidazolyl, benzoxazole; dihydro-1H-indolyl; 2,3-dihydro-benzo[b]thiophene 1,1-dioxide; benzo[b]thiophene 1,1-dioxide; 2,3-dihydro-benzo[d]isothiazole 1,1-dioxide; -phenyl-thiazolyl; -phenyl-pyrazolyl, -phenyl-C(O)-piperidyl, -phenyl-C(O)-pyrrolidinyl, -phenyl-isoxazolyl,

isoindolyl, purinyl, oxazolyl, thiazolyl, pyridazinonyl,  
thiazolyl, pyranyl, dihydropyranopyridinyl, diazepanyl,  
cyclopropyl, dihydronaphthoisoxazolyl, benzoindazole,  
dihydrocyclopentachromenonyl, imidazopyrazolyl,  
5        tetrahydrocyclopentachromenonyl, dihydroquinolinonyl,  
pyridyl N-oxide, isochromanyl, quinazolinonyl,  
pyrazolopyridinyl, dihydrobenzothiophene dioxide,  
dihydrofurobenzoisoxazolyl, dihydropyrimidine dionyl,  
thienopyrazolyl, oxazolyl, tetrahydrocyclopentapyrazolyl,  
10      dihydronaphthalenonyl, dihydrobenzofuranonyl,  
dihydrocyclopentathienyl, tetrahydrocyclopentapyrazolyl,  
tetrahydropyrazoloazepinyl, indazolyl,  
tetrahydrocycloheptaaisoxazolyl, tetrahydroindolonyl,  
pyrrolidinyl, thienopyridinyl,  
15      dioxodihydrobenzoisothiazolonyl, triazolopyrimidinyl,  
thienyl, dihydrothienopyrimidinonyl, and benzooxadiazolyl,  
wherein each of the above is unsubstituted or substituted  
with 1, 2, 3, 4, or 5 groups that are independently  
selected from the group consisting of  
20      C<sub>1</sub>-C<sub>10</sub> alkyl optionally substituted with 1 phenyl or 1 CN;  
          OH, hydroxy C<sub>1</sub>-C<sub>10</sub> alkyl optionally substituted with  
          phenyl or (C<sub>1</sub>-C<sub>4</sub> alkyl)phenyl, C<sub>1</sub>-C<sub>6</sub> alkoxy optionally  
          substituted with 1 or 2 groups that are independently  
          hydroxy or phenyl; haloalkyl, haloalkoxy, (CH<sub>2</sub>)<sub>0-</sub>  
25      4C(O)NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl  
          group is optionally substituted with 1, 2, or 3  
          groups that are independently halogen or R<sub>33</sub>, -SO<sub>2</sub>-  
          NH(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally  
          substituted with 1 or 2 groups that are independently  
30      halogen, OH, alkoxy, or R<sub>33</sub>; -(C<sub>1</sub>-C<sub>6</sub> alkyl)-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub>  
          alkyl) wherein the alkyl group is optionally  
          substituted with 1 or 2 groups that are independently  
          halogen, OH, C<sub>1</sub>-C<sub>4</sub> alkoxy, or R<sub>33</sub>; -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl)  
          wherein the alkyl group is optionally substituted

with 1 or 2 groups that are independently OH or C<sub>1</sub>-C<sub>4</sub> alkoxy, -SO<sub>2</sub>-N(C<sub>1</sub>-C<sub>6</sub> alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl) wherein each alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH or R<sub>33</sub>;

5 -SO<sub>2</sub>-NH(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkoxy or halogen, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-O-phenyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, triazolidine-3,5-

10 dione, halogen, -NHC(O)NH<sub>2</sub>, -NHC(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH<sub>2</sub>, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl) thiienyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl) furanyl, -S-(C<sub>1</sub>-C<sub>6</sub>

15 alkyl) phenyl, -SO<sub>2</sub>NR<sub>31</sub>R<sub>32</sub>, -C(O)-NR<sub>31</sub>R<sub>32</sub>, -NR<sub>31</sub>R<sub>32</sub>, dithiane, -NHC(S)NH<sub>2</sub>, -NHC(S)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(S)N(C<sub>1</sub>-C<sub>6</sub> alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl), -CO<sub>2</sub>(C<sub>1</sub>-C<sub>6</sub> alkyl), tetrahydropyran, phenyl optionally substituted with 1 or 2 groups that are independently F, Cl or Br;

20 pyridine, -C<sub>2</sub>-C<sub>4</sub> alkynyl-phenyl, -O-C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-R<sub>33</sub>; pyrrole optionally substituted with one or two methyl groups; 2,3-dihydro-benzofuran; benzo[1,2,5]oxadiazole, -C(O)-(C<sub>1</sub>-C<sub>10</sub> alkyl) wherein the alkyl group is optionally substituted with NH<sub>2</sub>, N(C<sub>1</sub>-C<sub>6</sub> alkyl), or N(C<sub>1</sub>-C<sub>6</sub>

25 alkyl) (C<sub>1</sub>-C<sub>6</sub> alkyl); -C(O)NH-phenyl, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, 4,4-dimethyl-4,5-dihydro-oxazole, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-S-pyridine, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-SO<sub>2</sub>-pyridine, -(C<sub>1</sub>-C<sub>6</sub> thioalkoxy)-pyridine, thiazole optionally substituted with 1 or 2 methyl groups, pyrazole, S-(C<sub>1</sub>-C<sub>6</sub> alkyl), indole, (C<sub>1</sub>-C<sub>6</sub> thioalkoxy)-(C<sub>1</sub>-C<sub>6</sub> alkyl), C<sub>2</sub>-C<sub>8</sub> alkynyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), C<sub>1</sub>-C<sub>10</sub> alkanoyl; -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>10</sub> alkyl) wherein the alkyl group is optionally substituted with OH;

wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl is optionally substituted with 1, 2, 3 or 4 independently selected halogen atoms; -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-imidazolyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)phenyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)pyridyl, -C(O)furanyl, (C<sub>1</sub>-C<sub>6</sub> alkyl)-tetrahydrofuran, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-furanyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-thienyl, wherein the phenyl and pyridyl groups are unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, hydroxy, C<sub>1</sub>-C<sub>4</sub> alkoxy, halogen, or

R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached form a 5, 6, or 7 membered heterocycloalkyl or a 6 membered heteroaryl ring, each of which is optionally fused to a benzene, pyridine or pyrimidine ring and each of which is optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkoxy, hydroxy, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -C(O)NH<sub>2</sub>, -C(O)NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl;

R<sub>33</sub> at each occurrence is independently, H, NH<sub>2</sub>, NH(C<sub>1</sub>-C<sub>6</sub> alkyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(phenyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(benzyl);

R<sub>35</sub> is phenyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -S-phenyl, benzodioxole, thienyl, C<sub>1</sub>-C<sub>6</sub> alkyl, furanyl, imidazolyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OH, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, halogen, halo C<sub>1</sub>-C<sub>6</sub> alkyl, halo

C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl), or (CH<sub>2</sub>)<sub>0-4</sub>CN;

R<sub>40</sub> is phenyl, -phenyl-pyridyl, biphenyl, -phenyl-benzothienyl,  
5 -phenyl-thienyl, -phenyl-furanyl, -phenyl-pyrimidinyl, -phenyl-isoxazolyl, -C(O)-pyridyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)NH-phenyl wherein the phenyl is optionally substituted with 1, 2, or 3 halogen atoms; -(C<sub>1</sub>-C<sub>4</sub> alkyl)-O-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -SO<sub>2</sub>NH<sub>2</sub>, -SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), CN, -(CH<sub>2</sub>)<sub>0-4</sub>-(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-C(O)O-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-R<sub>33</sub>, C<sub>1</sub>-C<sub>10</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-NHC(O)-(C<sub>1</sub>-C<sub>4</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)NH<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), naphthyl, tetrahydronaphthyl, dihydronaphthyl, -(CH<sub>2</sub>)<sub>0-4</sub>-imidazolyl, -(CH<sub>2</sub>)<sub>0-4</sub>-pyrrolidinyl, oxazolidinone 3,4-dihydrobenzo[e][1,2]oxathiene 2,2-dioxide, pyrimidinyl, 3,4-dihydro-2H-benzo[e][1,2]thiazine 1,1-dioxide, pyridyl, or 20 pyrimidyl, alkoxyalkyl, -phenyl-benzothienyl, -phenyl-cyclohexyl, -phenyl-cyclopentyl, -phenyl-(C<sub>1</sub>-C<sub>6</sub> alkyl)-cyclopentyl, -phenyl-(C<sub>1</sub>-C<sub>6</sub> alkyl)-cyclohexyl, -phenyl-oxazolyl, furanyl, tetrahydrofuranyl, wherein each of the above is unsubstituted or substituted with 1, 2, 3, 4, or 25 5 groups that are independently halogen, C<sub>1</sub>-C<sub>8</sub> alkyl optionally substituted with 1 or two groups that are independently CN or OH; C<sub>1</sub>-C<sub>6</sub> alkoxy, halo (C<sub>1</sub>-C<sub>8</sub> alkyl), halo (C<sub>1</sub>-C<sub>4</sub> alkoxy), -O-(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 halogens, CN, -CHO, C<sub>1</sub>-C<sub>4</sub> thioalkoxy, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>4</sub> alkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl) wherein the alkyl groups are 30 optionally substituted with 1, 2, or 3 halogens; OH; -SO<sub>2</sub>R<sub>33</sub>; R<sub>33</sub>; C<sub>2</sub>-C<sub>8</sub> alkynyl; C<sub>2</sub>-C<sub>8</sub> alkenyl; thioalkoxyalkyl; -

SO<sub>2</sub>-(C<sub>1</sub>-C<sub>10</sub> alkyl); -NR<sub>31</sub>R<sub>32</sub>; -C(O)-NR<sub>31</sub>R<sub>32</sub>; -OC(O)R<sub>33</sub>; C<sub>1</sub>-C<sub>8</sub> alkanoyl; -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)-(C<sub>1</sub>-C<sub>6</sub> alkoxy);

R<sub>41a</sub> and R<sub>41</sub> are independently H, cyclohexyl, phenyl, or C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with 1 or 2 groups that are phenyl, hydroxy, C<sub>1</sub>-C<sub>4</sub> thioalkoxy, C<sub>1</sub>-C<sub>4</sub> thioalkoxy C<sub>1</sub>-C<sub>6</sub> alkyl; or -C<sub>1</sub>-C<sub>6</sub> alkyl-SO<sub>2</sub>-C<sub>1</sub>-C<sub>6</sub> alkyl;

R<sub>40</sub>, R<sub>41</sub>, and the atom to which they are attached form a C<sub>3</sub>-C<sub>8</sub> cycloalkyl ring which is optionally substituted with C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, halogen, -CO<sub>2</sub>NH<sub>2</sub>, -CO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -CO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), thiazolyl optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkyl, isoxazolyl optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkyl, or phenyl which is optionally substituted with 1, 2, or 3 groups that are independently halogen or C<sub>1</sub>-C<sub>6</sub> alkyl;

15 and

R<sub>42</sub> is H, C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with OH; benzyl; -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl); -NHC(O)-phenyl wherein the phenyl is optionally substituted with 1 or 2 alkyl groups.

20 51. A compound according to claim 50 wherein

R<sub>30</sub> is selected from the group consisting of pyrazolopyrimidinyl, oxa-aza-benzoazulenyl, isoxazolyl, triazolopyridinyl, pyrrolidinonyl, tetrahydrothia-aza-fluorenyl, pyridyl, piperidinyl, thiazolyl, thiadiazolyl or thienyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)NH<sub>2</sub>, -C(O)N(C<sub>2</sub>-C<sub>6</sub> alkenyl)(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -C(O)NH(C<sub>3</sub>-C<sub>8</sub> cycloalkyl), -C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), C(O)-(pyrrolidine) optionally substituted with 1 or two groups that are independently alkoxyalkyl or hydroxy, halogen, -C(O)N(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)NH(alkoxyalkyl), -C(O)N(alkoxyalkyl)(alkoxyalkyl), -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)


(alkoxyalkyl), -C(O)N(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl)(alkyl), -NHSO<sub>2</sub>CF<sub>3</sub>, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)-SO<sub>2</sub>-thienyl, -N(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHC(O)C<sub>1</sub>-C<sub>4</sub> alkyl, oxazolyl optionally substituted with 1 or 2 methyl groups, thiazolyl optionally substituted with 1 or 2 methyl groups, pyrazolyl optionally substituted with 1 or 2 methyl groups, imidazolyl optionally substituted with 1 or 2 methyl groups, isoazolyl optionally substituted with 1 or 2 methyl groups, pyrimidinyl optionally substituted with 1 or 2 methyl or halogen groups, -NHSO<sub>2</sub>CH<sub>3</sub>, -NHSO<sub>2</sub>-imidazolyl wherein the imidazole ring is optionally substituted with 1 or 2 methyl groups, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>(C<sub>1</sub>-C<sub>6</sub> alkyl), -SO<sub>2</sub>NH-C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl, -SO<sub>2</sub>NH-C<sub>1</sub>-C<sub>6</sub> alkyl-NH(C<sub>1</sub>-C<sub>4</sub> alkyl), -SO<sub>2</sub>-piperazinyl optionally substituted with 1 or 2 methyl groups, -SO<sub>2</sub>-pyrrolidine optionally substituted with 1 or 2 methyl groups, -SO<sub>2</sub>-piperidine optionally substituted with 1 or 2 C<sub>1</sub>-C<sub>4</sub> alkyl groups, -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>4</sub> hydroxyalkyl)(C<sub>1</sub>-C<sub>4</sub> hydroxyalkyl), -SO<sub>2</sub>NH<sub>2</sub>, -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), C<sub>2</sub>-C<sub>6</sub> alkynyl, -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl), -SO<sub>2</sub>NH(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl), -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl), or -C(O)-(C<sub>1</sub>-C<sub>10</sub> alkyl).

25

52. A compound according to claim 51 wherein R<sub>30</sub> is pyridyl which is unsubstituted or substituted with at least one group which is -SO<sub>2</sub>NH-propyl-OH, -SO<sub>2</sub>NH-ethyl-OH, -SO<sub>2</sub>NH-ethyl-OCH<sub>3</sub>, -SO<sub>2</sub>NH-CH(CH<sub>3</sub>)<sub>2</sub>-CH<sub>2</sub>OH, -SO<sub>2</sub>NH-(CH<sub>2</sub>CH(OH)CH<sub>3</sub>), -SO<sub>2</sub>NH-ethyl-NH(CH<sub>3</sub>), -SO<sub>2</sub>NH(-CH<sub>2</sub>CH<sub>2</sub>OH)<sub>2</sub>, -SO<sub>2</sub>NHCH(CH<sub>3</sub>)CH<sub>2</sub>OH, -SO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, -SO<sub>2</sub>NH(CH<sub>2</sub>CH(OH)CH<sub>3</sub>), -SO<sub>2</sub>-pyrrolidine, -SO<sub>2</sub>-(2,6-dimethylpiperidine), -SO<sub>2</sub>-(2-propylpiperidine), -SO<sub>2</sub>-(hydroxypropyl), -C(O)-(2-methoxymethylpyrrolidine), -C(O)-(2-methylpyrrolidine),

-C(O)-(2,6-dimethylpyrrolidine), -C(O)-(2-hydroxymethylpyrrolidine), -C(O)N(methyl)(ethyl), -C(O)N(methyl)(propyl), -C(O)N(methyl)(butyl), -C(O)N(propyl)(butyl), -C(O)N(allyl)(cyclopentyl),  
 5 -C(O)N(allyl)(cyclohexyl), -C(O)N(methyl)(methyl), -C(O)N(ethyl)(ethyl), -C(O)N(butyl)(butyl), -C(O)N(isopropyl)(isopropyl), -C(O)N(propyl)(propyl), -C(O)N(methyl)(cyclohexyl), -C(O)N(ethyl)(cyclohexyl), -C(O)NH(cyclobutyl), -C(O)NH(cyclopentyl),  
 10 -C(O)N(CH<sub>3</sub>)(cyclopentyl), -C(O)NH(2-methylcyclohexyl), -C(O)NH(pentyl), -C(O)N(pentyl)(pentyl), -C(O)NH(isopentyl), -C(O)NH(ethoxyethyl), -C(O)N(CH<sub>3</sub>)(methoxyethyl), -C(O)N(propyl)(methoxyethyl), -C(O)N(methoxyethyl)(methoxyethyl),  
 15 -C(O)N(ethoxyethyl)(ethoxyethyl), -C(O)N(ethyl)(methoxyethyl), -C(O)N(propyl)(hydroxyethyl), -C(O)N(hydroxyethyl)(ethyl), ethynyl, methyl, bromo, -N(CH<sub>3</sub>)SO<sub>2</sub>(CH<sub>3</sub>), -N(CH<sub>3</sub>)SO<sub>2</sub>-thienyl, -N(hydroxypropyl)SO<sub>2</sub>CH<sub>3</sub>, -(CH<sub>2</sub>)-SO<sub>2</sub>-(CH<sub>3</sub>), or -C(O)-  
 20 CH(CH<sub>3</sub>)CH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>.

## 53. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein  
 25 R<sub>30</sub> is selected from the group consisting of phenyl, pyrazolopyrimidinyl, oxa-aza-benzoazulenyl, isoxazolyl, triazolopyridinyl, pyrrolidinonyl, tetrahydrothia-aza-fluorenyl, pyridyl, piperidinyl, dihydrocyclopentaquinolinyl, furyl, naphthothienyl, phthalazinonyl, thiadiazolyl, thienopyrimidinonyl, oxa-diaza-cyclopentanaphthalenyl, dihydrobenzodioxepinyl, chromanonyl, chromenonyl, oxazolidinyl, benzophenone,

pyrazinyl mono N-oxide, benzofuranyl, pyrazolyl,  
-isoxazolyl-phenyl, phenyl-triazolyl, benzimidazolyl,  
indolyl, phenyl-pyrrolyl, chromanyl, isoquinolinyl, -  
thienyl-thienyl, benzothienyl, -phenyl-thiadiazolyl,  
5       chromanonyl, quinolinyl, -pyrrolyl-C(O)-phenyl, -phenyl-O-  
phenyl, -phenyl-oxazolyl, -pyrrolidinonyl-phenyl, -phenyl-  
pyrimidinyl, -phenyl-oxadiazolyl, bicyclo[2.2.1]heptenyl,  
cyclopentyl, thieno[2,3-b]thiophene, cyclohexyl, -phenyl-  
imidazolyl, benzoxazole; dihydro-1H-indolyl; 2,3-dihydro-  
10      benzo[b]thiophene 1,1-dioxide; benzo[b]thiophene 1,1-  
dioxide; 2,3-dihydro-benzo[d]isothiazole 1,1-dioxide; -  
phenyl-thiazolyl; -phenyl-pyrazolyl, -phenyl-C(O)-  
piperidyl, -phenyl-C(O)-pyrrolidinyl, -phenyl-isoxazolyl,  
isoindolyl, purinyl, oxazolyl, thiazolyl, pyridazinonyl,  
15      thiazolyl, pyranyl, dihydropyranopyridinyl, diazepanyl,  
cyclopropyl, dihydronaphthoisoxazolyl, benzoindazole,  
dihydrocyclopentachromenonyl, imidazopyrazolyl,  
tetrahydrocyclopentachromenonyl, dihydroquinolinonyl,  
pyridyl N-oxide, isochromanyl, quinazolinonyl,  
20      pyrazolopyridinyl, dihydrobenzothiophene dioxide,  
dihydrofurobenzoisoxazolyl, dihydropyrimidine dionyl,  
thienopyrazolyl, oxazolyl, tetrahydrocyclopentapyrazolyl,  
dihydronaphthalenonyl, dihydrobenzofuranonyl,  
dihydrocyclopentathienyl, tetrahydrocyclopentapyrazolyl,  
25      tetrahydropyrazoloazepinyl, indazolyl,  
tetrahydrocycloheptaioxazolyl, tetrahydroindolonyl,  
pyrrolidinyl, thienopyridinyl,  
dioxodihydrobenzoisothiazolonyl, triazolopyrimidinyl,  
thienyl, dihydrothienopyrimidinonyl, and benzoxadiazolyl,  
30      wherein each of the above is unsubstituted or substituted  
with 1, 2, 3, 4, or 5 groups that are independently  
selected from the group consisting of  
C<sub>1</sub>-C<sub>10</sub> alkyl optionally substituted with 1 phenyl or 1 CN;  
OH, hydroxy C<sub>1</sub>-C<sub>10</sub> alkyl optionally substituted with

phenyl or ( $C_1$ - $C_4$  alkyl)phenyl,  $C_1$ - $C_6$  alkoxy optionally substituted with 1 or 2 groups that are independently hydroxy or phenyl; haloalkyl, haloalkoxy,  $(CH_2)_{0-4}C(O)NR_{31}R_{32}$ ,  $-NR_{31}-SO_2-(C_1-C_6$  alkyl) wherein the alkyl group is optionally substituted with 1, 2, or 3 groups that are independently halogen or  $R_{33}$ ,  $-SO_2-NH(C_1-C_6$  alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH, alkoxy, or  $R_{33}$ ;  $-(C_1-C_6$  alkyl)- $SO_2-(C_1-C_6$  alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH,  $C_1$ - $C_4$  alkoxy, or  $R_{33}$ ;  $-SO_2-(C_1-C_6$  alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently OH or  $C_1$ - $C_4$  alkoxy,  $-SO_2-N(C_1-C_6$  alkyl) ( $C_1-C_6$  alkyl) wherein each alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH or  $R_{33}$ ;  $-SO_2-NH(C_1-C_6$  alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 groups that are independently  $C_1$ - $C_4$  alkoxy or halogen,  $-O-(C_1-C_6$  alkyl)-phenyl,  $-(C_1-C_6$  alkyl)- $O-phenyl$ ,  $-(C_1-C_6$  alkyl)- $O-(C_1-C_6$  alkyl)-phenyl, triazolidine-3,5-dione, halogen,  $-NHC(O)NH_2$ ,  $-NHC(O)NH(C_1-C_6$  alkyl),  $-NHC(O)N(C_1-C_6$  alkyl) ( $C_1-C_6$  alkyl),  $-N(C_1-C_6$  alkyl)  $C(O)NH_2$ ,  $-N(C_1-C_6$  alkyl)  $C(O)NH(C_1-C_6$  alkyl),  $-N(C_1-C_6$  alkyl)  $C(O)N(C_1-C_6$  alkyl) ( $C_1-C_6$  alkyl),  $-(C_1-C_6$  alkyl) thienyl,  $-(C_1-C_6$  alkyl) furanyl,  $-S-(C_1-C_6$  alkyl) phenyl,  $-SO_2NR_{31}R_{32}$ ,  $-C(O)-NR_{31}R_{32}$ ,  $-NR_{31}R_{32}$ , dithiane,  $-NHC(S)NH_2$ ,  $-NHC(S)NH(C_1-C_6$  alkyl),  $-NHC(S)N(C_1-C_6$  alkyl) ( $C_1-C_6$  alkyl),  $-CO_2(C_1-C_6$  alkyl), tetrahydropyran, phenyl optionally substituted with 1 or 2 groups that are independently F, Cl or Br; pyridine,  $-C_2-C_4$  alkynyl-phenyl,  $-O-C_3-C_8$  cycloalkyl,  $-O-(C_1-C_6$  alkyl)- $R_{33}$ ; pyrrole optionally substituted

with one or two methyl groups; 2,3-dihydrobenzofuran; benzo[1,2,5]oxadiazole, -C(O)-(C<sub>1</sub>-C<sub>10</sub> alkyl) wherein the alkyl group is optionally substituted with NH<sub>2</sub>, N(C<sub>1</sub>-C<sub>6</sub> alkyl), or N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl); -C(O)NH-phenyl, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, 4,4-dimethyl-4,5-dihydro-oxazole, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-S-pyridine, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-SO<sub>2</sub>-pyridine, -(C<sub>1</sub>-C<sub>6</sub> thioalkoxy)-pyridine, thiazole optionally substituted with 1 or 2 methyl groups, pyrazole, S-(C<sub>1</sub>-C<sub>6</sub> alkyl), indole, (C<sub>1</sub>-C<sub>6</sub> thioalkoxy)-(C<sub>1</sub>-C<sub>6</sub> alkyl), C<sub>2</sub>-C<sub>8</sub> alkynyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), C<sub>1</sub>-C<sub>10</sub> alkanoyl; -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>10</sub> alkyl) wherein the alkyl group is optionally substituted with OH; wherein R<sub>31</sub> and R<sub>32</sub> at each occurrence are independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl is optionally substituted with 1, 2, 3 or 4 independently selected halogen atoms; -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-imidazolyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH<sub>2</sub>, -(C<sub>1</sub>-C<sub>6</sub> alkyl)-NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)phenyl, -(C<sub>1</sub>-C<sub>6</sub> alkyl)pyridyl, -C(O)furanyl, (C<sub>1</sub>-C<sub>6</sub> alkyl)-tetrahydrofuran, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-furanyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-thienyl, wherein the phenyl and pyridyl groups are unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, hydroxy, C<sub>1</sub>-C<sub>4</sub> alkoxy, halogen, or R<sub>31</sub>, R<sub>32</sub> and the nitrogen to which they are attached form a 5, 6, or 7 membered heterocycloalkyl or a 6 membered

heteroaryl ring, each of which is optionally fused to a benzene, pyridine or pyrimidine ring and each of which is optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkoxy, hydroxy, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy C<sub>1</sub>-C<sub>6</sub> alkyl, -C(O)NH<sub>2</sub>, -C(O)NH-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl;

5 R<sub>33</sub> at each occurrence is independently, H, NH<sub>2</sub>, NH(C<sub>1</sub>-C<sub>6</sub> alkyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(phenyl), N(C<sub>1</sub>-C<sub>6</sub> alkyl)(benzyl);


10 R<sub>35</sub> is phenyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -S-phenyl, benzodioxole, thienyl, C<sub>1</sub>-C<sub>6</sub> alkyl, furanyl, imidazolyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OH, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, halogen, halo C<sub>1</sub>-C<sub>6</sub> alkyl, halo C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl), or (CH<sub>2</sub>)<sub>0-4</sub>CN;

15 R<sub>42</sub> is H, C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with OH; benzyl; -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl); -NHC(O)-phenyl wherein the phenyl is optionally substituted with 1 or 2 alkyl groups; and

R<sub>48</sub> is -C(O)R<sub>49</sub>,

20 wherein R<sub>49</sub> is phenyl, or C<sub>1</sub>-C<sub>8</sub> alkyl, each of which is optionally substituted with halogen, C<sub>1</sub>-C<sub>4</sub> alkoxy, C<sub>1</sub>-C<sub>4</sub> alkyl, or R<sub>33</sub>.

54. A compound of the formula



25 or a pharmaceutically acceptable salt thereof, wherein R<sub>35</sub> is phenyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -S-phenyl, benzodioxole, thienyl, C<sub>1</sub>-C<sub>6</sub> alkyl, furanyl, imidazolyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OH, hydroxy C<sub>1</sub>-C<sub>6</sub> alkyl, halogen, halo C<sub>1</sub>-C<sub>6</sub> alkyl, halo

C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(C<sub>1</sub>-C<sub>4</sub> alkyl)-(C<sub>5</sub>-C<sub>6</sub> cycloalkyl), or (CH<sub>2</sub>)<sub>0-4</sub>CN;

R<sub>42</sub> is H, C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with OH; benzyl; -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl); -NHC(O)-phenyl wherein the phenyl is  
5       optionally substituted with 1 or 2 alkyl groups; and

R<sub>48</sub> is -C(O)R<sub>49</sub>,

wherein R<sub>49</sub> is phenyl, or C<sub>1</sub>-C<sub>8</sub> alkyl, each of which is  
optionally substituted with halogen, C<sub>1</sub>-C<sub>4</sub> alkoxy, C<sub>1</sub>-C<sub>4</sub> alkyl, or R<sub>33</sub>;

10      R<sub>52</sub> is H, phenyl, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl)-(C<sub>1</sub>-C<sub>6</sub> thioalkoxy), OH, C<sub>1</sub>-C<sub>6</sub> alkyl, mono or di(C<sub>1</sub>-C<sub>6</sub> alkyl)amino, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein the alkyl group is optionally substituted  
with a phenyl, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl) wherein  
15       the alkyl groups are each optionally substituted with a  
phenyl, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>10</sub> alkyl), -NHCO<sub>2</sub>-benzyl, or -NH<sub>2</sub>,  
and

R<sub>60</sub> is -L-V-R<sub>65</sub>, C<sub>1</sub>-C<sub>8</sub> alkyl, or hydroxy C<sub>1</sub>-C<sub>8</sub> alkyl, wherein the  
alkyl or hydroxyalkyl groups are optionally substituted  
20       with 1 or 2 L-V-R<sub>65</sub> groups, wherein

L is absent, -C(O)-, -CO<sub>2</sub>-, -C(O)NH-, -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-,  
-NHC(O)-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)-C(O)-, -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(CH<sub>2</sub>)<sub>0-4</sub>-  
, -(CH<sub>2</sub>)<sub>0-4</sub>O-(CH<sub>2</sub>)<sub>0-4</sub>-, -(CH<sub>2</sub>)<sub>0-4</sub>S-(CH<sub>2</sub>)<sub>0-4</sub>-, -NHC(O)NH-  
, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)NH-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-,


25       -NHC(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, -NH-, -N(benzyl)-, -N(phenyl)-,  
-(CH<sub>2</sub>)<sub>0-4</sub>-NHSO<sub>2</sub>-(CH<sub>2</sub>)<sub>0-4</sub>-, -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>-,  
-SO<sub>2</sub>NH-, -SO<sub>2</sub>N(C<sub>1</sub>-C<sub>6</sub> alkyl)-, or

V is absent, -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)NH-, -(CH<sub>2</sub>)<sub>0-4</sub>-C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)-,  
, cyclopropyl optionally substituted with 1 or 2 C<sub>1</sub>-C<sub>4</sub> alkyl groups, =NH, =NOH, =N-alkoxy, C<sub>1</sub>-C<sub>8</sub> alkyl  
optionally substituted with 1 or 2 OH, or  
-CH(phenyl)- wherein the phenyl is optionally  
substituted with 1, 2, 3, 4, or 5 groups that are  
halogen or OH;

R<sub>65</sub> is cyclohexyl; cyclopentyl; phenyl; -(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl; NH<sub>2</sub>; mono or di(C<sub>1</sub>-C<sub>10</sub> alkyl)amino wherein the alkyl group or groups are optionally substituted with 1 or 2 groups that are independently cyclopropyl,  
5 phenyl or OH; oxadiazolyl; triazolopyrimidinyl; triazolyl; thiadiazolyl; 3H-quinazolin-2-onyl; pyrimidinyl; pyridyl; pyridyl N-oxide; -(C<sub>1</sub>-C<sub>6</sub> alkyl)-pyridyl; piperazinyl; phthalazinyl; tetrahydro-thiophenyl 1,1-dioxide; tetrazolyl; C<sub>3</sub>-C<sub>6</sub>  
10 cycloalkyl-C<sub>1</sub>-C<sub>6</sub> alkyl; -(C<sub>1</sub>-C<sub>4</sub> alkyl)-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl); -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl); benzothiazole; hexahydro-isoindole-1,3-dionyl; benzimidazolyl; benzoxazolyl; [1,2,4]triazolo[1,5-a]pyrimidinyl;  
15 [1,2,4]triazolo[4,3-a]pyrimidinyl, thiazolyl; thiadiazolyl; imidazo[1,2-a]pyridine; C<sub>1</sub>-C<sub>6</sub> alkyl; 3-aza-bicyclo[3.2.2]nonane; pyrrolidinonyl; diazepanyl; benzo[1,2,5]thiadiazolyl; -NHSO<sub>2</sub>-(4-methylphenyl); [1,2,4]triazolo[4,3-b]pyridazinyl,  
20 benzopyrrolidinonyl; morpholinyl; thiomorpholinyl; thiomorpholinyl S-oxide; thiomorpholinyl S,S-dioxide; 2,3-dihydro-benzo[b]thiophene 1,1-dioxide; pyrrolidinyl; [1,2,4]oxadiazole; C<sub>1</sub>-C<sub>10</sub> alkyl; isoxazolyl; 2,3-dihydro-1H-indolyl; quinazolinonyl, quinazolinyl, piperidyl, wherein each of the above is  
25 optionally substituted with 1, 2, 3, 4, or 5 groups that are independently C<sub>1</sub>-C<sub>6</sub> alkyl, CF<sub>3</sub>, halogen, phenyl, -(C<sub>1</sub>-C<sub>4</sub> alkyl)-phenyl, -C(O)phenyl, pyrrolidine-dione, C<sub>1</sub>-C<sub>6</sub> alkoxy, -C(O)-furan, -C(O)NH<sub>2</sub>, -C(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)N(C<sub>1</sub>-C<sub>6</sub> alkyl)(C<sub>1</sub>-C<sub>6</sub> alkyl), cyclopropyl, -(CH<sub>2</sub>)<sub>0-4</sub>-cyclopentyl, benzoxazolyl, pyridine, -NHC(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)C(O)-(C<sub>1</sub>-C<sub>6</sub> alkyl), -C(O)C<sub>1</sub>-C<sub>6</sub>

alkyl, -CO<sub>2</sub>H, -NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>8</sub> alkyl), -N(C<sub>1</sub>-C<sub>6</sub> alkyl)SO<sub>2</sub>-(C<sub>1</sub>-C<sub>8</sub> alkyl).

55. A compound of the formula



5

or a pharmaceutically acceptable salt thereof, wherein  
n, p, and q are independently 0, 1 or 2;

a dashed line represents a single or double bond;

R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub>, and R<sub>4</sub> are independently selected from

10       hydrogen, halogen, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxy, C<sub>1</sub>-C<sub>6</sub> alkoxy,  
halo(C<sub>1</sub>-C<sub>6</sub>) alkyl, hydroxy(C<sub>1</sub>-C<sub>6</sub>) alkyl, halo(C<sub>1</sub>-C<sub>6</sub>) alkoxy, thio(C<sub>1</sub>-C<sub>6</sub>) alkyl, (C<sub>1</sub>-C<sub>6</sub>) alkoxy(C<sub>1</sub>-C<sub>6</sub>) alkyl,  
amino(C<sub>1</sub>-C<sub>6</sub>) alkyl, mono(C<sub>1</sub>-C<sub>6</sub>) alkylamino(C<sub>1</sub>-C<sub>6</sub>) alkyl,  
di(C<sub>1</sub>-C<sub>6</sub>) alkylamino(C<sub>1</sub>-C<sub>6</sub>) alkyl,

15       -(CH<sub>2</sub>)<sub>0-4</sub>-aryl or -(CH<sub>2</sub>)<sub>0-4</sub>-heteroaryl,  
C<sub>2</sub>-C<sub>6</sub> alkenyl or C<sub>2</sub>-C<sub>6</sub> alkynyl, each of which is optionally  
substituted with one, two or three substituents  
independently selected from the group consisting of  
halogen, hydroxy, -SH, cyano, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy,  
20       amino, mono (C<sub>1</sub>-C<sub>6</sub>) alkylamino, and di(C<sub>1</sub>-C<sub>6</sub>) alkylamino,  
-(CH<sub>2</sub>)<sub>0-4</sub>- C<sub>3</sub>-C<sub>7</sub> cycloalkyl, where the cycloalkyl is  
optionally substituted with one, two or three  
substituents independently selected from the group  
25       consisting of halogen, hydroxy, -SH, cyano, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, mono(C<sub>1</sub>-C<sub>6</sub>) alkylamino, and di(C<sub>1</sub>-C<sub>6</sub>) alkylamino;

R<sub>z</sub>, R<sub>z'</sub>, R<sub>z''</sub>, and R<sub>z'''</sub> independently represent  
C<sub>1</sub>-C<sub>6</sub> alkyl, optionally substituted with one, two or three  
30       substituents independently selected from C<sub>1</sub>-C<sub>3</sub> alkyl,

halogen, -OH, -SH, -C≡N, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, amino, mono(C<sub>1</sub>-C<sub>6</sub>) alkylamino, and di(C<sub>1</sub>-C<sub>6</sub>) alkylamino, hydroxy, nitro, halogen, -CO<sub>2</sub>H, cyano,

-(CH<sub>2</sub>)<sub>0-4</sub>-CO-NR<sub>142</sub>R<sub>144</sub> where R<sub>142</sub> and R<sub>144</sub> independently

5 represent hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxyl(C<sub>1</sub>-C<sub>6</sub>)alkyl, amino(C<sub>1</sub>-C<sub>6</sub>)alkyl, haloalkyl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, -(C<sub>1</sub>-C<sub>2</sub> alkyl)-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-O-(C<sub>1</sub>-C<sub>3</sub> alkyl), -C<sub>2</sub>-C<sub>6</sub> alkenyl with one or two double bonds, -C<sub>2</sub>-C<sub>6</sub> alkynyl with one or two triple bonds, -C<sub>1</sub>-C<sub>6</sub> alkyl chain with one double bond and one triple bond,

10 -R<sub>1</sub>-aryl where R<sub>1</sub>-aryl is as defined above, or -R<sub>1</sub>-heteroaryl where R<sub>1</sub>-heteroaryl,

-(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>1</sub>-C<sub>12</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>2</sub>-C<sub>12</sub> alkenyl),

15 CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>2</sub>-C<sub>12</sub>) alkynyl, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>1</sub>-aryl where R<sub>1</sub>-aryl is as defined above, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>1</sub>-heteroaryl where R<sub>1</sub>-heteroaryl is as defined above, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>1</sub>-heterocycle, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>146</sub> where R<sub>146</sub> is heterocycloalkyl, where the heterocycloalkyl is optionally substituted with 1-4

20 of C<sub>1</sub>-C<sub>6</sub> alkyl,

-(CH<sub>2</sub>)<sub>0-4</sub>-CO-O-R<sub>148</sub> where R<sub>148</sub> is selected from the group consisting of: C<sub>1</sub>-C<sub>6</sub> alkyl, -(CH<sub>2</sub>)<sub>0-2</sub>-(R<sub>1</sub>-aryl), C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, and -(CH<sub>2</sub>)<sub>0-2</sub>-(R<sub>1</sub>-heteroaryl),

25 -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-N R<sub>142</sub>R<sub>144</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-SO-(C<sub>1</sub>-C<sub>8</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>12</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-N(H or R<sub>148</sub> )-CO-O-R<sub>148</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-N(H or R<sub>148</sub> )-CO-N(R<sub>148</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-N-CS-N(R<sub>148</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-N(-H or R<sub>148</sub> )-CO-R<sub>142</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-NR<sub>142</sub>R<sub>144</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-R<sub>146</sub> where R<sub>N-4</sub>

30 is as defined above,

-(CH<sub>2</sub>)<sub>0-4</sub>-O-CO-(C<sub>1</sub>-C<sub>6</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-O-P(O)-(OR<sub>150</sub>)<sub>2</sub> where each R<sub>150</sub> is independently hydrogen or C<sub>1</sub>-C<sub>4</sub> alkyl, -(CH<sub>2</sub>)<sub>0-4</sub>-O-CO-N(R<sub>148</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-O-CS-N(R<sub>148</sub>)<sub>2</sub> -(CH<sub>2</sub>)<sub>0-4</sub>-O-(R<sub>148</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-O-( R<sub>148</sub>)<sub>2</sub>-CO<sub>2</sub>H, -(CH<sub>2</sub>)<sub>0-4</sub>-S-( R<sub>148</sub>)<sub>2</sub>,

- (CH<sub>2</sub>)<sub>0-4</sub>-O-halo(C<sub>1</sub>-C<sub>6</sub>)alkyl, - (CH<sub>2</sub>)<sub>0-4</sub>-O-(C<sub>1</sub>-C<sub>6</sub>)alkyl,  
C<sub>3</sub>-C<sub>7</sub> cycloalkyl,

C<sub>2</sub>-C<sub>6</sub> alkenyl or C<sub>2</sub>-C<sub>6</sub> alkynyl, each of which is optionally  
substituted with C<sub>1</sub>-C<sub>3</sub> alkyl, halogen, hydroxy, -SH,  
5 cyano, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, mono(C<sub>1</sub>-  
C<sub>6</sub>)alkylamino, and di(C<sub>1</sub>-C<sub>6</sub>)alkylamino,  
- (CH<sub>2</sub>)<sub>0-4</sub>-N(-H or R<sub>148</sub>)-SO<sub>2</sub>-R<sub>142</sub>, or - (CH<sub>2</sub>)<sub>0-4</sub>- C<sub>3</sub>-C<sub>7</sub>  
cycloalkyl;

R<sub>35</sub> is phenyl, cyclohexyl, -S-phenyl, benzodioxole, thienyl, C<sub>3</sub>-  
10 C<sub>6</sub> alkyl, furanyl, each of which is unsubstituted or  
substituted with 1, 2, 3, 4, or 5 groups that are  
independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OH, hydroxy C<sub>1</sub>-C<sub>6</sub> ( )  
alkyl, halogen, halo C<sub>1</sub>-C<sub>6</sub> alkyl, halo C<sub>1</sub>-C<sub>6</sub> alkoxy, -O-  
(C<sub>1</sub>-C<sub>6</sub> alkyl)-phenyl, -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub> alkyl), or -(C<sub>1</sub>-C<sub>4</sub> alkyl)-  
15 (C<sub>5</sub>-C<sub>6</sub> cycloalkyl);

X and Y are independently selected from O, NR<sub>5</sub>, C(O), CR<sub>1</sub>R<sub>2</sub>,  
SO<sub>2</sub>, and S,

where R<sub>5</sub> is hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, SO<sub>2</sub>R<sub>5</sub>', C(O)R<sub>5</sub>' where R<sub>5</sub>'  
is hydrogen, halogen, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxy, C<sub>1</sub>-C<sub>6</sub>  
20 alkoxy, halo(C<sub>1</sub>-C<sub>6</sub>) alkyl, halo(C<sub>1</sub>-C<sub>6</sub>) alkoxy, thio(C<sub>1</sub>-  
C<sub>6</sub>) alkyl, (C<sub>1</sub>-C<sub>6</sub>) alkoxy(C<sub>1</sub>-C<sub>6</sub>) alkyl, amino(C<sub>1</sub>-C<sub>6</sub>) alkyl,  
mono(C<sub>1</sub>-C<sub>6</sub>) alkylamino(C<sub>1</sub>-C<sub>6</sub>) alkyl, di(C<sub>1</sub>-  
C<sub>6</sub>) alkylamino(C<sub>1</sub>-C<sub>6</sub>) alkyl,  
- (CH<sub>2</sub>)<sub>0-4</sub>-aryl or - (CH<sub>2</sub>)<sub>0-4</sub>-heteroaryl,  
25 C<sub>2</sub>-C<sub>6</sub> alkenyl or C<sub>2</sub>-C<sub>6</sub> alkynyl, each of which is optionally  
substituted with one, two or three substituents  
independently selected from the group consisting of  
halogen, hydroxy, -SH, cyano, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy,  
amino, mono (C<sub>1</sub>-C<sub>6</sub>)alkylamino, and di(C<sub>1</sub>-  
30 C<sub>6</sub>)alkylamino,  
- (CH<sub>2</sub>)<sub>0-4</sub>- C<sub>3</sub>-C<sub>7</sub> cycloalkyl, where the cycloalkyl is  
optionally substituted with one, two or three  
substituents independently selected from the group  
consisting of halogen, hydroxy, -SH, cyano, -CF<sub>3</sub>, C<sub>1</sub>-

C<sub>3</sub> alkoxy, amino, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino, and di(C<sub>1</sub>-C<sub>6</sub>)alkylamino;

R<sub>140</sub> represents phenyl or naphthyl, each of which is optionally substituted with 1-5 groups independently selected from C<sub>1</sub>-C<sub>6</sub> alkyl, optionally substituted with one, two or three substituents selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, -halogen, hydroxy, -SH, cyano, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino, and di(C<sub>1</sub>-C<sub>6</sub>)alkylamino,

hydroxy, nitro, halogen, -CO<sub>2</sub>H, cyano,  
-(CH<sub>2</sub>)<sub>0-4</sub>-CO-NR<sub>142</sub>R<sub>144</sub> where R<sub>142</sub> and R<sub>144</sub> independently represent hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxyl(C<sub>1</sub>-C<sub>6</sub>)alkyl, amino(C<sub>1</sub>-C<sub>6</sub>)alkyl, haloalkyl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, -(C<sub>1</sub>-C<sub>2</sub> alkyl)-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), -(C<sub>1</sub>-C<sub>6</sub> alkyl)-O-(C<sub>1</sub>-C<sub>3</sub> alkyl), -C<sub>2</sub>-C<sub>6</sub> alkenyl with one or two double bonds, -C<sub>2</sub>-C<sub>6</sub> alkynyl with one or two triple bonds, -C<sub>1</sub>-C<sub>6</sub> alkyl chain with one double bond and one triple bond, -R<sub>1</sub>-aryl or -R<sub>1</sub>-heteroaryl,  
-(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>1</sub>-C<sub>12</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>2</sub>-C<sub>12</sub> alkenyl), CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>2</sub>-C<sub>12</sub>)alkynyl, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>1</sub>-aryl where R<sub>1</sub>-aryl is as defined above, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>1</sub>-heteroaryl where R<sub>1</sub>-heteroaryl is as defined above, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>1</sub>-heterocycle, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-R<sub>146</sub> where R<sub>146</sub> is heterocycloalkyl, where the heterocycloalkyl is optionally substituted with 1-4 of C<sub>1</sub>-C<sub>6</sub> alkyl,  
-(CH<sub>2</sub>)<sub>0-4</sub>-CO-O-R<sub>148</sub> where R<sub>148</sub> is selected from the group consisting of: C<sub>1</sub>-C<sub>6</sub> alkyl, -(CH<sub>2</sub>)<sub>0-2</sub>-(R<sub>1</sub>-aryl), C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, and -(CH<sub>2</sub>)<sub>0-2</sub>-(R<sub>1</sub>-heteroaryl),  
-(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-N R<sub>142</sub>R<sub>144</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-SO-(C<sub>1</sub>-C<sub>8</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>12</sub> alkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-SO<sub>2</sub>-(C<sub>3</sub>-C<sub>7</sub> cycloalkyl), -(CH<sub>2</sub>)<sub>0-4</sub>-N(H or R<sub>148</sub> )-CO-O-R<sub>148</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-N(H or R<sub>148</sub> )-CO-N(R<sub>148</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-N-CS-N(R<sub>148</sub>)<sub>2</sub>, -(CH<sub>2</sub>)<sub>0-4</sub>-N(-H or

$R_{148})-CO-R_{142}$ ,  $-(CH_2)_{0-4}-NR_{142}R_{144}$ ,  $-(CH_2)_{0-4}-R_{146}$  where  $R_{N-4}$  is as defined above,

$-(CH_2)_{0-4}-O-CO-(C_1-C_6\text{ alkyl})$ ,  $-(CH_2)_{0-4}-O-P(O)-(OR_{150})_2$  where each  $R_{150}$  is independently hydrogen or  $C_1-C_4$  alkyl, -

5  $(CH_2)_{0-4}-O-CO-N(R_{148})_2$ ,  $-(CH_2)_{0-4}-O-CS-N(R_{148})_2$   $-(CH_2)_{0-4}-O-(R_{148})_2$ ,  $-(CH_2)_{0-4}-O-(R_{148})_2-CO_2H$ ,  $-(CH_2)_{0-4}-S-(R_{148})_2$ ,  $-(CH_2)_{0-4}-O-halo(C_1-C_6)\text{alkyl}$ ,  $-(CH_2)_{0-4}-O-(C_1-C_6)\text{alkyl}$ ,  $C_3-C_7$  cycloalkyl,

10  $C_2-C_6$  alkenyl or  $C_2-C_6$  alkynyl, each of which is optionally substituted with  $C_1-C_3$  alkyl, halogen, hydroxy,  $-SH$ , cyano,  $-CF_3$ ,  $C_1-C_3$  alkoxy, amino, mono( $C_1-C_6$ )alkylamino, and di( $C_1-C_6$ )alkylamino, and  
-  $(CH_2)_{0-4}-N(-H\text{ or }R_{148})-SO_2-R_{142}$ , or  $-(CH_2)_{0-4}-C_3-C_7$  cycloalkyl.

15

56. A compound according to claim 55, wherein q is 1.

57. A compound according to claim 56, wherein two or three of  $R_z$ ,  $R_z'$ ,  $R_z''$ , and  $R_z'''$  is hydrogen, and 20 the other one or two of  $R_z$ ,  $R_z'$ ,  $R_z''$ , and  $R_z'''$  is hydroxy, nitro, halogen,  $-CO_2H$ , cyano, or  $C_1-C_6$  alkyl, where the alkyl is optionally substituted with one, two or three substituents independently selected from  $C_1-C_3$  alkyl, halogen,  $-OH$ ,  $-SH$ ,  $-C\equiv N$ ,  $-CF_3$ ,  $C_1-C_6$  alkoxy, amino, mono( $C_1-C_6$ )alkylamino, and di( $C_1-C_6$ )alkylamino.

25 58. A compound according to claim 57, wherein three of  $R_z$ ,  $R_z'$ ,  $R_z''$ , and  $R_z'''$  is hydrogen and the other is ( $C_1-C_6$ )alkyl, halogen, or ( $C_1-C_6$ )alkoxy.

30

59. A compound according to claim 58, wherein  $R_{140}$  is phenyl substituted with 1, 2, or 3 groups independently selected from

C<sub>1</sub>-C<sub>6</sub> alkyl, optionally substituted with one, two or three groups independently selected from C<sub>1</sub>-C<sub>3</sub> alkyl, - halogen, hydroxy, -SH, cyano, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino, and di(C<sub>1</sub>-C<sub>6</sub>)alkylamino, 5 hydroxy, nitro, halogen, -CO<sub>2</sub>H, cyano, -(CH<sub>2</sub>)<sub>0-4</sub>-CO-NR<sub>142</sub>R<sub>144</sub> where R<sub>142</sub> and R<sub>144</sub> independently represent hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, hydroxy(C<sub>1</sub>-C<sub>6</sub>)alkyl, amino(C<sub>1</sub>-C<sub>6</sub>)alkyl, and C<sub>3</sub>-C<sub>7</sub> cycloalkyl.

10 60. A compound according to claim 59, wherein R<sub>140</sub> is phenyl substituted with one of hydroxy, nitro, halogen, -CO<sub>2</sub>H, cyano, or C<sub>1</sub>-C<sub>6</sub> alkyl where the alkyl is optionally substituted with one, two or three groups independently selected from C<sub>1</sub>-C<sub>3</sub> alkyl, - 15 halogen, hydroxy, -SH, cyano, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino, and di(C<sub>1</sub>-C<sub>6</sub>)alkylamino; and one of -(CH<sub>2</sub>)<sub>0-4</sub>-CO-NR<sub>142</sub>R<sub>144</sub>.

20 61. A compound according to claim 60, wherein R<sub>140</sub> is phenyl substituted with one of -C(O)NR<sub>142</sub>R<sub>144</sub> and R<sub>142</sub> and R<sub>144</sub> are independently hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl.

62. A compound according to claim 61, wherein R<sub>142</sub> and R<sub>144</sub> are the same and are propyl.

25 63. A compound according to claim 60, wherein R<sub>140</sub> is phenyl substituted one (C<sub>1</sub>-C<sub>6</sub>)alkyl and with one -C(O)NR<sub>142</sub>R<sub>144</sub> where R<sub>142</sub> and R<sub>144</sub> are independently hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl.

30 64. A compound according to claim 61, wherein R<sub>142</sub> and R<sub>144</sub> are the same and are propyl.

65. A compound according to claim 57, wherein R<sub>35</sub> is phenyl substituted with 1-5 halogen, or substituted with 1, 2,

or 3 groups independently selected from (C<sub>1</sub>-C<sub>6</sub>) alkyl, hydroxy, halogen, (C<sub>1</sub>-C<sub>6</sub>) alkoxy, amino, mono(C<sub>1</sub>-C<sub>6</sub>) alkylamino, and di(C<sub>1</sub>-C<sub>6</sub>) alkylamino.

5 66. A compound according to claim 65, wherein R<sub>35</sub> is phenyl substituted with 2 halogens.

67. A compound according to claim 66, wherein R<sub>35</sub> is 3,5-difluorophenyl.

10

68. A compound according to claim 65, wherein R<sub>140</sub> is phenyl substituted with  
one of hydroxy, nitro, halogen, -CO<sub>2</sub>H, cyano, or C<sub>1</sub>-C<sub>6</sub> alkyl  
where the alkyl is optionally substituted with one, two or  
15 three groups independently selected from C<sub>1</sub>-C<sub>3</sub> alkyl, -  
halogen, hydroxy, -SH, cyano, -CF<sub>3</sub>, C<sub>1</sub>-C<sub>3</sub> alkoxy, amino,  
mono(C<sub>1</sub>-C<sub>6</sub>) alkylamino, and di(C<sub>1</sub>-C<sub>6</sub>) alkylamino; and  
one of -(CH<sub>2</sub>)<sub>0-4</sub>-CO-NR<sub>142</sub>R<sub>144</sub>.

20

69. A compound according to claim 68, wherein R<sub>140</sub> is phenyl substituted with one of -C(O)NR<sub>142</sub>R<sub>144</sub> and R<sub>142</sub> and R<sub>144</sub> are independently hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl.

25

70. A compound according to claim 69, wherein R<sub>142</sub> and R<sub>144</sub> are the same and are propyl.

71. A compound according to any of claims 55-70, wherein n is 1 and p is 0.

30

72. A compound according to claim 71, wherein the dashed lines all represent single bonds.

73. A compound according to claim 72, wherein R<sub>1</sub> is hydrogen and X is SO<sub>2</sub>.

74. A compound according to claim 73, wherein Y is methylene.

5 75. A compound according to claim 74, wherein Z' is 2-propyl.

76. A compound according to claim 74, wherein R<sub>2</sub> is hydrogen, hydroxy(C<sub>1</sub>-C<sub>3</sub>)alkyl, or (C<sub>1</sub>-C<sub>3</sub>)alkyl.

10

77. A compound according to claim 75, wherein R<sub>2</sub> is methyl.


78. A compound according to claim 72, wherein R<sub>1</sub> is hydrogen;

X is SO<sub>2</sub> and Y is NR<sub>5</sub>, or X is NR<sub>5</sub> and Y is SO<sub>2</sub>, where each R<sub>5</sub> is hydrogen, (C<sub>1</sub>-C<sub>6</sub>)alkyl, or hydroxy(C<sub>1</sub>-C<sub>6</sub>)alkyl.


79. A compound according to claim 72, wherein R<sub>1</sub> is hydrogen;

X is C(O) and Y is NR<sub>5</sub>, or X is NR<sub>5</sub> and Y is C(O), where each R<sub>5</sub> is hydrogen, (C<sub>1</sub>-C<sub>6</sub>)alkyl, or hydroxy(C<sub>1</sub>-C<sub>6</sub>)alkyl.


80. A compound according to claim 55, which is represented by the formula



81. A compound according to claim 55, which is represented by the formula




82. A compound according to claim 69, which is represented by the formula



5

83. A compound according to claim 69, which is represented by the formula



10

84. A compound according to claim 82, wherein  $\text{R}_2$  is ( $\text{C}_1-\text{C}_3$ ) alkyl.

85 A compound according to claim 82, wherein  $\text{R}_2$  is  
15 methyl.

86. A compound according to claim 82, wherein  $\text{R}_2$  is hydroxy( $\text{C}_1-\text{C}_3$ ) alkyl.

20 87. A compound according to claim 83, wherein  $\text{R}_2$  is ( $\text{C}_1-\text{C}_3$ ) alkyl.

88. A compound according to claim 83, wherein  $\text{R}_2$  is methyl.

89. A compound according to claim 83, wherein R<sub>2</sub> is hydroxy(C<sub>1</sub>-C<sub>3</sub>)alkyl.


- 5        90. A compound according to claim 55 which is  
N' - ((1*S*, 2*R*) -1- (3, 5-difluorobenzyl) -2-hydroxy-3- { [(4*S*) -  
6-isopropyl-2, 2-dioxido-3, 4-dihydro-1*H*-isothiochromen-4-  
yl]amino}propyl) -5-methyl-N, N-dipropylisophthalamide;  
N' - ((1*S*, 2*R*) -1- (3, 5-difluorobenzyl) -2-hydroxy-3-  
{ [(3*R*, 4*S*) -3- (hydroxymethyl) -6-isopropyl-2, 2-dioxido-3, 4-  
dihydro-1*H*-isothiochromen-4-yl]amino}propyl) -5-methyl-N, N-  
dipropylisophthalamide;  
N' - ((1*S*, 2*R*) -1- (3, 5-difluorobenzyl) -2-hydroxy-3-  
{ [(3*R*, 4*S*) -6-isopropyl-3-methyl-2, 2-dioxido-3, 4-dihydro-1*H*-  
isothiochromen-4-yl]amino}propyl) -5-methyl-N, N-  
dipropylisophthalamide;  
N' - ((1*S*, 2*R*) -1- (3, 5-difluorobenzyl) -2-hydroxy-3-  
{ [(3*S*, 4*R*) -3- (hydroxymethyl) -6-isopropyl-2, 2-dioxido-3, 4-  
dihydro-1*H*-isothiochromen-4-yl]amino}propyl) -5-methyl-N, N-  
dipropylisophthalamide;  
N' - ((1*S*, 2*R*) -1- (3, 5-difluorobenzyl) -2-hydroxy-3-  
{ [(3*S*, 4*R*) -3- (2-hydroxyethyl) -6-isopropyl-2, 2-dioxido-3, 4-  
dihydro-1*H*-isothiochromen-4-yl]amino}propyl) -5-methyl-N, N-  
dipropylisophthalamide;  
N' - ((1*S*, 2*R*) -1- (3, 5-difluorobenzyl) -2-hydroxy-3-  
{ [(3*S*, 4*S*) -3- (2-hydroxyethyl) -6-isopropyl-2, 2-dioxido-3, 4-  
dihydro-1*H*-isothiochromen-4-yl]amino}propyl) -5-methyl-N, N-  
dipropylisophthalamide;

*N'* - ((1*S*, 2*R*) -1 - (3, 5-difluorobenzyl) -2-hydroxy-3-  
 {[(3*S*, 4*S*) -6-isopropyl-2, 2-dioxido-3-propyl-3, 4-dihydro-1*H*-  
 isothiochromen-4-yl]amino}propyl) -5-methyl-*N, N*-  
 dipropylisophthalamide;

*N'* - ((1*S*, 2*R*) -1 - (3, 5-difluorobenzyl) -2-hydroxy-3-  
 {[(3*S*, 4*S*) -6-isopropyl-3-methyl-2, 2-dioxido-3, 4-dihydro-1*H*-  
 isothiochromen-4-yl]amino}propyl) -5-methyl-*N, N*-  
 dipropylisophthalamide; and

*N'* - ((1*S*, 2*R*) -1 - (3, 5-difluorobenzyl) -2-hydroxy-3- {[(4*R*) -  
 6-isopropyl-2, 2-dioxido-3, 4-dihydro-1*H*-isothiochromen-4-  
 yl]amino}propyl) -5-methyl-*N, N*-dipropylisophthalamide; or a  
 pharmaceutically acceptable salt thereof.

91. A compound of the formula:



wherein

5      R<sub>100</sub> is H, C<sub>1</sub>-C<sub>8</sub> alkoxy carbonyl, phenyl C<sub>1</sub>-C<sub>6</sub> alkyl, or phenyl  
 C<sub>1</sub>-C<sub>6</sub> alkoxy carbonyl;

R<sub>110</sub> is phenyl C<sub>1</sub>-C<sub>6</sub> alkyl, thienyl, -S-phenyl, furanyl, or  
 benzodioxolyl, wherein each is optionally substituted with  
 1, 2, 3, 4, or 5 groups that are independently halogen,

10     C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, or phenyl C<sub>1</sub>-C<sub>6</sub> alkoxy; and

R<sub>120</sub> is H, phenyl C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl optionally  
 substituted with C<sub>1</sub>-C<sub>6</sub> alky or phenyl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl C<sub>1</sub>-  
 C<sub>4</sub> alkyl, or C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with  
 -C(O)NR<sub>121</sub>R<sub>122</sub>, wherein each of the above is optionally

15     substituted with 1, 2, or 3 groups that are independently  
 C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, halogen, or C<sub>1</sub>-C<sub>6</sub>  
 alkoxy; wherein

R<sub>121</sub> and R<sub>122</sub> are independently H, or C<sub>1</sub>-C<sub>6</sub> alkyl.

20     92. A compound according to claim 91 wherein

R<sub>100</sub> is tertiary butoxy carbonyl.

93. A compound according to claim 91 wherein  
R<sub>110</sub> is phenyl C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with 1, 2, 3,  
5 4, or 5 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub>  
alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, or phenyl C<sub>1</sub>-C<sub>6</sub> alkoxy.

94. A compound according to claim 91 wherein  
R<sub>110</sub> is monohalophenyl, dihalophenyl, or trihalophenyl.  
10

95. A compound according to claim 91 wherein  
R<sub>110</sub> is thienyl, or -S-phenyl each of which is optionally  
substituted with 1, 2, 3, 4, or 5 groups that are  
independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy,  
15 benzyl oxy.

96. A compound according to claim 91 wherein  
R<sub>110</sub> is furanyl, or benzodioxolyl each of which is optionally  
substituted with 1, 2, 3, 4, or 5 groups that are  
20 independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy,  
benzyl oxy.

97. A compound according to claim 91 wherein  
R<sub>120</sub> is benzyl optionally substituted with 1, 2, or 3 groups  
25 that are independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub>  
alkynyl, halogen, or C<sub>1</sub>-C<sub>6</sub> alkoxy.

98. A compound according to claim 91 wherein  
R<sub>120</sub> is cyclopropyl optionally substituted with C<sub>1</sub>-C<sub>6</sub> alky or  
30 phenyl; or cyclopropyl C<sub>1</sub>-C<sub>4</sub> alkyl, wherein each of the  
above is optionally substituted with 1, 2, or 3 groups  
that are independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub>  
alkynyl, halogen, or C<sub>1</sub>-C<sub>6</sub> alkoxy.

99. A compound according to claim 92 wherein  
R<sub>110</sub> is phenyl C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with 1, 2, 3,  
4, or 5 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub>  
alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, or phenyl C<sub>1</sub>-C<sub>6</sub> alkoxy; and  
5 R<sub>120</sub> is H or benzyl optionally substituted with 1, 2, or 3  
groups that are independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl,  
C<sub>2</sub>-C<sub>6</sub> alkynyl, halogen, or C<sub>1</sub>-C<sub>6</sub> alkoxy.

100. A compound according to claim 92 wherein  
10 R<sub>110</sub> is phenyl C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted with 1, 2, 3,  
4, or 5 groups that are independently halogen, C<sub>1</sub>-C<sub>4</sub>  
alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, or phenyl C<sub>1</sub>-C<sub>6</sub> alkoxy; and  
R<sub>120</sub> is cyclopropyl optionally substituted with C<sub>1</sub>-C<sub>6</sub> alky or  
phenyl; or cyclopropyl C<sub>1</sub>-C<sub>4</sub> alkyl, wherein each of the  
15 above is optionally substituted with 1, 2, or 3 groups  
that are independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub>  
alkynyl, halogen, or C<sub>1</sub>-C<sub>6</sub> alkoxy.

101. A compound according to claim 92 wherein  
20 R<sub>110</sub> is thienyl, or -S-phenyl each of which is optionally  
substituted with 1, 2, 3, 4, or 5 groups that are  
independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy,  
benzyloxy; and  
R<sub>120</sub> is H or benzyl optionally substituted with 1, 2, or 3  
25 groups that are independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl,  
C<sub>2</sub>-C<sub>6</sub> alkynyl, halogen, or C<sub>1</sub>-C<sub>6</sub> alkoxy.

102. A compound according to claim 92 wherein  
R<sub>110</sub> is thienyl, or -S-phenyl each of which is optionally  
30 substituted with 1, 2, 3, 4, or 5 groups that are  
independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy,  
benzyloxy; and  
R<sub>120</sub> is cyclopropyl optionally substituted with C<sub>1</sub>-C<sub>6</sub> alky or  
phenyl; or cyclopropyl C<sub>1</sub>-C<sub>4</sub> alkyl, wherein each of the

above is optionally substituted with 1, 2, or 3 groups that are independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, halogen, or C<sub>1</sub>-C<sub>6</sub> alkoxy.


- 5        103. A compound according to claim 92 wherein  
R<sub>110</sub> is furanyl, or benzodioxolyl each of which is optionally  
substituted with 1, 2, 3, 4, or 5 groups that are  
independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, or  
benzyloxy.

10      R<sub>120</sub> is H or benzyl optionally substituted with 1, 2, or 3  
groups that are independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl,  
C<sub>2</sub>-C<sub>6</sub> alkynyl, halogen, or C<sub>1</sub>-C<sub>6</sub> alkoxy.

15      104. A compound according to claim 92 wherein  
R<sub>110</sub> is furanyl, or benzodioxolyl each of which is optionally  
substituted with 1, 2, 3, 4, or 5 groups that are  
independently halogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, or  
benzyloxy;

20      R<sub>120</sub> is cyclopropyl optionally substituted with C<sub>1</sub>-C<sub>6</sub> alkyl or  
phenyl; or cyclopropyl C<sub>1</sub>-C<sub>4</sub> alkyl, wherein each of the  
above is optionally substituted with 1, 2, or 3 groups  
that are independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub>  
alkynyl, halogen, or C<sub>1</sub>-C<sub>6</sub> alkoxy.

25      105. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein  
R<sub>1</sub> is C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>2</sub>-C<sub>4</sub> alkynyl, or CF<sub>3</sub>;  
R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or

R<sub>2</sub> and R<sub>3</sub> and the carbon to which they are attached form a cyclopropyl ring;

R<sub>4</sub> is oxazolyl optionally substituted with methyl, thiazolyl, C<sub>2</sub>-C<sub>4</sub> alkynyl, or C<sub>1</sub>-C<sub>4</sub> alkyl;

5 R<sub>5</sub> is C<sub>1</sub>-C<sub>4</sub> alkyl;

R<sub>6</sub> is C<sub>1</sub>-C<sub>4</sub> alkyl;


X and Y are independently halogen;

Z is CH or N.

10 106. A compound according to claim 105, wherein Z is CH.

107. A compound according to claim 106, wherein  
R<sub>2</sub> and R<sub>3</sub> are both H.

15 108. A compound according to claim 107 of the formula:



109. A compound according to claim 108 wherein,  
R<sub>1</sub> is ethyl, ethynyl or CF<sub>3</sub>; and  
20 R<sub>4</sub> is 2-oxazolyl optionally substituted with methyl, 2-thiazolyl, ethynyl, or methyl.

110. A compound according to claim 109, wherein  
R<sub>5</sub> is propyl; and R<sub>6</sub> is propyl.

25

111. A compound according to claim 110, wherein  
R<sub>1</sub> is ethyl;  
R<sub>4</sub> is 2-oxazolyl optionally substituted with methyl; and  
X and Y are both F.

112. A compound according to claim 109, wherein R<sub>1</sub> is ethyl, or CF<sub>3</sub>; and R<sub>4</sub> is 2-thiazolyl.

5 113. A compound according to claim 112, wherein R<sub>5</sub> is propyl; and R<sub>6</sub> is propyl; or R<sub>5</sub> is methyl; and R<sub>6</sub> is propyl or butyl; and X and Y are both F.

10 114. A compound according to claim 113, wherein R<sub>1</sub> is ethyl.


115. A compound according to claim 112, wherein R<sub>1</sub> is CF<sub>3</sub>; R<sub>5</sub> is propyl; and R<sub>6</sub> is propyl.

15 116. A compound according to claim 109, wherein R<sub>1</sub> is ethynyl; and R<sub>4</sub> is ethynyl, methyl, or 2-oxazolyl.

117. A compound according to claim 116, wherein R<sub>5</sub> is propyl; and R<sub>6</sub> is propyl; and X and Y are both F.

118. A compound according to claim 117, wherein R<sub>4</sub> is ethynyl or methyl.

25 119. A compound according to claim 106 of the formula:



120. A compound according to claim 119, wherein R<sub>1</sub> is ethyl or ethynyl; R<sub>4</sub> is methyl or 2-oxazolyl.

121. A compound according to claim 120, wherein R<sub>5</sub> and R<sub>6</sub> are both propyl; X and Y are both F.

5 122. A compound according to claim 121, wherein Z is N; and R<sub>4</sub> is methyl.


123. A compound according to claim 121, wherein Z is CH; and R<sub>4</sub> is methyl or 2-oxazolyl.

10

124. A compound according to claim 105 wherein R<sub>4</sub> is 2-oxazolyl.

15

125. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl;


R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or

R<sub>f</sub> and R<sub>g</sub> are independently halogen;

20 R<sub>5</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl sulfonyl;

R<sub>6</sub> is hydroxyethyl or methoxyethyl.

126. A compound of the formula



25 or a pharmaceutically acceptable salt thereof, wherein

R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl;

R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or

R<sub>f</sub> and R<sub>g</sub> are independently halogen;

R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl; or

5 R<sub>5</sub> is H and R<sub>6</sub> is C<sub>3</sub> alkyl; or

R<sub>5</sub>, R<sub>6</sub>, and the nitrogen to which they are attached form a pyrrolidinyl ring optionally substituted with methoxymethyl; and

R<sub>s</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl, hydroxy(C<sub>2</sub>-C<sub>4</sub>)alkyl, N-[hydroxy(C<sub>2</sub>-C<sub>4</sub>) alkyl]-

10 N-(C<sub>1</sub>-C<sub>2</sub>)alkylamino, N-methyl-N-(C<sub>4</sub> (t-butyl)alkyl)amino, -NH(C<sub>1</sub>-C<sub>4</sub> hydroxyalkyl), -N(C<sub>1</sub>-C<sub>3</sub> hydroxyalkyl)(C<sub>1</sub>-C<sub>3</sub>

hydroxyalkyl), -N(C<sub>1</sub>-C<sub>2</sub> alkyl)(C<sub>1</sub>-C<sub>2</sub> alkyl), pyrrolidin-1-yl optionally substituted with hydroxymethyl or

methoxymethyl, C<sub>1</sub>-C<sub>2</sub> alkoxy C<sub>2</sub>-C<sub>3</sub> alkyl, 1-piperazinyl,

15 -NH<sub>2</sub>, -NH(C<sub>2</sub>-C<sub>3</sub> alkyl)-NH(C<sub>1</sub>-C<sub>2</sub> alkyl)), or C<sub>1</sub>-C<sub>4</sub> (C<sub>2</sub>) alkylamino.

127. A compound according to claim 126, wherein R<sub>s</sub> is N-[hydroxy(C<sub>4</sub>-alkyl)]-N-methylamino, -N(C<sub>1</sub>-C<sub>3</sub> hydroxyalkyl)(C<sub>1</sub>-C<sub>3</sub> hydroxyalkyl), or -NH(C<sub>1</sub>-C<sub>4</sub> hydroxyalkyl).

128. A compound according to claim 127, wherein the hydroxyalkyl is 2-hydroxy-1,1-dimethylethyl; 2-hydroxyethyl; 3-hydroxypropyl; 1(R)-2-hydroxy-1-methylethyl; 1(S)-2-hydroxy-1-methylethyl; 2(R)-2-hydroxypropyl; or 2(S)-2-hydroxypropyl.


129. A compound according to claim 126, wherein R<sub>s</sub> is 3-hydroxypropyl, or 4-hydroxybutyl.

30 130. A compound according to claim 126, wherein R<sub>s</sub> is 2(R)-2-methoxymethylpyrrolidin-1-yl, 2(R)-2-hydroxymethylpyrrolidin-1-yl, 2(S)-2-hydroxymethylpyrrolidin-1-yl, pyrrolidin-1-yl, or 1-piperazinyl,

131. A compound according to claim 126, wherein R<sub>5</sub>, R<sub>6</sub>, and the nitrogen to which they are attached form a 2(S)-2-methoxymethyl)pyrrolidin-1-yl.

5 132. A compound according to claim 131, wherein R<sub>s</sub> is -NH(tert-butyl), -N(CH<sub>3</sub>)(CH<sub>2</sub>CH<sub>3</sub>), or 2(S)-2-methoxymethylpyrrolidin-1-yl.

10 133. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl;


R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or

15 R<sub>f</sub> and R<sub>g</sub> are independently halogen;

R<sub>5</sub> and R<sub>6</sub> are independently C<sub>1</sub>-C<sub>4</sub> alkyl; and

R<sub>d</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl, N-hydroxy(C<sub>2</sub>-C<sub>3</sub>)alkyl-N-(C<sub>1</sub>-C<sub>2</sub>)alkylamino, or C<sub>1</sub>-C<sub>2</sub> alkylamino.

20 134. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

X is nitrogen or CH;

R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl, amino, mono(C<sub>1</sub>-C<sub>3</sub>)alkylamino, di(C<sub>1</sub>-C<sub>3</sub>)alkylamino, amino(C<sub>1</sub>-C<sub>3</sub>)alkyl, mono(C<sub>1</sub>-C<sub>3</sub>)alkylamino(C<sub>1</sub>-C<sub>2</sub>)alkyl, or di(C<sub>1</sub>-C<sub>3</sub>)alkylamino(C<sub>1</sub>-C<sub>2</sub>)alkyl;

5 R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or

R<sub>f</sub> and R<sub>g</sub> are both hydrogen or independently halogen;

R<sub>5</sub> and R<sub>6</sub> are independently methyl or C<sub>2</sub>-C<sub>3</sub>-C<sub>4</sub> alkyl, where at least one of R<sub>5</sub> and R<sub>6</sub> is not methyl.

10 135. A compound according to claim 134, wherein X is CH.

O 136. A compound according to claim 135, wherein R<sub>1</sub> is di(C<sub>1</sub>-C<sub>2</sub>)alkylamino.

15 137. A compound according to claim 136, wherein at least one of R<sub>5</sub> and R<sub>6</sub> is propyl.


138. A compound according to claim 134, wherein X is nitrogen.

20

139. A compound according to claim 138, wherein both of R<sub>5</sub> and R<sub>6</sub> are not methyl.

O 140. A compound according to claim 135, wherein R<sub>1</sub> is 25 di(C<sub>1</sub>-C<sub>2</sub>)alkylamino(C<sub>1</sub>-C<sub>2</sub>)alkyl.


141. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

- R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl;
- R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or
- R<sub>f</sub> and R<sub>g</sub> are independently halogen;
- R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl; and
- 5 R<sub>j</sub> is hydrogen or C<sub>1</sub>-C<sub>2</sub> alkoxyethyl.

## 142. A compound of the formula



- or a pharmaceutically acceptable salt thereof, wherein
- 10 R<sub>1</sub> is C<sub>2</sub>-C<sub>4</sub> alkynyl, C<sub>2</sub>-C<sub>4</sub> alkyl, or trifluoromethyl;
- R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or
- R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom to which they are attached;
- R<sub>f</sub> and R<sub>g</sub> are independently halogen; and
- 15 R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl; or one of R<sub>5</sub> and R<sub>6</sub> is methyl or ethyl and the other is C<sub>3</sub>-C<sub>4</sub> alkyl.

143. A compound according to claim 142, wherein R<sub>1</sub> is
- 20 ethyl, n-propyl, isopropyl, or trifluoromethyl.

144. A compound according to claim 143, wherein R<sub>5</sub> is methyl or ethyl and R<sub>6</sub> is C<sub>3</sub>-C<sub>4</sub> alkyl.

- 25 145. A compound according to claim 142, wherein R<sub>5</sub> is methyl or propyl.

146. A compound according to claim 145, wherein R<sub>f</sub> and R<sub>g</sub> are both chloro or fluoro.

147. A compound according to claim 146, wherein both of R<sub>2</sub> and R<sub>3</sub> are hydrogen; and  
R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkynyl.

5


148. A compound according to claim 1151, wherein R<sub>5</sub> and R<sub>6</sub> are independently propyl or butyl.

149. A compound according to claim 1156, wherein both of  
10 R<sub>2</sub> and R<sub>3</sub> are hydrogen.

150. A compound according to claim 1157, wherein R<sub>f</sub> and R<sub>g</sub> are both chloro or fluoro.

15 151. A compound according to claim 1157, wherein R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom to which they are attached.

152. A compound of the formula



20

or a pharmaceutically acceptable salt thereof, wherein one of X or X<sub>1</sub> is nitrogen or N<sup>+</sup>-O<sup>-</sup> while the other is CH; R<sub>1</sub> is C<sub>2</sub>-C<sub>4</sub> alkynyl, cyano, or C<sub>1</sub>-C<sub>3</sub> alkyl; R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or

25 R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom to which they are attached;

R<sub>f</sub> and R<sub>g</sub> are independently halogen;

R<sub>p</sub> is hydrogen, C<sub>1</sub>-C<sub>2</sub> alkyl, or oxazolyl; and

R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl.

153. A compound according to claim 152, wherein X is nitrogen; R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkynyl; R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom to which they are attached; 5 and R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl.

154. A compound according to claim 152, wherein X is nitrogen; and R<sub>1</sub> is C<sub>2</sub> alkynyl.

10 155. A compound according to claim 152, wherein X is nitrogen; R<sub>1</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; R<sub>2</sub> and R<sub>3</sub> are hydrogen; and R<sub>p</sub> is 15 hydrogen, C<sub>1</sub>-C<sub>2</sub> alkyl, or oxazol-2-yl. (O)

156. A compound according to claim 152, wherein X is 15 nitrogen; R<sub>1</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; R<sub>2</sub> and R<sub>3</sub> are hydrogen; and R<sub>p</sub> is cyano.


157. A compound according to claim 152, wherein X is 20 nitrogen; R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl; R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom to which they are attached; and R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl.

158. A compound according to any of claims 153-157, wherein R<sub>f</sub> and R<sub>g</sub> are both chloro or fluoro.


25

159. A compound according to any of claims 153-157, wherein R<sub>5</sub> and R<sub>6</sub> are independently propyl or butyl.

160. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein  
R<sub>c</sub> is a group of the formula



where one of X and X' is nitrogen and the other  
5 is CH and R<sub>1</sub> is C<sub>2</sub>-C<sub>4</sub> alkyl or -(C<sub>1</sub>-C<sub>2</sub> alkyl)-N(C<sub>1</sub>-C<sub>2</sub> alkyl)(C<sub>1</sub>-C<sub>2</sub> alkyl);

R<sub>f</sub> and R<sub>g</sub> are independently halogen;

R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; and

R<sub>5</sub> and R<sub>6</sub> are independently hydrogen or C<sub>3</sub>-C<sub>4</sub> (sec butyl) alkyl.

10

161. A compound according to claim 160, wherein X is nitrogen; X' is CH; and R<sub>5</sub> and R<sub>6</sub> are independently propyl or butyl.


15

162. A compound according to claim 160, wherein X is CH; X' is nitrogen; and R<sub>5</sub> and R<sub>6</sub> are independently propyl or butyl.

20


163. A compound according to claim 162, wherein R<sub>1</sub> is -CH<sub>2</sub>N(CH<sub>3</sub>)CH<sub>3</sub>.

164. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

$R_s$  is methylamino, ethylamino,  $C_3$  alkylamino, di( $C_3$ -alkyl)amino, or a group of the formula




where  $R_q$  is  $C_1-C_2$  alkoxy( $C_1-C_2$ )alkyl;

$R_1$  is  $C_2-C_3$  alkyl;

5  $R_2$  and  $R_3$  are both hydrogen; and

$R_f$  and  $R_g$  are independently halogen.

165. A compound of the formula



10 or a pharmaceutically acceptable salt thereof, wherein

$Z$  is CH when the dashed line represents a single bond or a carbon atom or nitrogen atom when the dashed line represents a double bond;

$R_1$  is  $C_2-C_3$  alkyl;

15  $R_2$  and  $R_3$  are both hydrogen;

$R_f$  and  $R_g$  are independently halogen;

$R_p$  is hydrogen, cyano,  $C_1-C_3$  alkyl, amino,  $N-(C_1-C_3)$  alkylsulfonyl)- $N-((C_1-C_3)$  alkyl)amino, 2-oxazolyl, or 1-pyrrolyl optionally substituted in the 2 and 5 positions

20 with  $C_1-C_2$  alkyl; and

$R_j$  is  $C_1-C_5$  alkyl.

166. A compound according to claim 165, wherein  $R_j$  is methyl; and  $Z_1$  is hydrogen.

25


167. A compound according to claim 165, where  $Z$  is CH and  $R_p$  is  $N-(C_1-C_2)$  alkylsulfonyl)- $N-((C_1-C_2)$  alkyl)amino; and  $R_j$  is  $C_3-C_4$  alkyl.

168. A compound according to claims 165, wherein R<sub>p</sub> is 2-oxazolyl and Z is CH.

5 169. A compound according to claims 165, wherein R<sub>p</sub> is cyano; Z is CH; and R<sub>j</sub> is C<sub>3</sub>-C<sub>4</sub> (butyl) alkyl.

170. A compound according to claim 167, wherein  
Rp is -N(CH<sub>3</sub>)SO<sub>2</sub>(C<sub>1</sub>-C<sub>2</sub> alkyl); and  
10 R<sub>1</sub> is ethyl.

171. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein  
15 both of X and X' are CH, or one of X and X' is nitrogen and the  
other is CH;  
R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkynyl, C<sub>1</sub>-C<sub>3</sub> alkyl, amino, mono(C<sub>1</sub>-C<sub>3</sub>)alkylamino,  
both of X and X' are CH, or one of X and X' is nitrogen and the  
other is CH;  
R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or  
R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom  
to which they are attached;  
R<sub>f</sub> and R<sub>g</sub> are both hydrogen or independently halogen;  
20 R<sub>5</sub> and R<sub>6</sub> are independently C<sub>1</sub>-C<sub>4</sub> alkyl; or  
one of R<sub>5</sub> and R<sub>6</sub> is methyl or ethyl and the other is C<sub>3</sub> or C<sub>4</sub>  
alkyl.

172. A compound according to claim 171, wherein R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl.

173. A compound according to claim 171, wherein R<sub>1</sub> is 5 di(C<sub>1</sub>-C<sub>3</sub>)alkylamino and both of R<sub>f</sub> and R<sub>g</sub> are chloro or fluoro.

174. A compound according to claim 171, wherein R<sub>1</sub> is di(C<sub>1</sub>-C<sub>3</sub>)alkylamino(C<sub>1</sub>-C<sub>2</sub>)alkyl, and both of R<sub>f</sub> and R<sub>g</sub> are chloro or fluoro.

10

175. A compound according to claim 171, wherein X is nitrogen; R<sub>f</sub> and R<sub>g</sub> are both fluoro; R<sub>1</sub> is C<sub>1</sub>-C<sub>3</sub> alkyl; and R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom to which they are attached. O

15

176. A compound according to claim 172, wherein both X and X' are CH; and R<sub>f</sub> and R<sub>g</sub> are both chloro or fluoro.

177. A compound according to claim 176, wherein one of R<sub>5</sub> 20 and R<sub>6</sub> is methyl or ethyl and the other is C<sub>3</sub> or C<sub>4</sub> alkyl.

178. A compound according to claim 176, wherein R<sub>5</sub> and R<sub>6</sub> are independently C<sub>2</sub>,<sub>3</sub>-C<sub>4</sub> alkyl. [ ]

25

179. A compound according to claim 178, wherein R<sub>5</sub> is C<sub>2</sub>-C<sub>4</sub> alkyl and R<sub>6</sub> is ethyl.

180. A compound according to claim 176, wherein one of R<sub>5</sub> and R<sub>6</sub> is methyl and the other is C<sub>3</sub> or C<sub>4</sub> alkyl.

30

181. A compound according to claim 176, wherein R<sub>5</sub> and R<sub>6</sub> are independently propyl or butyl.

182. A compound according to claim 171, wherein R<sub>1</sub> is C<sub>2</sub> alkynyl.

183. A compound according to claim 182, wherein  
5 X is nitrogen and X' is CH; and  
R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom  
to which they are attached.

184. A compound according to claim 182, wherein both X and  
10 X' are CH; and R<sub>f</sub> and R<sub>g</sub> are both chloro or fluoro.

185. A compound according to claim 176, wherein R<sub>5</sub> and R<sub>6</sub>  
are independently propyl or butyl.

15 186. A compound according to any of claims 176-185,  
wherein R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the  
carbon atom to which they are attached.


187. A compound according to claim 171, wherein  
20 R<sub>1</sub> is CF<sub>3</sub>, or -NHSO<sub>2</sub>CH<sub>3</sub>;  
R<sub>2</sub> and R<sub>3</sub> are both H;  
R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub> or C<sub>4</sub> alkyl.

188. A compound according to claim 172, wherein  
25 X is CH and X' is nitrogen.

189. A compound according to claim 188, wherein  
R<sub>2</sub>, R<sub>3</sub>, and the carbon to which they are attached form a  
cyclopropyl ring.

30 190. A compound according to claim 186, wherein  
R<sub>1</sub> is bromo or chloro.

191. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl;

R<sub>2</sub> and R<sub>3</sub> are both hydrogen;


5 R<sub>f</sub> and R<sub>g</sub> are independently halogen;

R<sub>s</sub> is C<sub>3</sub>-C<sub>4</sub> alkyl, thiazolinyl or thiazolidinyl.

192. A compound according to claim 191, wherein R<sub>s</sub> is 2-thiazolidinyl or 2-thiazolinyl.

10

193. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl, CF<sub>3</sub>, or -NH(C<sub>3</sub>-C<sub>6</sub> cycloalkyl);

15 R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or

R<sub>2</sub> and R<sub>3</sub> together with the carbon atom to which they are

attached form a 3-membered ring;

R<sub>p</sub> is pyridyl, piperazinyl, amino, amino(C<sub>1</sub>-C<sub>5</sub>)alkyl, mono(C<sub>1</sub>-C<sub>2</sub>)alkylamino(C<sub>1</sub>-C<sub>5</sub>)alkyl, di(C<sub>1</sub>-C<sub>2</sub>)alkylamino(C<sub>1</sub>-C<sub>5</sub>)alkyl,

20 mono(C<sub>1</sub>-C<sub>3</sub>)alkylamino, di(C<sub>1</sub>-C<sub>3</sub>)alkylamino, amino(C<sub>3</sub>-C<sub>4</sub>)alkynyl, mono(C<sub>1</sub>-C<sub>2</sub>)alkylamino(C<sub>3</sub>-C<sub>4</sub>)alkynyl, di(C<sub>1</sub>-C<sub>2</sub>)alkylamino(C<sub>3</sub>-C<sub>5</sub>)alkynyl, -N(C<sub>1</sub>-C<sub>2</sub> alkyl)-SO<sub>2</sub>(C<sub>1</sub>-C<sub>2</sub> alkyl), -NH-SO<sub>2</sub>(C<sub>1</sub>-C<sub>2</sub> alkyl), -N(C<sub>1</sub>-C<sub>2</sub> alkyl)-SO<sub>2</sub>-thienyl,

25 -N(C<sub>1</sub>-C<sub>2</sub> alkyl)-SO<sub>2</sub>(C<sub>1</sub>-C<sub>2</sub> haloalkyl), di(C<sub>1</sub>-C<sub>2</sub>)alkylamino(C<sub>3</sub>-C<sub>4</sub>)alkynyl, pyrimidinyl, pyrazolyl,

imidazolyl, or C<sub>2</sub>-C<sub>4</sub> alkynyl;

R<sub>f</sub> and R<sub>g</sub> are independently halogen;  
R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl.

194. A compound according to claim 193, wherein R<sub>p</sub> is 4-pyridyl, 2-pyrimidinyl, 4-pyrazolyl, or 4-imidazolyl.

195. A compound according to claim 193, wherein R<sub>p</sub> is diethylamino or dimethylamino.

196. A compound according to claim 193, wherein R<sub>p</sub> is amino or C<sub>1</sub>-C<sub>6</sub> alkylamino.

197. A compound according to claim 193 where R<sub>p</sub> is 1-piperazinyl.

198. A compound according to claim 193 where R<sub>p</sub> is amino(C<sub>2</sub>-C<sub>4</sub>)alkyl where the amino is optionally mono substituted with C<sub>1</sub>-C<sub>2</sub> alkyl; or where R<sub>p</sub> is -N(CH<sub>3</sub>)-SO<sub>2</sub>CH<sub>3</sub>, -NH-SO<sub>2</sub>CH<sub>3</sub>, -N(CH<sub>3</sub>)-SO<sub>2</sub>-thien-2-yl, or -N(CH<sub>3</sub>)-SO<sub>2</sub>CF<sub>3</sub>.

199. A compound according to claim 193 where R<sub>p</sub> is 3-(mono(C<sub>1</sub>-C<sub>2</sub>)alkylamino)propyn-1-yl, 3-(di(C<sub>1</sub>-C<sub>2</sub>)alkylamino)propyn-1-yl, or 4-(di(C<sub>1</sub>-C<sub>2</sub>)alkylamino)propyn-1-yl.

200. A compound according to any of claims 194 to 199, wherein R<sub>5</sub> and R<sub>6</sub> are both C<sub>3</sub> alkyl.

201. A compound according to any of claims 194 to 199, wherein R<sub>2</sub> and R<sub>3</sub> are hydrogen.

202. A compound according to any of claims 194 to 199, wherein R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom to which they are attached.

203. A compound according to claim 193 where  $R_p$  is di( $C_1-C_2$ )alkylamino( $C_3-C_5$ )alkyl; and  
 $R_5$  and  $R_6$  are both  $C_3$  alkyl.

5


204. A compound according to claim 193 where  
 $R_p$  is  $C_2-C_3$  alkynyl,  $C_1-C_2$  alkyl, or -NH(cyclopropyl); and  
 $R_2$  and  $R_3$  are both H.

10

205. A compound according to claim 193 where  
 $R_p$  is  $C_2-C_3$  alkynyl,  $C_1-C_2$  alkyl, or -NH(cyclopropyl); and  
 $R_2$  and  $R_3$  together form a 3-membered ring with the carbon atom  
to which they are attached. O

15

206. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein  
 $R_1$  is  $C_2-C_3$  alkynyl;

$R_2$  and  $R_3$  are both hydrogen;

20  $R_p$  is  $C_1-C_3$  alkyl;

$R_f$  and  $R_g$  are independently halogen;


$R_5$  and  $R_6$  are independently  $C_3-C_4$  alkyl; or

one of  $R_5$  and  $R_6$  is methyl and the other is  $C_3$  or  $C_4$  alkyl.

25

207. A compound according to claim 206, wherein  $R_p$  is methyl.

208. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

R<sub>1</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl, C<sub>2</sub>-C<sub>4</sub> alkynyl or C<sub>3</sub>-C<sub>4</sub> alkyl;

R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or


- 5 R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom to which they are attached;

R<sub>f</sub> and R<sub>g</sub> are independently halogen;

R<sub>p</sub> is C<sub>1</sub>-C<sub>3</sub> alkyl or a group of the formula:

R<sub>s</sub>SO<sub>2</sub><sup>-</sup> where R<sub>s</sub> is


- 10 R<sub>51</sub>R<sub>61</sub>N<sup>-</sup> and R<sub>51</sub> and R<sub>61</sub> independently represent hydrogen or C<sub>1</sub>-C<sub>4</sub> alkyl groups; or
- a group of the formula:



where R<sub>t</sub> is C<sub>1</sub>-C<sub>2</sub> alkoxy(C<sub>1</sub>-C<sub>2</sub>)alkyl; and R<sub>q</sub> is C<sub>1</sub>-C<sub>3</sub> alkoxy(C<sub>1</sub>-C<sub>2</sub>)alkyl, C<sub>1</sub>-C<sub>4</sub> alkyl, -C(O)NH<sub>2</sub>, or H.

15

209. A compound according to claim 1240, wherein R<sub>1</sub> is C<sub>2</sub> alkynyl; R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom to which they are attached; and R<sub>p</sub> is R<sub>s</sub>SO<sub>2</sub><sup>-</sup> where



20

210. A compound according to claim 208, wherein R<sub>1</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; R<sub>2</sub> and R<sub>3</sub> are hydrogen; and R<sub>p</sub> is R<sub>s</sub>SO<sub>2</sub><sup>-</sup> where R<sub>s</sub> is C<sub>3</sub>-C<sub>4</sub> t-butyl amino.

25

211. A compound according to claim 208, wherein R<sub>1</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; R<sub>2</sub> and R<sub>3</sub> are hydrogen; R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; and R<sub>q</sub> is C<sub>2</sub>-C<sub>4</sub> alkyl.

212. A compound according to claim 208, wherein R<sub>1</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; R<sub>2</sub> and R<sub>3</sub> are hydrogen; R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; and R<sub>q</sub> is propoxy(C<sub>1</sub>-C<sub>2</sub>)alkyl.

5


213. A compound according to claim 208, wherein R<sub>1</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; R<sub>2</sub> and R<sub>3</sub> are hydrogen; R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; and R<sub>q</sub> is methoxy(C<sub>1</sub>-C<sub>2</sub>)alkyl.

10 214. A compound according to claim 208, wherein R<sub>1</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom to which they are attached; R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; and R<sub>q</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl. (O)

15 215. A compound according to claim 208, wherein R<sub>1</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; R<sub>2</sub> and R<sub>3</sub> are hydrogen; R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; and R<sub>q</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl.

20 216. A compound according to claim 208, wherein R<sub>q</sub> is (R)-methoxymethyl, methyl, propyl, (S)-propyl, (R)-propyl, butyl, (R)-butyl, (S)-butyl, (R)-2-methoxymethyl, (R)-2-methoxyethyl,

217. A compound of the formula (O)



25

or a pharmaceutically acceptable salt thereof, wherein Z is oxygen, nitrogen, or sulfur; R<sub>1</sub> is chloro, bromo, hydrogen or C<sub>1</sub>-C<sub>2</sub> alkyl; R<sub>f</sub> and R<sub>g</sub> are independently halogen; and

R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl; or  
one of R<sub>5</sub> and R<sub>6</sub> is methyl and the other is C<sub>3</sub> or C<sub>4</sub> alkyl.

218. A compound according to claim 217, wherein R<sub>1</sub> is  
5 bromo, and Z is oxygen.


219. A compound according to claim 217, wherein  
Z is nitrogen; and  
R<sub>1</sub> is C<sub>1</sub>-C<sub>3</sub> alkyl.

10

220. A compound according to claim 217, wherein  
Z is sulfur; and  
R<sub>1</sub> is C<sub>1</sub>-C<sub>3</sub> alkyl.

15

221. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein  
R<sub>1</sub> is C<sub>1</sub>-C<sub>2</sub>-C<sub>3</sub> alkyl;

R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or


20 R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl;

R<sub>f</sub> and R<sub>g</sub> are both hydrogen or independently halogen; and  
R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl.


222. A compound according to claim 221, wherein R<sub>1</sub> is  
25 ethyl.

223. A compound of the formula

234. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein



R<sub>1</sub> is C<sub>1</sub>-C<sub>3</sub> alkyl or halogen;

R<sub>2</sub> and R<sub>3</sub> are both hydrogen;


R<sub>S</sub> is C<sub>1</sub>-C<sub>3</sub> alkylsulfonyl, C<sub>1</sub>-C<sub>3</sub> alkylsulfonyl(C<sub>1</sub>-C<sub>3</sub>)alkyl,

-NHSO<sub>2</sub>(C<sub>1</sub>-C<sub>2</sub>)alkyl, or -N(C<sub>1</sub>-C<sub>2</sub> alkyl)SO<sub>2</sub>(C<sub>1</sub>-C<sub>2</sub> alkyl); and

10 R<sub>f</sub> and R<sub>g</sub> are independently halogen.


235. A compound according to claim 234, wherein

R<sub>1</sub> is ethyl; and



15

236. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl;

20 R<sub>2</sub> and R<sub>3</sub> are both hydrogen;


R<sub>5</sub> and R<sub>6</sub> independently represent (a) C<sub>1</sub>-C<sub>3</sub> alkyl optionally substituted with phenyl and (b) phenyl optionally substituted with halogen; and

R<sub>f</sub> and R<sub>g</sub> are independently halogen.

237. A compound according to claim 236, wherein R<sub>5</sub> is methyl optionally substituted with phenyl and R<sub>6</sub> is phenyl.

5 238. A compound according to claim 236, wherein R<sub>5</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl and R<sub>6</sub> is 4-halophenyl.


239. A compound of the formula



10 or a pharmaceutically acceptable salt thereof, wherein  
X is nitrogen or N<sup>+</sup>-O<sup>-</sup>;  
R<sub>1</sub> is C<sub>2</sub>-C<sub>4</sub> alkynyl or C<sub>1</sub>-C<sub>3</sub> alkyl;  
R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or  
R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom  
15 to which they are attached;  
R<sub>f</sub> and R<sub>g</sub> are independently halogen;  
R<sub>p</sub> is hydrogen or C<sub>1</sub>-C<sub>2</sub> alkyl; and  
R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl.

20 240. A compound according to claim 239, wherein X is  
nitrogen; R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; and R<sub>1</sub> is ethyl.


241. A compound of the formula



25 or a pharmaceutically acceptable salt thereof, wherein

- R<sub>1</sub> is hydrogen or C<sub>1</sub>-C<sub>3</sub> alkyl;
- R<sub>2</sub> and R<sub>3</sub> are both hydrogen;
- R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl;
- R<sub>f</sub> and R<sub>g</sub> are independently halogen; and
- 5 R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl.

## 242. A compound of the formula



- or a pharmaceutically acceptable salt thereof, wherein
- 10 R<sub>s</sub> is NR<sub>s31</sub>R<sub>s41</sub> where
- R<sub>s31</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl; and
  - R<sub>s41</sub> is C<sub>1</sub>-C<sub>6</sub> alkyl, allyl, cyano(C<sub>1</sub>-C<sub>3</sub>)alkyl, (C<sub>4</sub>-C<sub>7</sub>)cycloalkyl, pyridyl(C<sub>1</sub>-C<sub>3</sub>)alkyl, phenyl, phenyl(C<sub>1</sub>-C<sub>3</sub>)alkyl, amino(C<sub>1</sub>-C<sub>3</sub>)alkyl, mono(C<sub>1</sub>-C<sub>3</sub>)alkylamino(C<sub>1</sub>-C<sub>2</sub>)alkyl, or di(C<sub>1</sub>-C<sub>3</sub>)alkylamino(C<sub>1</sub>-C<sub>2</sub>)alkyl; or
- 15 R<sub>s</sub> is CH<sub>3</sub>, -N(C<sub>1</sub>-C<sub>2</sub> alkyl)phenyl, or -N(C<sub>2</sub>-C<sub>3</sub> alkyl)(C<sub>3</sub>-C<sub>4</sub> alkyl);
- R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl;
- R<sub>2</sub> and R<sub>3</sub> are both hydrogen; and
- 20 R<sub>f</sub> and R<sub>g</sub> are independently halogen.

243. A compound according to claim 242, wherein R<sub>s</sub> is (2-cyanoethyl)(methyl)amino.


25 244. A compound according to claim 242, wherein R<sub>s</sub> is (cyclohexyl)(methyl)amino.

245. A compound according to claim 242, wherein R<sub>s41</sub> is C<sub>1</sub>-C<sub>6</sub> alkyl, allyl, cyano(C<sub>1</sub>-C<sub>3</sub>)alkyl, (C<sub>4</sub>-C<sub>7</sub>)cycloalkyl, pyridyl(C<sub>1</sub>-C<sub>3</sub>)alkyl, phenyl, or phenyl(C<sub>1</sub>-C<sub>3</sub>)alkyl.

246. A compound according to claim 242, wherein R<sub>s41</sub> is phenyl or cyclohexyl.

5 247. A compound according to claim 242, wherein R<sub>s</sub> is -N(CH<sub>3</sub>)phenyl, or -N(ethyl)(C<sub>3</sub>-C<sub>4</sub> alkyl)

248. A compound of the formula




10 or a pharmaceutically acceptable salt thereof, wherein R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkynyl or C<sub>1</sub>-C<sub>3</sub> alkyl; R<sub>f</sub> and R<sub>g</sub> are independently halogen; R<sub>5</sub> and R<sub>6</sub> are independently C<sub>1</sub>-C<sub>4</sub> alkyl.

15 249. A compound according to claim 248, wherein R<sub>5</sub> and R<sub>6</sub> are C<sub>3</sub> alkyl.

250. A compound according to claim 248, wherein R<sub>5</sub> is methyl and R<sub>6</sub> is C<sub>3</sub> alkyl.


251. A compound of the formula



20 or a pharmaceutically acceptable salt thereof, wherein R<sub>s</sub> is C<sub>1</sub>-C<sub>4</sub> alkyl; R<sub>m</sub> is C<sub>1</sub>-C<sub>4</sub> alkyl;

$R_1$  is  $C_2-C_3$  alkyl;  
 $R_2$  and  $R_3$  are both hydrogen; and  
 $R_f$  and  $R_g$  are independently halogen.

## 5 252. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

$R_m$  is  $C_1-C_4$  alkyl;

$R_1$  is  $C_2-C_3$  alkyl;

10  $R_2$  and  $R_3$  are both hydrogen; and


$R_f$  and  $R_g$  are independently halogen;

$Z$  is S,  $S(O)$ ,  $S(O)_2$ , or O.

## 15 253. A compound according to claim 252, where

$Z$  is S or  $S(O)$ .

## 254. A compound of the formula



20 or a pharmaceutically acceptable salt thereof, wherein

one of X and X' is CH and the other is N;

$R_1$  is  $C_2-C_4$  alkynyl; amino( $C_1-C_3$ )alkyl, mono( $C_1-C_3$ )alkylamino( $C_1-C_2$ )alkyl, or di( $C_1-C_3$ )alkylamino( $C_1-C_2$ )alkyl;

$R_2$  and  $R_3$  are both hydrogen; or

R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom to which they are attached;  
 R<sub>f</sub> and R<sub>g</sub> are independently halogen;  
 R<sub>5</sub> and R<sub>6</sub> are independently C<sub>1</sub>-C<sub>3</sub>-C<sub>4</sub> alkyl.

5

255. A compound according to claim 254, wherein R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom to which they are attached; X is N; and X' is CH.

10

256. A compound according to claim 254, wherein R<sub>2</sub> and R<sub>3</sub> are hydrogen; X' is N; and X is CH.


257. A compound according to claim 255, wherein R<sub>1</sub> is C<sub>2</sub> alkynyl.

15

258. A compound according to claim 256 or 257, wherein R<sub>1</sub> is di(C<sub>1</sub>-C<sub>3</sub>)alkylamino(C<sub>1</sub>-C<sub>3</sub>)alkyl.

259. A compound according to claim 256 or 257, wherein R<sub>1</sub> 20 is dimethylamino(C<sub>1</sub>-C<sub>2</sub>)alkyl.

260. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

25 R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl;

R<sub>2</sub> and R<sub>3</sub> are both hydrogen;

R<sub>f</sub> and R<sub>g</sub> are independently halogen;

R<sub>p</sub> is hydrogen, cyano, C<sub>1</sub>-C<sub>3</sub> alkyl, amino, N-(C<sub>1</sub>-C<sub>3</sub>) alkylsulfonyl)-N-((C<sub>1</sub>-C<sub>3</sub>)alkyl)amino, 2-oxazolyl, or 1-

pyrrolyl optionally substituted in the 2 and 5 positions with C<sub>1</sub>-C<sub>2</sub> alkyl;


R<sub>a</sub> is C<sub>1</sub>-C<sub>3</sub> alkyl, H or trifluoromethyl; and  
R<sub>j</sub> is C<sub>1</sub>-C<sub>5</sub> alkyl.

5

261. A compound according to claim 260, wherein R<sub>j</sub> is methyl or ethyl and R<sub>p</sub> is hydrogen, methyl, or ethyl.

262. A compound according to claim 260, wherein R<sub>j</sub> is  
10 methyl or butyl; and R<sub>p</sub> is hydrogen.

263. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

15 X is nitrogen or N<sup>+</sup>-O<sup>-</sup>;

R<sub>1</sub> is C<sub>2</sub>-C<sub>4</sub> alkynyl, cyano, C<sub>1</sub>-C<sub>3</sub> alkyl, or CF<sub>3</sub>;

R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or

20 R<sub>2</sub> and R<sub>3</sub> together form a 3-membered ring with the carbon atom  
to which they are attached;

R<sub>f</sub> and R<sub>g</sub> are independently halogen;

R<sub>p</sub> is hydrogen, cyano or C<sub>1</sub>-C<sub>2</sub> alkyl; and

R<sub>5</sub> and R<sub>6</sub> are independently C<sub>1</sub>-C<sub>4</sub> alkyl.

25 264. A compound according to claim 263, wherein X is N.

265. A compound according to claim 264, wherein R<sub>p</sub> is  
cyano.

266. A compound according to claim 265, wherein R<sub>5</sub> is methyl and R<sub>6</sub> is C<sub>2</sub>-C<sub>4</sub> alkyl.

267. A compound according to claim 266, wherein R<sub>6</sub> is 5 propyl.


268. A compound according to claim 264, wherein R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl; R<sub>p</sub> is methyl; and 10 R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl.

269. A compound according to claim 268, wherein R<sub>2</sub> and R<sub>3</sub> are both hydrogen.

270. A compound according to claim 264, wherein R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkynyl, or C<sub>2</sub> alkyl; and R<sub>p</sub> is methyl.

271. A compound according to claims 264, wherein 20 R<sub>1</sub> is CF<sub>3</sub>.

272. A compound of the formula



273. or a pharmaceutically acceptable salt thereof, wherein R<sub>1</sub> is hydrogen or methyl; R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or R<sub>2</sub> and R<sub>3</sub>, together with the carbon atom to which they are attached form a 3-membered ring;

$R_p$  is  $C_2-C_3$  alkynyl or  $C_1-C_3$  alkyl;  
 $R_f$  and  $R_g$  are independently halogen;  
 $R_5$  and  $R_6$  are independently  $C_3-C_4$  alkyl, or  
 $R_5$  is methyl and  $R_6$  is  $C_3-C_4$  alkyl.

5

273. A compound according to claim 272, wherein  $R_1$  is hydrogen and  $R_2$  and  $R_3$  are both hydrogen.

10 274. A compound according to claim 272, wherein  $R_1$  is hydrogen and  $R_2$  and  $R_3$  together with the carbon atom to which they are attached form a 3-membered ring.


275. A compound according to either claim 273 or 274, wherein  $R_f$  and  $R_g$  are both chloro or fluoro.

15

276. A compound according to either claim 273 or 274, wherein  $R_f$  and  $R_g$  are both fluoro and are in the 3 and 5 positions with respect to the point of attachment of the phenyl group.

20

277. A compound of the formula:



wherein

$R_1$  is  $C_2-C_3$  alkyl;

25  $R_2$  and  $R_3$  are both methyl or  $R_2$ ,  $R_3$ , and the carbon to which they are attached form a cyclopropyl ring;

$R_f$  and  $R_g$  are independently halogen;


$R_5$  and  $R_6$  are independently  $C_3-C_4$  alkyl; and

R<sub>s</sub> is -NH(C<sub>1</sub>-C<sub>4</sub> hydroxyalkyl).

278. A compound according to claim 277, wherein the hydroxyalkyl group is 2-hydroxy-1,1,dimethylethyl.

5

279. A compound of the formula:



wherein

R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkynyl;

10 R<sub>2</sub> and R<sub>3</sub> are both hydrogen; or


R<sub>f</sub> and R<sub>g</sub> are independently halogen;

R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl; and

R<sub>s</sub> is -NH(C<sub>2</sub>-C<sub>4</sub> hydroxyalkyl).

15 280. A compound according to claim 279, wherein the hydroxyalkyl group is 2-hydroxy-1,1,dimethylethyl; or 2-hydroxyethyl.

281. A compound of the formula:



20

wherein,

R<sub>C</sub> is C<sub>4</sub>-C<sub>5</sub> alkyl; cyclopropyl; tetrahydronaphthylenyl; -CH(C<sub>2</sub> alkyl-S-(C<sub>1</sub>-C<sub>2</sub>) alkyl)C(O)NH(C<sub>4</sub> alkyl); -CH(C<sub>2</sub> alkyl-SO<sub>2</sub>-(C<sub>1</sub>-C<sub>2</sub>) alkyl)C(O)NH(C<sub>4</sub> alkyl); pyrimidyl optionally

substituted with C<sub>3</sub>-C<sub>4</sub> alkyl; thiochroman 1,1-dioxide;  
 -CH<sub>2</sub>-thiazolyl optionally substituted with C<sub>3</sub>-C<sub>4</sub> alkyl;  
 R<sub>f</sub> and R<sub>g</sub> are independently halogen;  
 5 R<sub>p</sub> is -NHSO<sub>2</sub>CF<sub>3</sub>, -SO<sub>2</sub>NH(C<sub>3</sub>-C<sub>4</sub> hydroxyalkyl), -NHSO<sub>2</sub>CH<sub>3</sub>; oxazol-2-yl, and  
 R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl.


282. A compound according to claim 281, wherein  
 R<sub>c</sub> is isobutyl; or 1,2,3,4-tetrahydronaphthylen-1-yl,  
 10 -CH(CH<sub>2</sub>CH<sub>2</sub>-S-CH<sub>3</sub>)C(O)NH(isobutyl), 2-tert butylpyrimidin-4yl.

283. A compound according to claim 281, wherein  
 R<sub>p</sub> is -SO<sub>2</sub>NH(2-hydroxy-1,1-dimethylethyl). (C)

15 284. A compound according to claim 282 or 283, wherein R<sub>5</sub>  
 and R<sub>6</sub> are both C<sub>3</sub> alkyl.

285. A compound according to claim 281, wherein  
 R<sub>p</sub> is oxazol-2-yl; and  
 20 R<sub>c</sub> is -CH<sub>2</sub>-(2-isobutylthiazol-5-yl).

286. A compound of the formula:




wherein

25 R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl, or halogen;  
 R<sub>2</sub> and R<sub>3</sub> are both hydrogen;  
 R<sub>f</sub> and R<sub>g</sub> are independently halogen; and  
 R<sub>m</sub> is -NH-SO<sub>2</sub>CF<sub>3</sub>, oxazol-2-yl, -N(CH<sub>3</sub>)SO<sub>2</sub>CH<sub>3</sub>, -N(C<sub>3</sub>-C<sub>4</sub> hydroxyalkyl)SO<sub>2</sub>(C<sub>1</sub>-C<sub>2</sub> alkyl), and R<sub>p</sub> is H; or  
 30 R<sub>m</sub> is H and R<sub>p</sub> is -NH-SO<sub>2</sub>CF<sub>3</sub>, -CH<sub>2</sub>SO<sub>2</sub>(C<sub>1</sub>-C<sub>2</sub> alkyl); or

R<sub>m</sub> is -C(O)pyrrolidinyl and R<sub>p</sub> is OH.

287. A compound of the formula:



5 wherein

R<sub>1</sub> is C<sub>2</sub>-C<sub>5</sub> alkyl, C<sub>3</sub>-C<sub>6</sub> cyanoalkyl, C<sub>3</sub>-C<sub>6</sub> alkenyl, -NHSO<sub>2</sub>(C<sub>1</sub>-C<sub>2</sub> alkyl), C<sub>4</sub>-C<sub>5</sub> haloalkyl, -C<sub>3</sub> alkyl-CO<sub>2</sub>-(C<sub>1</sub>-C<sub>2</sub> alkyl), CN, -N(C<sub>1</sub>-C<sub>2</sub> alkyl)SO<sub>2</sub>(C<sub>1</sub>-C<sub>2</sub> alkyl), -SO<sub>2</sub>(C<sub>1</sub>-C<sub>2</sub> alkyl), -NH-(C<sub>3</sub>-C<sub>6</sub> cycloalkyl), -OC(O)N(C<sub>1</sub>-C<sub>2</sub> alkyl)(C<sub>1</sub>-C<sub>2</sub> alkyl),

10 R<sub>2</sub> and R<sub>3</sub> are both hydrogen;

R<sub>f</sub> and R<sub>g</sub> are independently halogen;

R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl;

R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>5</sub> alkyl, C<sub>1</sub>-C<sub>2</sub> alkoxy C<sub>1</sub>-C<sub>2</sub>, or

15 R<sub>5</sub> is H and R<sub>6</sub> is C<sub>4,5</sub>-C<sub>6</sub> alkyl or (C<sub>1</sub>-C<sub>2</sub> alkoxy)-(C<sub>2</sub>-C<sub>3</sub> alkyl);

R<sub>5</sub> is ethyl and R<sub>6</sub> is C<sub>2</sub>-C<sub>3</sub> hydroxyalkyl or -(C<sub>1</sub>-C<sub>2</sub> alkyl)-N(C<sub>1</sub>-C<sub>2</sub> alkyl)(C<sub>1</sub>-C<sub>2</sub> alkyl); or

R<sub>5</sub> is CH<sub>3</sub> and R<sub>6</sub> is C<sub>4</sub>-C<sub>5</sub> alkyl, cyclohexyl, -(C<sub>1</sub>-C<sub>2</sub> alkyl)-phenyl, -(C<sub>1</sub>-C<sub>2</sub> alkyl)-pyridyl, or -CH<sub>2</sub>-furyl; or

20 R<sub>5</sub> is methyl or ethyl and R<sub>6</sub> is (C<sub>1</sub>-C<sub>2</sub> alkoxy)-(C<sub>2</sub>-C<sub>3</sub> alkyl), or R<sub>5</sub>, R<sub>6</sub>, and the nitrogen to which they are attached form a piperidinyl ring optionally substituted with C<sub>3</sub>-C<sub>4</sub> alkyl or OH, azepanyl, pyrrolidine-2-carboxylic acid amide, 3-hydroxypiperidin-1-yl.

25

288. A compound according to claim 287, wherein R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl.

289. A compound according to claim 288, wherein


R<sub>5</sub> and R<sub>6</sub> are simultaneously ethoxyethyl or  
R<sub>5</sub> is propyl and R<sub>6</sub> is butyl.

290. A compound according to claim 288, wherein  
5 R<sub>5</sub>, R<sub>6</sub>, and the nitrogen to which they are attached form a 2-propyl piperidin-1-yl ring.

291. A compound according to claim 287, wherein  
R<sub>1</sub> is cyclopentyl, cyclohexyl, propenyl, allyl, or -(C<sub>3</sub>-C<sub>6</sub>  
10 alkyl)-CN, C<sub>2</sub>-C<sub>5</sub> alkyl, 4-chlorobutyl, 3-pyridyl, methyl  
2-methylpropanoate, hex-5-enyl, CN, -N(CH<sub>3</sub>)SO<sub>2</sub>CH<sub>3</sub>,  
-SO<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>, 3-methylpyrid-2-yl, oxazol-2-yl, 3,5-  
dimethylisoxazol-4-yl, 3-methylthien-2-yl, 2-pyridyl, 4-  
15 carbaldehydefuran-5-yl, and 2-carbaldehydethien-5-yl, 2-  
carbaldehyde-3-methylthien-5-yl, 2-methoxypyridin-4-yl,  
-NH-cyclopropyl, -NHSO<sub>2</sub>CH<sub>3</sub>; and  
R<sub>p</sub> is methyl.

292. A compound according to claim 291, wherein  
20 R<sub>5</sub> and R<sub>6</sub> are both C<sub>3</sub> alkyl.

293. A compound of the formula:



wherein

25 R<sub>1</sub> is C<sub>2</sub>-C<sub>3</sub> alkyl, halogen, -NH(cyclopropyl),  
R<sub>f</sub> and R<sub>g</sub> are independently halogen;  
R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl, oxazolyl, thiazolyl, or C<sub>2</sub>-C<sub>3</sub> alkynyl;  
R<sub>2</sub>, R<sub>3</sub>, and the carbon to which they are attached form a  
cyclopropyl ring; or

R<sub>2</sub> and R<sub>3</sub> are both methyl;  
R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl; or  
R<sub>5</sub> is methyl and R<sub>6</sub> is C<sub>3</sub>-C<sub>5</sub> alkyl.


5 294. A compound according to claim 293, wherein  
R<sub>2</sub> and R<sub>3</sub> are both methyl; and  
R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl.

295. A compound according to claim 294, wherein  
10 R<sub>p</sub> is oxazol-2-yl or thiazol-2-yl.

296. A compound according to claim 294, wherein  
R<sub>p</sub> is C<sub>2</sub>-C<sub>3</sub> alkynyl; and  
R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl.

15

297. A compound of the formula:



wherein

20 R<sub>c</sub> is isoxazolyl optionally substituted with C<sub>3</sub>-C<sub>5</sub> alkyl,  
thiazolyl optionally substituted with C<sub>3</sub>-C<sub>4</sub> alkyl, or -C<sub>1</sub>-  
C<sub>3</sub> alkyl-C(O)NH(C<sub>1</sub>-C<sub>3</sub> alkyl);  
R<sub>f</sub> and R<sub>g</sub> are independently halogen;  
R<sub>p</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl, oxazolyl, thiazolyl, or C<sub>2</sub>-C<sub>4</sub> alkynyl;  
R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl.

25

298. A compound according to claim 297, wherein  
R<sub>p</sub> is oxazol-2-yl or thiazol-2-yl;


299. A compound according to claim 298, wherein

$R_c$  is 3-isobutylisoxazol-5-yl or N-isobutyl-2-methylpropion-2-yl amide; and  
 $R_f$  and  $R_g$  are independently Cl or F.

5 300. A compound according to claim 298, wherein  
 $R_c$  is 2-isobutylthiazol-2-yl; and  
 $R_f$  and  $R_g$  are independently Cl or F.

10 301. A compound according to claim 297, wherein  
 $R_c$  is 3-isobutylisoxazol-5-yl or N-isobutyl-2-methylpropion-2-yl amide;  
 $R_f$  and  $R_g$  are independently Cl or F; and  
 $R_p$  is  $C_2-C_3$  alkynyl.

15 302. A compound of the formula:



wherein

Hal is a halogen;

$R_1$  is  $C_1-C_2$  alkyl, or halogen;

20  $R_2$  and  $R_3$  are both hydrogen;

$R_f$  and  $R_g$  are independently halogen;

$R_z$  is  $C_1-C_2$  alkyl;


$R_5$  and  $R_6$  are independently  $C_3-C_4$  alkyl.

25 303. A compound according to claim 302, wherein  
Hal is bromo or chloro.

304. A compound according to claim 303, wherein  
 $R_1$  is methyl, ethyl, bromo or iodo.

30

305. A compound of the formula:



n is 0 or 1;

R<sub>1</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl;


5 R<sub>2</sub> and R<sub>3</sub> are both hydrogen;

R<sub>f</sub> and R<sub>g</sub> are independently halogen;

R<sub>s</sub> is (C<sub>1</sub>-C<sub>2</sub>)alkoxy(C<sub>1</sub>-C<sub>2</sub>)alkyl.

306. A compound according to claim 305, wherein  
10 R<sub>2</sub> is methoxymethyl.

307. A compound of the formula:



wherein

15 R<sub>1</sub> is C<sub>1</sub>-C<sub>2</sub> alkyl;

R<sub>2</sub> and R<sub>3</sub> are both hydrogen;

R<sub>f</sub> and R<sub>g</sub> are independently halogen;

R<sub>p</sub> is isoxazole optionally substituted with C<sub>1</sub>-C<sub>2</sub> alkyl;

R<sub>5</sub> and R<sub>6</sub> are independently C<sub>3</sub>-C<sub>4</sub> alkyl.

20

308. A compound according to claim 307, wherein R<sub>p</sub> is 3-methylisoxazol-4-yl, 5-oxazolyl, 3-oxazolyl, 3-methyloxazol-2-yl, 3-ethyloxazol-2-yl.

309. A compound which is

N-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(1-isobutylcarbamoyl-3-methylsulfanyl-propylamino)-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N<sup>4</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-6-methyl-N<sup>2</sup>,N<sup>2</sup>-dipropylpyridine-2,4-dicarboxamide;

N<sup>1</sup>-butyl-N3-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>1</sup>-methyl-5-(1,3-thiazol-2-yl)isophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-methyl-N<sup>3</sup>-propyl-5-(1,3-thiazol-2-yl)isophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-methyl-5-(1,3-oxazol-2-yl)-N<sup>3</sup>-propylisophthalamide;

N<sup>1</sup>-butyl-N3-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>1</sup>-methyl-5-(1,3-oxazol-2-yl)isophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-ethyl-5-(1,3-oxazol-2-yl)-N<sup>3</sup>-propylisophthalamide;

N-[1-(3,5-Difluoro-benzyl)-3-(1-ethylcarbamoyl-ethylamino)-2-hydroxy-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-N'-dimethylcarbamoylmethyl-5,N'-dimethyl-isophthalamide;

N-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(1-methylcarbamoyl-3-methylsulfanyl-propylamino)-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N-[3-(1-Benzylcarbamoyl-ethylamino)-1-(3,5-difluoro-benzyl)-2-hydroxy-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N-{{1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl}-methyl}-3-trifluoromethyl-benzamide;

N-{{1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl}-methyl}-4-trifluoromethyl-benzamide;

3,4-Dichloro-N-{{1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl}-methyl}-benzamide;

N-[3-(1-Carbamoyl-3-methyl-butylamino)-1-(3,5-difluoro-benzyl)-2-hydroxy-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N-{{1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl}-methyl}-4-methoxy-benzamide;

N-{{1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl}-methyl}-2,6-difluoro-benzamide;

N-[3-(1-Carbamoyl-ethylamino)-1-(3,5-difluoro-benzyl)-2-hydroxy-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl]-methyl}-2,6-dimethoxy-benzamide;

2-{[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl]-methylsulfanyl}-N-(4-oxazol-5-yl-phenyl)-acetamide;

2-{[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl]-methylsulfanyl}-N-(5-methyl-isoxazol-3-yl)-acetamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-methanesulfonyl-benzenesulfonamide;

2-Cyano-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-benzenesulfonamide;

2-Chloro-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-trifluoromethoxy-benzenesulfonamide;

2-Chloro-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-6-methyl-benzenesulfonamide;

5-Chloro-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-methoxy-benzenesulfonamide;

2-Chloro-4-cyano-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-benzenesulfonamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-trifluoromethyl-benzenesulfonamide;

4-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylsulfamoyl]-benzoic acid;

6-Chloro-pyridine-3-sulfonic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2,5-bis-(2,2,2-trifluoro-ethoxy)-benzenesulfonamide;

Pyridine-3-sulfonic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-{2-Chloro-4-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylsulfamoyl]-phenyl}-acetamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-trifluoromethoxy-benzenesulfonamide;

N-{5-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylsulfamoyl]-thiophen-2-ylmethyl}-benzamide;

5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-{5-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylsulfamoyl]-4-methyl-thiazol-2-yl}-acetamide;

4-Chloro-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-benzenesulfonamide;

3-Chloro-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-benzenesulfonamide;

N-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-2-trifluoromethyl-benzenesulfonamide;

6-Chloro-pyridine-3-sulfonic acid [1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-amide;

Pyridine-3-sulfonic acid [1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-2-methanesulfonyl-benzenesulfonamide;

3,5-Dichloro-N-[1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-benzenesulfonamide;

1,2-Dimethyl-1H-imidazole-4-sulfonic acid [1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-3,4-dimethoxy-benzenesulfonamide;

2-(2,2,2-Trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonic acid [1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-amide;

5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonic acid [1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-amide;

3-{4-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propylsulfamoyl]-phenyl}-propionic acid methyl ester;

3-Chloro-N-[1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-benzenesulfonamide;

3-Cyano-N-[1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-benzenesulfonamide;

Butane-1-sulfonic acid [1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-[(1-methanesulfonyl-piperidin-4-ylmethyl)-amino]-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N-[3-Benzenesulfonylamino-1-(3,5-difluoro-benzyl)-2-hydroxy-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzoylamino)-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

4-(3,5-Difluoro-phenyl)-3-(2,5-dimethyl-4-nitro-2H-pyrazol-3-ylamino)-1-(3-methoxy-benzylamino)-butan-2-ol;

3-(2-Amino-7H-purin-6-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

3-(4-Chloro-pyrimidin-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

3-(2-Amino-6-methyl-pyrimidin-4-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

3-(2-Chloro-6-methyl-pyrimidin-4-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

3-(2-Amino-6-chloro-pyrimidin-4-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(1-phenyl-1H-tetrazol-5-ylamino)-butan-2-ol;

3-(2-Chloro-7H-purin-6-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-[9-(tetrahydro-pyran-2-yl)-9H-purin-6-ylamino]-butan-2-ol;

3-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propylamino]-pyrazine-2-carbonitrile;

4-(3,5-Difluoro-phenyl)-3-(4,6-dimethoxy-[1,3,5]triazin-2-ylamino)-1-(3-methoxy-benzylamino)-butan-2-ol;

2-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propylamino]-nicotinonitrile;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(7H-purin-6-ylamino)-butan-2-ol;

3-(Benzothiazol-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(2-phenyl-quinolin-4-ylamino)-butan-2-ol;

6-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propylamino]-nicotinonitrile;

2-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propylamino]-nicotinic acid ethyl ester;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(3-methyl-5-nitro-3H-imidazol-4-ylamino)-butan-2-ol;

3-(Benzooxazol-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(quinolin-4-ylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-3-(5-ethyl-pyrimidin-2-ylamino)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(4-trifluoromethyl-pyrimidin-2-ylamino)-butan-2-ol;

3-(6-Chloro-2-methylsulfanyl-5-phenyl-pyrimidin-4-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

3-(3-Chloro-quinoxalin-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(8-trifluoromethyl-quinolin-4-ylamino)-butan-2-ol;

3-(6-Chloro-2,5-diphenyl-pyrimidin-4-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

3-(3-Chloro-pyrazin-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(5-trifluoromethyl-pyridin-2-ylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(quinolin-2-ylamino)-butan-2-ol;

3-(6-Chloro-pyrazin-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(3-nitro-pyridin-2-ylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(pyrimidin-2-ylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(2-phenyl-quinazolin-4-ylamino)-butan-2-ol;

N-[3-(N'-Acetyl-N-ethyl-hydrazino)-1-benzyl-2-hydroxy-propyl]-3-hydroxy-4-(pyrrolidine-1-carbonyl)-benzamide;

3-(4,6-Diamino-[1,3,5]triazin-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

5-Acetylamino-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-hydroxy-benzamide;

2-(2,5-Dimethyl-pyrrol-1-yl)-thiophene-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-{1-(3,5-Difluoro-benzyl)-2-hydroxy-3-[3-(3-hydroxymethyl-piperidine-1-carbonyl)-phenylamino]-propyl}-5-methyl-N',N'-dipropyl-isophthalamide;

4-Phenyl-[1,2,3]thiadiazole-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[3-(3-Cyclohexyl-1-phenyl-propylamino)-1-(3,5-difluoro-benzyl)-2-hydroxy-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

2-Methanesulfonylamino-oxazole-4-carboxylic acid {1-benzyl-3-[N-ethyl-N'-(3-ethyl-benzoyl)-hydrazino]-2-hydroxy-propyl}-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(2,6-dimethyl-phenoxy)-propionamide;

2-Methanesulfonylamino-oxazole-4-carboxylic acid {1-benzyl-3-[N-ethyl-N'-(4-methyl-pentanoyl)-hydrazino]-2-hydroxy-propyl}-amide;

4-Acetylamino-1-methyl-1H-pyrrole-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Ethyl-5-thiophen-2-yl-2H-pyrazole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Methanesulfonylamino-oxazole-4-carboxylic acid [3-(N'-acetyl-N-ethyl-hydrazino)-1-benzyl-2-hydroxy-propyl]-amide;

2-Methanesulfonylamino-oxazole-4-carboxylic acid [3-(N'-benzoyl-N-ethyl-hydrazino)-1-benzyl-2-hydroxy-propyl]-amide;

6-Methyl-4-oxo-1-phenyl-1,4-dihydro-pyridazine-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Methanesulfonylamino-thiazole-4-carboxylic acid {1-benzyl-3-[N-ethyl-N'-(3-ethyl-benzoyl)-hydrazino]-2-hydroxy-propyl}-amide;

4-Methyl-2-phenyl-oxazole-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Methanesulfonylamino-thiazole-4-carboxylic acid [3-(N'-acetyl-N-ethyl-hydrazino)-1-benzyl-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-pyridin-3-yl-benzamide;

2-p-Tolyl-thiazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-Benzyl-3-[N-ethyl-N'-(3-ethyl-benzoyl)-hydrazino]-2-hydroxy-propyl]-2-[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamide;

2-Phenoxyethyl-thiazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-Benzyl-3-[N-ethyl-N'-(4-methyl-pentanoyl)-hydrazino]-2-hydroxy-propyl]-2-[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamide;

[1,2,5]Thiadiazole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[3-(N'-Acetyl-N-ethyl-hydrazino)-1-benzyl-2-hydroxy-propyl]-2-[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamide;

2-m-Tolyl-thiazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[3-(N'-Benzoyl-N-ethyl-hydrazino)-1-benzyl-2-hydroxy-propyl]-2-[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamide;

2-(2-Chloro-phenyl)-thiazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-Benzyl-3-[N-ethyl-N'-(3-ethyl-benzoyl)-hydrazino]-2-hydroxy-propyl]-3-hydroxy-4-(pyrrolidine-1-carbonyl)-benzamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-3-phenyl-2-tetrazol-1-yl-propionamide;

N-[1-Benzyl-3-[N-ethyl-N'-(4-methyl-pentanoyl)-hydrazino]-2-hydroxy-propyl]-3-hydroxy-4-(pyrrolidine-1-carbonyl)-benzamide;

4-Chloro-7,7-dimethyl-7,8-dihydro-5H-pyrano[4,3-b]pyridine-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Propyl-tetrahydro-pyran-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

5-p-Tolyl-3,4-dihydro-2H-pyrazole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Acetylamino-5-chloro-thiophene-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

4-(4-Methoxy-phenyl)-thiophene-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-N'-(2-fluoro-5-methanesulfonyl-phenyl)-succinamide;

1-(4-Fluoro-phenyl)-5-methyl-1H-[1,2,4]triazole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-(2-Acetyl-thiophen-3-yl)-N'-(1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl)-succinamide;

6-Chloro-4-trifluoromethyl-pyridine-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(5,7-dimethyl-[1,2,4]triazolo[1,5-a]pyrimidin-2-yl)-acetamide;

N-(1-Cyclopropyl-ethyl)-N'-(1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl)-N-phenyl-succinamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(3,4-dimethoxy-phenylsulfanyl)-acetamide;

1-Methyl-5-oxo-2-pyridin-3-yl-pyrrolidine-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

4-Methoxy-thiophene-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2,5-Dimethyl-1-pyridin-4-ylmethyl-1H-pyrrole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Methyl-5-thiophen-2-yl-furan-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

4-(4-Benzyl-[1,4]diazepan-1-yl)-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-oxo-butyramide;

2-(Benzo[1,2,5]thiadiazol-4-yloxy)-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-acetamide;

3-Chloro-5-phenyl-isothiazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-5-phenylethynyl-nicotinamide;

4,7-Dimethoxy-benzofuran-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-3-morpholin-4-ylmethyl-benzamide;

2,2-Dimethyl-4-oxo-chroman-6-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

[1,6]Naphthyridine-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

8-Cyano-4-hydroxy-quinoline-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Pyridin-3-yl-thiazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

5-Chloro-benzofuran-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

4-Dibenzofuran-2-yl-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-oxo-butyramide;

N-[(1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl)-methyl]-nicotinamide;

4-tert-Butyl-N-[(1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl)-methyl]-benzamide;

4-Chloro-N-[(1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl)-methyl]-benzamide;

4-Chloro-6-methyl-quinoline-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[(1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl)-2-(2,4-dihydroxy-thiazol-5-yl)-acetamide;

2-Methyl-pyrimidine-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[(1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl)-4-piperidin-1-yl-benzamide;

4-Acetylamino-N-[(1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl)-benzamide;

N-[(1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl)-4-methoxy-benzamide;

4-Methyl-oxazole-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

1H-Indole-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

6-Chloro-1H-indole-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-(4-Chloro-2-oxo-benzothiazol-3-yl)-N-[(1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl)-acetamide;

Thiophene-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Methyl-oxazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[(1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl)-2-(1-oxy-pyridin-3-yl)-acetamide;

N-[(1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl)-2-hydroxy-2-phenyl-2-thiophen-2-yl-acetamide;

6-Hydroxy-2-methylsulfanyl-pyrimidine-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2,5-Dimethyl-furan-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-nicotinamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-(3-methoxy-phenyl)-4-oxo-butyramide;

4-Acetyl-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-benzamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-hydroxy-3,5-dimethoxy-benzamide;

Furan-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(1,3-dimethyl-2,6-dioxo-1,2,3,6-tetrahydro-purin-7-yl)-acetamide;

4-Acetyl-amino-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2,6-dimethyl-benzamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-thiophen-2-yl-acetamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-oxo-4-phenyl-butyramide;

1H-Indole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-3-(1,3-dioxo-1,3-dihydro-isoindol-2-yl)-propionamide;

3-Benzo[1,3]dioxol-5-yl-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-propionamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-morpholin-4-yl-4-oxo-butyramide;

[2,3']Bithiophenyl-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

5-Methoxy-thiophene-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

4-Phenyl-thiophene-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-(5-Benzo[1,3]dioxol-5-yl-tetrazol-2-yl)-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-acetamide;

2-(Benzothiazol-2-ylmethoxy)-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-acetamide;

Pyrrolidine-1,2-dicarboxylic acid 1-{{[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide} 2-phenylamide};

- N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-3-(6-ethoxy-1H-benzoimidazol-2-yl)-propionamide;
- N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(3-methyl-2-oxo-2,3-dihydro-benzoimidazol-1-yl)-acetamide;
- 2-Oxo-2,3-dihydro-benzooxazole-6-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;
- Thieno[3,2-c]pyridine-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;
- 1-Methyl-1H-indole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;
- Benzo[b]thiophene-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;
- 4-Oxy-3-propyl-pyrazine-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;
- 1,1,3-Trioxo-2,3-dihydro-1H-116-benzo[d]isothiazole-6-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;
- N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(7-hydroxy-5-methyl-[1,2,4]triazolo[1,5-a]pyrimidin-2-ylsulfanyl)-acetamide;
- 2-Hydroxy-6-methyl-quinoline-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;
- N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(2-methyl-2,3-dihydro-benzofuran-5-yl)-propionamide;
- 3-(Benzooxazol-2-ylsulfanyl)-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-propionamide;
- N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(5-o-tolyl-tetrazol-2-yl)-acetamide;
- 2-Chloro-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-tetrazol-1-yl-benzamide;
- N-(4-tert-Butyl-thiazol-2-yl)-N'-(1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl)-succinamide;
- N-(5-Cyclopropyl-[1,3,4]thiadiazol-2-yl)-N'-(1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl)-succinamide;
- 2-(3-Chloro-phenoxy)-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-propionamide;
- N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-3-(pyridin-4-ylmethylsulfanyl)-benzamide;
- N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(2-hydroxyethyl)amino]sulfonyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-3-\{[(2-}isobutyl\text{-}1,3\text{-thiazol-5-yl)methyl]amino\}propyl)\text{-}5\text{-ethynyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-3-\{[(3-}isopropylbenzyl)amino\}propyl)\text{-}5\text{-ethynyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-3-\{[(3-}isopropylbenzyl)amino\}propyl)\text{-}5\text{-}(1,3\text{-oxazol-2-yl)-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-\{[(3-}ethylbenzyl)amino\}2\text{-hydroxypropyl)\text{-}5\text{-}\{[(2\text{-hydroxy-1,1-}dimethylethyl)amino\}sulfonyl\}-N^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-\{[(3-}ethylbenzyl)amino\}2\text{-hydroxypropyl)\text{-}5\text{-}(4\text{-methyl-1,3\text{-oxazol-2-}y1)-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-3-\{[(2-}isobutyl\text{-}1,3\text{-thiazol-5-yl)methyl]amino\}propyl)\text{-}5\text{-}(1,3\text{-oxazol-2-}y1)-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-\{[(3-}ethylbenzyl)amino\}2\text{-hydroxypropyl)\text{-}5\text{-}\{[(3-}hydroxypropyl)amino\}sulfonyl\}-N^3,\text{N}^3\text{-dipropylisophthalamide;}$

$\text{methyl [3-\{[(2R,3S)\text{-}4\text{-}(3,5\text{-difluorophenyl)\text{-}3-\{[(3-}[(dipropylamino)carbonyl)\text{-}5\text{-methylbenzoyl]amino\)}2\text{-}hydroxybutyl]amino\}methyl]phenyl)methylcarbamate;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-\{[(4R)\text{-}2,2\text{-dioxido-}3,4\text{-dihydro-1H-2,1-benzothiazin-4-yl]amino\}2\text{-hydroxypropyl)\text{-}5\text{-}methyl-N,N-dipropylisophthalamide}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-\{[(4S)\text{-}2,2\text{-dioxido-}3,4\text{-dihydro-1H-2,1-benzothiazin-4-yl]amino\}2\text{-hydroxypropyl)\text{-}5\text{-}methyl-N,N-dipropylisophthalamide}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-\{[(3-}ethylbenzyl)amino\}2\text{-hydroxypropyl)\text{-}3,3\text{-dimethyl-N}^2,\text{N}^2\text{-dipropylcyclopropane-1,2-dicarboxamide}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-\{[(3-}ethylbenzyl)amino\}2\text{-hydroxypropyl)\text{-}N}^2\text{-}(2,2\text{-dimethylpropanoyl)\text{-}3-\{[(1-propylbutyl)sulfonyl]-D-alaninamide}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-\{[(3-}ethylbenzyl)amino\}2\text{-hydroxypropyl)\text{-}N}^3,\text{N}^3\text{-dipropyl-5-pyrimidin-2-ylisophthalamide}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-3-\{[(3-}propylbenzyl)amino\}propyl)\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-\{[(3-}ethynylbenzyl)amino\}2\text{-hydroxypropyl)\text{-}5\text{-ethynyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-3-\{[(3-}isobutylisoxazol-5-yl)methyl]amino\}propyl)\text{-}5\text{-ethynyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-\{[(3-}ethylbenzyl)amino\}2\text{-hydroxypropyl)\text{-}5\text{-}\{[(dimethylamino)sulfonyl\}-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$\text{N}^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}3\text{-}\{(\text{3-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-}(1,3\text{-oxazol-2-yl})\text{-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $\text{N}^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}3\text{-}\{[3\text{-}(5\text{-formylthien-2-yl)benzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $\text{5-bromo-N}^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}2\text{-hydroxy-3-[}(3\text{-iodobenzyl)amino}\text{]propyl}\}\text{-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $\text{N}^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}3\text{-}\{(\text{3-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-}\{[(1R)\text{-}2\text{-hydroxy-1-methylethyl)amino}\text{sulfonyl}\}\text{-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $\text{N}^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}2\text{-hydroxy-3-[}(3\text{-isobutylbenzyl)amino}\text{]propyl}\}\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $\text{N}^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}2\text{-hydroxy-3-[}(3\text{-}(trifluoromethyl)benzyl)amino}\text{]propyl}\}\text{-}5\text{-ethynyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $\text{N}\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}3\text{-}\{(\text{3-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}3\text{-}\{[(2R)\text{-}2\text{-}(methoxymethyl)pyrrolidin-1-yl]\text{carbonyl}\}\text{-}5\text{-methylbenzamide;}$   
 $\text{N}^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}3\text{-}\{(\text{3-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-}\{[(1S)\text{-}2\text{-hydroxy-1-methylethyl)amino}\text{sulfonyl}\}\text{-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $\text{N}^1\text{-butyl-N}^3\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}3\text{-}\{(\text{3-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-methyl-N}^1\text{-propylisophthalamide;}$   
 $\text{N}^1,\text{N}^1\text{-dibutyl-N}^3\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}3\text{-}\{(\text{3-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-methylisophthalamide;}$   
 $\text{N}^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}2\text{-hydroxy-3-[}(3\text{-}(3\text{-hydroxyprop-1-ynyl)benzyl)amino}\text{]propyl}\}\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $\text{N}^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}3\text{-}\{(\text{3-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-}\{[(2S)\text{-}2\text{-}(hydroxymethyl)pyrrolidin-1-yl]\text{sulfonyl}\}\text{-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $\text{N}^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}3\text{-}\{(\text{3-ethynylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-}(1,3\text{-oxazol-2-yl})\text{-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $\text{N}^1\text{-}\{[(1S,2R)\text{-}3\text{-}\{[3\text{-}(cyclopropylamino)benzyl]amino}\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-ethynyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $\text{N}^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}2\text{-hydroxy-3-[}(3-thien-3-ylbenzyl)amino}\text{]propyl}\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $\text{N}^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}2\text{-hydroxy-3-[}(3\text{-}(trifluoromethyl)benzyl)amino}\text{]propyl}\text{-}5\text{-}(1,3\text{-oxazol-2-yl})\text{-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $\text{N}^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl})\text{-}3\text{-}\{(\text{3-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-}(piperazin-1-ylsulfonyl)-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1$ -{ (1S, 2R)-1-(3, 5-difluorobenzyl)-2-hydroxy-3-{ [1-(3-iodophenyl)cyclopropyl]amino}propyl}-5-methyl-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -{ (1S, 2R)-3-{ [(3-sec-butylbenzyl)amino]-1-(3, 5-difluorobenzyl)-2-hydroxypropyl}-5-methyl-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-{ (3-ethylbenzyl)amino}-2-hydroxypropyl}-5-(3-methylisoxazol-4-yl)-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -{ (1S, 2R)-1-(3, 5-difluorobenzyl)-2-hydroxy-3-{ [1-(3-isobutylisoxazol-5-yl)cyclopropyl]amino}propyl}-5-(1, 3-oxazol-2-yl)-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-{ [1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl}-5-(1, 3-oxazol-2-yl)-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;

$N^4$ -{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-{ (3-ethylbenzyl)amino}-2-hydroxypropyl}-6-methyl-N<sup>2</sup>, N<sup>2</sup>-dipropylpyridine-2, 4-dicarboxamide;

$N^1$ -{ (cyclopropylmethyl)-N<sup>3</sup>-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-{ (3-ethylbenzyl)amino}-2-hydroxypropyl}-5-methyl-N<sup>1</sup>-propylisophthalamide;

$N^1$ -{ (1S, 2R)-1-(3, 5-difluorobenzyl)-2-hydroxy-3-{ (3-methoxybenzyl)amino}propyl}-5-(1, 3-oxazol-2-yl)-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-{ [1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl}-5-(1, 3-oxazol-2-yl)-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;

5-(aminosulfonyl)-N<sup>1</sup>-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-{ (3-ethylbenzyl)amino}-2-hydroxypropyl}-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -{ (1S, 2R)-1-(3, 5-difluorobenzyl)-2-hydroxy-3-{ {3-[ (1Z)-prop-1-enyl]benzyl}amino}propyl}-5-methyl-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-{ (3-ethylbenzyl)amino}-2-hydroxypropyl}-N<sup>3</sup>, N<sup>3</sup>-dipropyl-5-(1H-pyrazol-4-yl)isophthalamide;

$N^1$ -{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-{ [1-(3-ethylphenyl)-1-methylethyl]amino}-2-hydroxypropyl}-5-ethynyl-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -{ (1S, 2R)-3-{ (3-allylbenzyl)amino}-1-(3, 5-difluorobenzyl)-2-hydroxypropyl}-5-methyl-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-{ [1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl}-5-methyl-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-{ [1-(3-ethylphenyl)-1-methylethyl]amino}-2-hydroxypropyl}-5-(1, 3-oxazol-2-yl)-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;

$N^1\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino}]-2\text{-hydroxypropyl}\}-N^3\text{-ethyl-5-methyl-N}^3\text{-propylisophthalamide;}$   
 $N^1\{ (1S,2R)-3-[ [3-(cyclopropylamino)benzyl]amino]-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxypropyl]-5-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ [1-(3-ethynylphenyl)cyclopropyl]amino]-2\text{-hydroxypropyl)-5-ethynyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[ [1-(3-isobutylisoxazol-5-yl)cyclopropyl]amino}propyl)-5-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ [3-(5-formyl-4-methylthien-2-yl)benzyl]amino]-2\text{-hydroxypropyl)-5-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[ (3-isopentylbenzyl)amino}propyl)-5-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\{ (1S,2R)-3-[ (1,1'\text{-biphenyl-3-ylmethyl)amino}]-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxypropyl]-5-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ [1-(3-ethynylphenyl)cyclopropyl]amino]-2\text{-hydroxypropyl)-5-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3-ethylbenzyl)amino]-2\text{-hydroxypropyl]-5-[ [2-(methylamino)ethyl]amino}sulfonyl)-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[ [1-(3-isobutylisoxazol-5-yl)cyclopropyl]amino}propyl)-5-ethynyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1,N^1\text{-diallyl-N}^3\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3-ethylbenzyl)amino]-2\text{-hydroxypropyl)-5-methylisophthalamide;}$   
 $N^1\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[ [1-(2-isobutyl-1,3-thiazol-5-yl)cyclopropyl]amino}propyl)-5-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ [1-(3-ethylphenyl)-1-methylethyl]amino]-2\text{-hydroxypropyl)-5-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3-ethylbenzyl)amino]-2\text{-hydroxypropyl]-5-[ [2-hydroxyethyl]amino}sulfonyl)-N}^3\text{-propylisophthalamide;}$   
 $N^1\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3-ethylbenzyl)amino]-2\text{-hydroxypropyl)-N}^3,5\text{-dimethyl-N}^3\text{-propylisophthalamide;}$   
 $N^1\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3-ethylbenzyl)amino]-2\text{-hydroxypropyl)-N}^2\text{-(phenylsulfonyl)-3-[ (1-propylbutyl)sulfonyl]alaninamide;}$

$N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl})\text{amino}]-2\text{-hydroxypropyl}\}-N^3,N^3\text{-diethyl-5-(1,3\text{-oxazol-2\text{-yl}})\text{isophthalamide};}$

$N^2\{- (\text{benzylamino})\text{carbonyl}\}-N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl})\text{amino}]-2\text{-hydroxypropyl}\}-3-[ (1\text{-propylbutyl})\text{sulfonyl}\text{alaninamide};$

$N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[ (3\text{-pyridin-3\text{-ylbenzyl})\text{amino}}]\text{propyl}}-5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$

$N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ [3-(3\text{-formyl-2\text{-furyl}})\text{benzyl}\text{amino}]-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$

$N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl})\text{amino}]-2\text{-hydroxypropyl}\}-N^3,N^3\text{-diethyl-5-methyliisophthalamide;}$

$N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ [3-(ethylsulfinyl)\text{benzyl}\text{amino}]-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$

$3-[ (\text{butyl(ethyl)amino})\text{sulfonyl}]-N\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl})\text{amino}]-2\text{-hydroxypropyl}\}\text{propanamide;}$

$N^1\{- (1S,2R)-3-[ (3\text{-cyanobenzyl})\text{amino}]-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$

$N\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl})\text{amino}]-2\text{-hydroxypropyl}\}-3-[ (1\text{-propylbutyl})\text{sulfonyl}\text{propanamide;}$

$N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl})\text{amino}]-2\text{-hydroxypropyl}\}-N^3\text{-isobutyl-N}^3,5\text{-dimethyliisophthalamide;}$

$N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[ (3\text{-pyridin-2\text{-ylbenzyl})\text{amino}}]\text{propyl}}-5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$

$N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[ {3-[ (methyl(methylsulfonyl)\text{amino})\text{benzyl}\text{amino}}]\text{propyl}}-5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$

$N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl})\text{amino}]-2\text{-hydroxypropyl}\}-N^2\{- (3\text{-phenylpropanoyl})-3-[ (1\text{-propylbutyl})\text{sulfonyl}\text{alaninamide trifluoroacetate;}$

$N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ [3-(ethylsulfonyl)\text{benzyl}\text{amino}]-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$

$N^2\{- (5\text{-chlorothien-2\text{-yl})\text{sulfonyl}}\}-N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl})\text{amino}]-2\text{-hydroxypropyl}\}-3-[ (1\text{-propylbutyl})\text{sulfonyl}\text{alaninamide;}$

$N^1\text{-}\{(1S,2R)\text{-}3\text{-}\{[3\text{-}(5\text{-acetylthien\text{-}2\text{-yl})benzyl]amino}\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxypropyl}}\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}(sec\text{-butyl)\text{-}N}^3\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3\text{-ethylbenzyl]amino}\text{-}2\text{-hydroxypropyl}}\text{-}5\text{-methylisophthalamide;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3\text{-ethylbenzyl]amino}\text{-}2\text{-hydroxypropyl}\text{-}3\text{-}(1,3\text{-oxazol\text{-}2\text{-yl})benzamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3\text{-ethylbenzyl]amino}\text{-}2\text{-hydroxypropyl}\text{-}N^3,5\text{-dimethyl-N}^3\text{-}(2\text{-phenylethyl)isophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3\text{-}(3,5\text{-dimethylisoxazol\text{-}4\text{-yl)benzyl]amino}\text{-}2\text{-hydroxypropyl}\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3\text{-ethylbenzyl]amino}\text{-}2\text{-hydroxypropyl}\text{-}N^3,5\text{-dimethyl-N}^3\text{-prop-2\text{-ynylisophthalamide;}}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3\text{-ethylbenzyl]amino}\text{-}2\text{-hydroxypropyl}\text{-}N^3\text{-ethyl-N}^3,5\text{-dimethylisophthalamide;}$   
 $3\text{-}\{[(2R,3S)\text{-}4\text{-}(3,5\text{-difluorophenyl)\text{-}3\text{-}\{[3\text{-}(dipropylamino)carbonyl\text{-}5\text{-methylbenzoyl]amino}\text{-}2\text{-hydroxybutyl]amino}\text{methyl}]\text{phenyl dimethylcarbamate;}$   
 $N^1\text{-benzyl-N}^3\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3\text{-ethylbenzyl]amino}\text{-}2\text{-hydroxypropyl}\text{-}N^1,5\text{-dimethylisophthalamide;}$   
 $N^1\text{-}(sec\text{-butyl)\text{-}N}^3\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3\text{-ethylbenzyl]amino}\text{-}2\text{-hydroxypropyl}\text{-}5\text{-methyl-N}^1\text{-propylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-3\text{-}\{[3\text{-}(4\text{-methylthien\text{-}2\text{-yl)benzyl]amino}\text{propyl}\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}}$   
 $methyl 3\text{-}\{[(2R,3S)\text{-}4\text{-}(3,5\text{-difluorophenyl)\text{-}3\text{-}\{[3\text{-}(dipropylamino)carbonyl\text{-}5\text{-methylbenzoyl]amino}\text{-}2\text{-hydroxybutyl]amino}\text{methyl}]\text{phenyl(methyl)carbamate;}$   
 $N^1\text{-}\{(1S,2R)\text{-}2\text{-hydroxy-1\text{-}(2,3,5\text{-trifluorobenzyl)\text{-}3\text{-}\{[3\text{-}(trifluoromethyl)benzyl]amino}\text{propyl}\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3\text{-ethylbenzyl]amino}\text{-}2\text{-hydroxypropyl}\text{-}N^3,\text{N}^3\text{-diisobutyl-5-methylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3\text{-ethylbenzyl]amino}\text{-}2\text{-hydroxypropyl}\text{-}N^3,5\text{-dimethyl-N}^3\text{-}(2\text{-pyridin-2\text{-ylethyl)isophthalamide;}}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3\text{-methoxybenzyl]amino}\text{propyl}\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3-chloro-5-fluorobenzyl)\text{-}2\text{-hydroxy-3\text{-}\{[3\text{-methoxybenzyl]amino}\text{propyl}\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylbenzene-1,3,5-tricarboxamide;}$

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]-4-hydroxy-3-(pyrrolidin-1-ylcarbonyl)benzamide;

5-oxo-D-prolyl-N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(1-propylbutyl)sulfonyl]alaninamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(trifluoromethyl)sulfonyl]amino]benzamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-pyridin-4-ylbenzyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-[(dimethylamino)sulfonyl]benzyl)amino]-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(6-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>2</sup>-(phenylacetyl)-3-[(1-propylbutyl)sulfonyl]alaninamide;

methyl 3-[(2R,3S)-4-(3,5-difluorophenyl)-3-[(3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino]-2-hydroxybutyl)amino]methyl phenylcarbamate;

5-oxo-L-prolyl-N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(1-propylbutyl)sulfonyl]alaninamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>3</sup>-isobutyl-5-methylisophthalamide;

4-([(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino)-4-oxo-3-[(1-propylbutyl)sulfonyl]methyl butanoic acid trifluoroacetate;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[methyl(methylsulfonyl)amino]benzamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>3</sup>-ethyl-N<sup>3</sup>-isopropyl-5-methylisophthalamide;

N<sup>1</sup>-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(thien-2-ylmethyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(2-hydroxyethyl)(propyl)amino]sulfonyl propanamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>3</sup>-isopropyl-N<sup>3</sup>,5-dimethylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(methylsulfonyl)amino]-1,3-thiazole-4-carboxamide;

$N^1$ -allyl- $N^1$ -cyclopentyl- $N^3$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methylisophthalamide;

$N$ -(3-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino)-3-oxo-2-[(1-propylbutyl)sulfonyl]methyl)propyl)benzamide;

$N$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(isopentylsulfonyl)propanamide;

$N^1$ -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[3-(5-methylthien-2-yl)benzyl]amino)propyl)-5-methyl- $N^3$ , $N^3$ -dipropylisophthalamide;

$N^1$ -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-methylhexyl)amino]propyl}-5-methyl- $N^3$ , $N^3$ -dipropylisophthalamide;

$N^1$ -[(1S,2R)-3-[(1-(aminocarbonyl)cyclohexyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- $N^3$ , $N^3$ -dipropylisophthalamide;

$N^1$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2E)-hex-2-enylamino]-2-hydroxypropyl}-5-methyl- $N^3$ , $N^3$ -dipropylisophthalamide;

$N$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-hydroxyisoxazole-5-carboxamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1E)-hex-1-enyl]benzyl]amino)-2-hydroxypropyl]-5-methyl- $N^3$ , $N^3$ -dipropylisophthalamide;

$N^1$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- $N^3$ -isopropyl-5-methylisophthalamide;

$N^1$ -[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(thien-2-ylmethyl)propyl]- $N^3$ , $N^3$ -dipropylbenzene-1,3,5-tricarboxamide;

2-[3-(2-amino-2-oxoethoxy)phenyl]- $N$ -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}acetamide;

$N^1$ -{(1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-5-methyl- $N^3$ , $N^3$ -dipropylisophthalamide;

$N^1$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-ethylhexyl)amino]-2-hydroxypropyl}-5-methyl- $N^3$ , $N^3$ -dipropylisophthalamide;

$N^1$ -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[3-(6-methoxypyridin-3-yl)benzyl]amino)propyl)-5-methyl- $N^3$ , $N^3$ -dipropylisophthalamide;

$N^1$ -((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-(2,4-dimethoxypyrimidin-5-yl)benzyl)amino]-2-hydroxypropyl)-5-methyl- $N^3$ , $N^3$ -dipropylisophthalamide;

$N$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(2-ethylbutanoyl)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(4-hydroxypiperidin-1-yl)carbonyl]-5-methylbenzamide;

N<sup>1</sup>-{(1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

4'-[4-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]amino)-4-oxobutanoyl]-1,1'-biphenyl-2-carboxamide;

1-[3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino]carbonyl]-5-methylbenzoyl)-L-prolinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(3-hydroxypiperidin-1-yl)carbonyl]-5-methylbenzamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-hydroxy-1-phenylpropyl)amino]propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-[2-(dimethylamino)ethyl]-N<sup>3</sup>-ethyl-5-methylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-methyl-4H,6H-pyrrolo[1,2-a][4,1]benzoxazepine-4-carboxamide;

2-(5-acetylthien-2-yl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-diisopropyl-5-methylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(methylsulfonyl)amino]benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-2-[4-(2-oxopyrrolidin-1-yl)phenyl]acetamide;

N-{(1S,2R)-1-(3-chloro-5-fluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-[(dipropylamino)sulfonyl]propanamide;

N<sup>1</sup>-{(1S,2R)-1-(3-chloro-5-fluorobenzyl)-2-hydroxy-3-[(isopentylamino)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-methyl-1H-imidazol-4-yl)sulfonyl]amino]benzamide tri;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(pentylamino)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(3-chloro-5-fluorobenzyl)-2-

hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-cyclohexyl-N<sup>3</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>1</sup>-ethyl-5-methylisophthalamide;

2-[(2R,3S)-4-(3,5-difluorophenyl)-3-((3-(dipropylamino)carbonyl)-5-methylbenzoyl)amino]-2-hydroxybutyl]amino}ethyl 2,4-difluorophenylcarbamate;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl]-5-methylbenzamide;

N<sup>1</sup>-[(1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,8-dimethylquinoline-3-carboxamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(6-hydroxyhexyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2R)-2-hydroxypropyl]amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(1-propylbutyl)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(2-hydroxy-1,1-dimethylethyl)amino]sulfonyl]benzamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(4-phenylbutyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]-7-(1H-imidazol-1-yl)-5,6-dihydroronaphthalene-2-carboxamide;

3-(acetylamino)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-methylbenzamide;

N<sup>1</sup>-[(1S,2R)-3-[(2-(aminosulfonyl)ethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-(ethylthio)ethyl)amino]-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-3-[benzyl(cyanomethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-hydroxypropyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-3-[(3-butoxypropyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(2-(2-hydroxyethyl)piperidin-1-yl)carbonyl]-5-methylbenzamide;

methyl N-[(2R,3S)-4-(3,5-difluorophenyl)-3-[(3-(dipropylamino)carbonyl)-5-methylbenzoyl]amino)-2-hydroxybutyl]-beta-alaninate;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(1-hydroxy-2-propylpentyl)benzamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(3-chloro-5-fluorobenzyl)-2-hydroxypropyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(methylsulfonyl)amino]butanamide;

N<sup>1</sup>-[(1S,2R)-3-[[3-(1-benzothien-2-yl)benzyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

3-(benzyloxy)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]isoxazole-5-carboxamide;

2-{{(benzyloxy)carbonyl}amino}-7-[(cyclopropylmethyl)amino]-1,2,4,5,7-pentadeoxy-5-(3,5-difluorobenzyl)-1-[(1-propylbutyl)sulfonyl]-D-threo-hept-3-ulose trifluoroacetate;

1-{3-[(3-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino]carbonyl}-5-methylbenzoyl)-D-prolinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-(1H-pyrazol-1-yl)pentanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-(2-furylmethyl)-5-oxopyrrolidine-3-carboxamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(5-hydroxypentyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

3-[(3-(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-methyl-1-phenylethyl)amino]propyl)amino]sulfonyl]-N,N-dipropylbenzamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylpiperidine-1,3-dicarboxamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N<sup>3</sup>,N<sup>3</sup>-diethylpiperidine-1,3-dicarboxamide;

5-bromo-N<sup>1</sup>-((1S,2R)-2-hydroxy-1-(pentafluorobenzyl)-3-[(3-(trifluoromethyl)benzyl)amino]propyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(methylsulfonyl)amino]benzamide;

N-{(1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-[(dipropylamino)sulfonyl]propanamide;

3-[(dipropylamino)sulfonyl]-N-{(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(thien-2-ylmethyl)propyl}propanamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethoxypropyl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-3-(benzylamino)-2-hydroxy-1-(thien-2-ylmethyl)propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-hydroxy-4-(phenylsulfonyl)butanamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-dichlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3,3-dimethylbutyl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-3-(benzylamino)-1-(3-bromobenzyl)-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N<sup>1</sup>-{(1S,2R)-1-(3-chloro-5-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1,3-diphenylpropyl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1-(hydroxymethyl)propyl]amino}propyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3S)-2-oxoazepan-3-yl]amino}propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-cyclohexyl-N<sup>5</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}pentanediamide;

N<sup>1</sup>-{(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(3-methylbenzyl)propyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-[(2-propylpentyl)sulfonyl]-beta-alaninamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(1,3-thiazol-2-yl)benzamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methyl(phenyl)amino)propyl]amino}propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-oxo-1-(thien-2-ylmethyl)pyrrolidine-3-carboxamide;

4-[ (butylthio)methyl]-N-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl-2-furamide;  
 N-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[ (2-hydroxyethyl)amino]sulfonyl}benzamide;  
 N<sup>1</sup>-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-2-hydroxy-3-[ (3-methylcyclohexyl)amino]propyl}-5-methyl-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;  
 N-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(2-oxo-1, 3-oxazolidin-3-yl)benzamide;  
 N-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(1H-pyrrol-1-yl)benzamide;  
 N-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1, 3, 4, 5-tetrahydrothiopyrano[4, 3-b]indole-8-carboxamide;  
 N<sup>1</sup>-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>4</sup>-[2-(trifluoromethyl)phenyl]succinamide;  
 N<sup>1</sup>-{ (1S, 2R)-1-(3-bromobenzyl)-2-hydroxy-3-(isopentylamino)propyl}-5-methyl-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;  
 N-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-4, 5-dimethyl-2-(1H-pyrrol-1-yl)thiophene-3-carboxamide;  
 N<sup>1</sup>-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-[ (2, 3-dihydroxypropyl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-2-hydroxy-3-[ [(2S)-2-hydroxypropyl]amino]propyl}-5-methyl-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-2-hydroxy-3-[ [(1R)-1-methylpropyl]amino]propyl}-5-methyl-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;  
 2-chloro-N-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(methylsulfonyl)benzamide;  
 N<sup>1</sup>-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-2-hydroxy-3-[ (2-hydroxyethyl)amino]propyl}-5-methyl-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide;  
 3-[ (dipropylamino)sulfonyl]-N-{ (1S, 2R)-2-hydroxy-1-(3-methoxybenzyl)-3-[ (3-methoxybenzyl)amino]propyl}propanamide;  
 N-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[ (methyl[(trifluoromethyl)sulfonyl]amino)benzamide;  
 N-{ (1S, 2R)-1-(3, 5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-hydroxy-6-(1-hydroxy-2, 2-dimethylpropyl)pyridine-2-carboxamide;

$N^1\text{-}\{(1S,2R)\text{-}3\text{-}\{ (1,3\text{-}dicyclohexylpropyl)amino\}\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}2\text{-}hydroxypropyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-}dipropylisophthalamide;$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}3\text{-}\{ (3\text{-}ethylbenzyl)amino\}\text{-}2\text{-}hydroxypropyl\}\text{-}2,2'\text{-}bithiophene\text{-}5\text{-}carboxamide;$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}3\text{-}\{ (3\text{-}ethylbenzyl)amino\}\text{-}2\text{-}hydroxypropyl\}\text{-}4\text{-}(1H\text{-}imidazol\text{-}1\text{-}yl)butanamide;$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}3\text{-}\{ (3\text{-}ethylbenzyl)amino\}\text{-}2\text{-}hydroxypropyl\}\text{-}2,3\text{-}dihydroxy\text{-}N^4\text{-}(4\text{-}methoxyphenyl)succinamide;$

$N^1\text{-}\{(1S,2R)\text{-}3\text{-}(benzylamino)\text{-}2\text{-}hydroxy\text{-}1\text{-}(4\text{-}hydroxybenzyl)propyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-}dipropylisophthalamide;$

$N^1\text{-}\{(1S,2R)\text{-}2\text{-}hydroxy\text{-}3\text{-}\{ (3\text{-}methoxybenzyl)amino\}\text{-}1\text{-}[3\text{-}(trifluoromethyl)benzyl]propyl\}\text{-}N^3,N^3\text{-}dipropylbenzene\text{-}1,3,5\text{-}tricarboxamide;$

$N^1\text{-}\{(1S,2R)\text{-}3\text{-}(benzylamino)\text{-}2\text{-}hydroxy\text{-}1\text{-}(thien\text{-}2\text{-}ylmethyl)propyl\}\text{-}N^3,N^3\text{-}dipropylbenzene\text{-}1,3,5\text{-}tricarboxamide;$

$N^1\text{-}\{(1S,2R)\text{-}3\text{-}\{ [2\text{-}(aminocarbonyl)\text{-}1H\text{-}indol\text{-}6\text{-}yl]amino\}\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}2\text{-}hydroxypropyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-}dipropylisophthalamide;$

$N^1\text{-}\{(1S,2R)\text{-}3\text{-}(benzylamino)\text{-}1\text{-}(3\text{-}bromobenzyl)\text{-}2\text{-}hydroxypropyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-}dipropylisophthalamide;$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}3\text{-}\{ (3\text{-}ethylbenzyl)amino\}\text{-}2\text{-}hydroxypropyl\}\text{-}2\text{-}(1\text{-}oxo\text{-}1,3\text{-}dihydro\text{-}2H\text{-}isoindol\text{-}2\text{-}yl)butanamide;$

$3\text{-}chloro\text{-}N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}3\text{-}\{ (3\text{-}ethylbenzyl)amino\}\text{-}2\text{-}hydroxypropyl\}\text{-}4\text{-}(methylsulfonyl)thiophene\text{-}2\text{-}carboxamide;$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}3\text{-}\{ (1\text{-}ethylpropyl)amino\}\text{-}2\text{-}hydroxypropyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-}dipropylisophthalamide;$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}3\text{-}\{ [(5R)\text{-}3\text{-}ethyl\text{-}2\text{-}oxo\text{-}1,3\text{-}oxazolidin\text{-}5\text{-}yl]methyl\}amino\}\text{-}2\text{-}hydroxypropyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-}dipropylisophthalamide;$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}3\text{-}\{ (3\text{-}ethylbenzyl)amino\}\text{-}2\text{-}hydroxypropyl\}\text{-}5\text{-methyl-7\text{-}(trifluoromethyl)pyrazolo[1,5-a]pyrimidine\text{-}2\text{-}carboxamide;$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}benzyl\text{-}2\text{-}hydroxy\text{-}3\text{-}\{ (3\text{-}methoxybenzyl)amino\}propyl\}\text{-}N^2\text{-}\{ (methylthio)acetyl\}\text{-}3\text{-}\{ (1\text{-}propylbutyl)sulfonyl\}alaninamide;$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}3\text{-}\{ (2,3\text{-}dimethylcyclohexyl)amino\}\text{-}2\text{-}hydroxypropyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-}dipropylisophthalamide;$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}3\text{-}\{ (3\text{-}ethylbenzyl)amino\}\text{-}2\text{-}hydroxypropyl\}\text{-}4,5\text{-}dimethoxy\text{-}1\text{-}benzothiophene\text{-}2\text{-}carboxamide;$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}[3\text{-fluoro-5-(trifluoromethyl)benzyl]\text{-}2\text{-hydroxy-3-(isopentylamino)propyl}\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-(\{(5S)\text{-}3\text{-ethyl-2-oxo-1,3-oxazolidin-5-yl)methyl\}amino)\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(1,3-benzodioxol-5-ylmethyl)\text{-}2\text{-hydroxy-3-[}(3-methoxybenzyl)amino]propyl\}\text{-}N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-[}(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}4\text{-}(3,5\text{-dioxo-1,2,4-triazolidin-4-yl)benzamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-benzyl-2-hydroxy-3-[}(3-methoxybenzyl)amino]propyl\}\text{-}2\text{-hydroxy-3-[}(3-methoxyphenyl)sulfonyl]propanamide;$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-3-[}(2-methylcyclohexyl)amino]propyl}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}3\text{-}\{[2\text{-}\{4\text{-}\{[}(3-chlorobenzyl)oxy]phenyl\}ethyl\}amino]\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-[}(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-hydroxy-4-oxo-4-thien-3-ylbutanamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}[3-(benzyloxy)-5-fluorobenzyl)\text{-}2\text{-hydroxy-3-[}(3-methoxybenzyl)amino]propyl\}\text{-}N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-[}(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-hydroxy-4-oxo-4-[}(trifluoromethyl)phenyl]butanamide;$

$N^1\text{-}\{(1S,2R)\text{-}2\text{-hydroxy-3-(isopentylamino)\text{-}1-[}(3-(trifluoromethoxy)benzyl)propyl\}\text{-}N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-3-[}\{[1-(hydroxymethyl)\text{-}3-(methylthio)propyl\}amino]propyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$

$2\text{-}(1H\text{-}1,2,3-benzotriazol-1-yl)\text{-}N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-[}(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}]\text{hexanamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3-fluoro-4-methylbenzyl)\text{-}2\text{-hydroxy-3-[}(isopentylamino)propyl\}\text{-}N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-[}(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}3\text{-}(4,4\text{-dimethyl-2,5-dioxoimidazolidin-1-yl)\text{-}2\text{-}\{[(1-propylbutyl)sulfonyl)methyl\}propanamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-[}(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}4\text{-}\{[(trifluoromethyl)sulfonyl]amino\}butanamide;$

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(5-methyl-1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)acetamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-hydroxymethyl)propyl]amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(3,5-dichlorobenzyl)-2-hydroxypropyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(2-hydroxyethyl)(propyl)amino]sulfonylpropanamide;

5-(benzylthio)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]nicotinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-pyrazole-5-carboxamide;

6-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-2-oxo-2,3-dihydro-1,3-benzoxazole-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-benzimidazole-2-carboxamide;

N<sup>1</sup>-[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-6-hydroxy-4,7-dimethoxy-1-benzofuran-5-carboxamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(4-methylcyclohexyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-[1,2,4]triazolo[4,3-a]pyridine-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-4-oxo-4-thien-2-ylbutanamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(3,5-dichlorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2-hydroxy-5-methylphenyl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-phenoxybenzamide;

4-[(aminocarbonyl)amino]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1-(hydroxymethyl)-3-(methylthio)propyl]amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-7-hydroxy-4-oxochroman-2-carboxamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1-(hydroxymethyl)-3-methylbutyl]amino}propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1R)-1-(hydroxymethyl)propyl]amino}propyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-methyl-3-phenylpropyl)amino]propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2,3-dihydro-1-benzofuran-5-yl)-1,3-thiazole-4-carboxamide;

N<sup>1</sup>-((1S,2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-((1S,2R)-1-(4-chlorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[(dipropylamino)sulfonyl]propanamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N<sup>3</sup>-pentylmalonamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(trifluoromethoxy)benzamide;

3-[(dipropylamino)sulfonyl]-N-((1S,2R)-1-(3-fluoro-4-methylbenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)propanamide;

N-((1S,2R)-1-(3-chloro-5-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl)-3-[(dipropylamino)sulfonyl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(4,4-dimethyl-2,5-dioxoimidazolidin-1-yl)-2-[(1-propylbutyl)sulfonyl]methyl}propanamide;

N<sup>1</sup>-[4-(acetylamino)phenyl]-N<sup>4</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;

3-(1-cyanoethyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N<sup>4</sup>-(5-phenyl-1,3,4-thiadiazol-2-yl)succinamide;

N<sup>1</sup>-((1S,2R)-3-(benzylamino)-2-hydroxy-1-[(3-trifluoromethoxy)benzyl]propyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-(2-oxo-2-pyrrolidin-1-ylethoxy)phenyl)amino]propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(4\text{-chlorobenzyl)\text{-}2\text{-hydroxy-3-}}(isopentylamino)propyl\}\text{-}N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-}(1,1\text{-dioxidotetrahydrothien-2-yl)acetamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}3\text{-}(benzylamino)\text{-}1\text{-}(4\text{-chlorobenzyl)\text{-}2\text{-}}hydroxypropyl\}\text{-}5\text{-methyl-}N^3,N^3\text{-dipropylisophthalamide;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-hex-1-ynylnicotinamide;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3\text{-bromobenzyl)\text{-}2\text{-hydroxy-3-}}(isopentylamino)propyl\}\text{-}3\text{-}\{(\text{dipropylamino)sulfonyl}\}\text{propanamide;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}3\text{-methoxyisoxazole-5-carboxamide;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}2,3\text{-dimethyl-1H-indole-7-carboxamide;}$   
 $4\text{-}(3\text{-chlorophenyl)-}N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-hydroxy-4-oxobutanamide;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-}(1\text{-methyl-1H-indol-3-yl)\text{-}2\text{-oxoacetamide;}}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3\text{-fluoro-4-methylbenzyl)\text{-}2\text{-hydroxy-3-}}(isopentylamino)propyl\}\text{-}5\text{-methyl-}N^3,N^3\text{-dipropylisophthalamide;}$   
 $3\text{-}\{(\text{dipropylamino)sulfonyl}\}\text{-}N\text{-}\{(1S,2R)\text{-}2\text{-hydroxy-3-}}[(3\text{-methoxybenzyl)amino}\text{-}1\text{-}(4\text{-methylbenzyl)propyl}\}\text{propanamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}3\text{-}(benzylamino)\text{-}1\text{-}(3\text{-fluoro-4-methylbenzyl)\text{-}2\text{-}}hydroxypropyl\}\text{-}N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-[5-(4-methylphenyl)\text{-}2H-tetraazol-2-yl]acetamide;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-dichlorobenzyl)\text{-}2\text{-hydroxy-3-}}[(3\text{-methoxybenzyl)amino}\text{-}propyl\}\text{-}3\text{-}\{(\text{dipropylamino)sulfonyl}\}\text{propanamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}2\text{-hydroxy-3-}}(isopentylamino)\text{-}1\text{-}(thien-2-ylmethyl)propyl\}\text{-}N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-methyl-3-phenylisoxazole-4-carboxamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}3\text{-}(benzylamino)\text{-}1\text{-}(4\text{-fluorobenzyl)\text{-}2\text{-}}hydroxypropyl\}\text{-}5\text{-methyl-}N^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}N^2\text{-}\{(\text{methylsulfonyl})\text{acetyl}\}\text{-}N^2\text{-pentylglycinamide;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl}\}\text{-}4\text{-}(1H-indol-3-yl)\text{-}4\text{-oxobutanamide;}$

$N^1-(5\text{-benzyl-}1,3,4\text{-thiadiazol-}2\text{-yl})-N^4-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino]-2-hydroxypropyl}\}succinamide;$   
 $N-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino]-2-hydroxypropyl}\}-4-(3\text{-fluoro-4-methoxyphenyl})-4\text{-oxobutanamide};$   
 $\text{ethyl } 4-\{[(2R,3S)-4-(3,5\text{-difluorophenyl})-3-(3\text{-[ (dipropylamino)carbonyl]-5-methylbenzoyl)amino}-2-hydroxybutyl]amino\}piperidine-1-carboxylate;$   
 $N-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino]-2-hydroxypropyl}\}-4-(2\text{-fluorobenzoyl})-1H-pyrrole-2-carboxamide;$   
 $N^1-\{ (1S,2R)-3-(benzylamino)-1-(4-chlorobenzyl)-2-hydroxypropyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{ (1S,2R)-2-hydroxy-3-(isopentylamino)-1-[3-(trifluoromethyl)benzyl]propyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{ (1S,2R)-2-hydroxy-1-(4-hydroxybenzyl)-3-(isopentylamino)propyl\}-5-methyl-N^3,N^3\text{-dipropylisophthalamide};$   
 $N-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino]-2-hydroxypropyl}\}-2-(4\text{-morpholin-4-ylphenyl})acetamide;$   
 $3-\{ (dipropylamino)sulfonyl\}-N-\{(1S,2R)-2-hydroxy-3-[ (3\text{-methoxybenzyl)amino]-1-[3-(trifluoromethoxy)benzyl]propyl\}propanamide;$   
 $N^1\text{-benzyl-}N^1-\{1\text{-cyclopropylethyl}\}-N^4-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino]-2-hydroxypropyl}\}succinamide;$   
 $N-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-2-hydroxy-3-[ (3\text{-methoxybenzyl)amino]propyl}\}-3-(2,5\text{-dimethylbenzoyl})-5-methylbenzamide;$   
 $N^1-\{ (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino]-2-hydroxypropyl}\}-N^4-(2\text{-methoxy-5-methylphenyl})succinamide;$   
 $N-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino]-2-hydroxypropyl}\}-2-(3\text{-hydroxyphenyl})acetamide;$   
 $N-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-2-hydroxy-3-[ (3\text{-methoxybenzyl)amino]propyl}\}-3-[hydroxy(2-methylphenyl)methyl]-5-methylbenzamide;$   
 $N-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino]-2-hydroxypropyl}\}-5-(ethylthio)nicotinamide;$   
 $N-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino]-2-hydroxypropyl}\}-4-[4-(2-furoyl)piperazin-1-yl]-4\text{-oxobutanamide};$   
 $N^1-\{ (1S,2R)-3-(benzylamino)-1-(3\text{-fluoro-4-methylbenzyl})-2-hydroxypropyl\}-5-methyl-N^3,N^3\text{-dipropylisophthalamide};$   
 $N-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino]-2-hydroxypropyl}\}-3\text{-oxoisooindoline-1-carboxamide};$

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(ethylthio)benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]thieno[2,3-b]quinoline-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(4-methyl-1,3-oxazol-2-yl)benzamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(4-fluorobenzyl)-2-hydroxypropyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-[2-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino]carbonyl]phenyl]-N-methyl-2-furamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-4-(3-methoxyphenyl)-4-oxobutanamide;

N<sup>1</sup>-[(1S,2R)-3-(cycloheptylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

1 3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-1-(3-fluoro-5-hydroxybenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]propanamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-1-(3-fluoro-5-hydroxybenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-hydroxy-1H-indole-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,2-dimethylchromane-8-carboxamide;

6-benzyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]pyrazine-2-carboxamide 4-oxide;

2-[[{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}amino]carbonyl]amino}-N,N-dipropylethanesulfonamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[(1R)-1-(hydroxymethyl)-2-methylpropyl]amino}propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-3-(benzylamino)-1-(3-chloro-5-fluorobenzyl)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(4-methoxyphenyl)-4-oxobutanamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-hydroxybenzyl)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-4-oxo-3,4-dihydropthalazine-1-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3,4-dihydro-2H-1,5-benzodioxepine-7-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[4-(2,5-dioxopyrrolidin-1-yl)phenoxy]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methyl-4-oxo-3,4-dihydrothieno[2,3-d]pyrimidine-6-carboxamide;

$N^1$ -[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-2-hydroxy-3-(isopentylamino)propyl]- $N^3$ , $N^3$ -dipropylbenzene-1,3,5-tricarboxamide;

$N^1$ -[(1S,2R)-1-(3-chloro-5-fluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]- $N^5$ , $N^5$ -dipropylpentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-6-fluoro-2-hydroxyquinoline-4-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-oxo-4-thien-2-ylbutanamide;

$N^3$ -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]amino)carbonyl]- $N^1$ , $N^1$ -dipropyl-beta-alaninamide;

$N^1$ -[(1R,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-[(phenylthio)methyl]propyl]- $N^3$ , $N^3$ -dipropylbenzene-1,3,5-tricarboxamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1R,2S)-1-(hydroxymethyl)-2-methylbutyl]amino]propyl]-5-methyl- $N^3$ , $N^3$ -dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(phenoxyethyl)benzamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]- $N^5$ -(2,4-difluorophenyl)pentanediamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]- $N^5$ -(4,6-dimethylpyrimidin-2-yl)pentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-(3-methoxybenzoyl)-5-methylbenzamide;

$N^1$ -[(1S,2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]- $N^3$ , $N^3$ -dipropylbenzene-1,3,5-tricarboxamide;

4-(3,4-dichlorophenyl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-oxobutanamide;

methyl 4-[(2R,3R)-2-((3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino)-3-hydroxy-4-[(3-methoxybenzyl)amino]butyl]benzoate;  
 $\text{N}^1-(4\text{-acetylphenyl})-\text{N}^5-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[(3\text{-ethylbenzyl)amino}-2\text{-hydroxypropyl}]\}\text{pentanediamide};$   
 $\text{N}^1-\{(1R,2R)-2\text{-hydroxy}-3-[(3\text{-methoxybenzyl)amino}-1-[(phenylthio)methyl]propyl}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $2-[(3-((1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[(3\text{-ethylbenzyl)amino}-2\text{-hydroxypropyl}]\amino)-3\text{-oxopropyl}]\text{thio}-\text{N}\text{-methylbenzamide};$   
 $\text{N}\text{-}\{(1S,2R)-1\text{-benzyl}-2\text{-hydroxy}-3-[(3\text{-methoxybenzyl)amino}]\text{propyl}-3-[(1\text{-propylbutyl)thio}]\text{propanamide};$   
 $\text{N}^1-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[(3\text{-ethylbenzyl)amino}-2\text{-hydroxypropyl}]\text{-N}^4-(4\text{-ethoxyphenyl)succinamide};$   
 $\text{N}^1-\{(1S,2R)-1-[3-(benzyloxy)-5\text{-fluorobenzyl}-2\text{-hydroxy}-3-(isopentylamino)\text{propyl}]\text{-N}^3,\text{N}^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $2-[(2R,3S)-4-(3,5\text{-difluorophenyl})-3-((3\text{-[(dipropylamino)carbonyl]-5\text{-methylbenzoyl}]\amino}-2\text{-hydroxybutyl}]\text{amino}\}\text{ethyl }3\text{-methoxyphenylcarbamate};$   
 $3\text{-}(benzyloxy)-\text{N}\text{-}\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[(3\text{-ethylbenzyl)amino}-2\text{-hydroxypropyl}]\}\text{benzamide};$   
 $\text{N}^1-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy}-3-[(1S)-2\text{-hydroxy-1-methylethyl}]\amino}\text{propyl}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $\text{N}^1-\{(1S,2R)-2\text{-hydroxy-1-(pentafluorobenzyl)}-3-[(3\text{-[trifluoromethyl]benzyl}]\amino}\text{propyl}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $\text{N}\text{-}\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[(3\text{-ethylbenzyl)amino}-2\text{-hydroxypropyl}]-4-(4\text{-hydroxyphenyl})-4\text{-oxobutanamide};$   
 $3-[(\text{dipropylamino})\text{sulfonyl}]\text{-N}\text{-}\{(1S,2R)-2\text{-hydroxy}-3-[(3\text{-methoxybenzyl)amino}-1-[3\text{-[trifluoromethyl]benzyl}]\text{propyl}]\}\text{propanamide};$   
 $\text{N}\text{-}\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[(3\text{-ethylbenzyl)amino}-2\text{-hydroxypropyl}]-3-(\text{piperidin-3-ylsulfonyl})\}\text{benzamide};$   
 $6\text{-chloro-N}\text{-}\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[(3\text{-ethylbenzyl)amino}-2\text{-hydroxypropyl}]-4\text{-hydroxyquinoline-2-carboxamide};$   
 $\text{N}^1-\{(1S,2R)-2\text{-hydroxy-3-[(3\text{-methoxybenzyl)amino}]-1-(thien-2\text{-ylmethyl}]\text{propyl}]\text{-N}^5,\text{N}^5\text{-dipropylpentanediamide};$   
 $\text{N}^1-\{(1S)-1-((1R)-1\text{-hydroxy}-2-[(3\text{-methoxybenzyl)amino}]\text{ethyl}-3\text{-methylbutyl})-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $\text{N}\text{-}\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[(3\text{-ethylbenzyl)amino}-2\text{-hydroxypropyl}]-2-(6\text{-oxo-3-phenylpyridazin-1(6H)-yl})\}\text{acetamide};$

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-{4-[methylsulfonyl]amino}phenyl]propanamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methylbenzyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

3-(2-chlorophenoxy)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]propanamide;

N<sup>1</sup>-[(1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

Structure possibly contains peptides which are not supported in current version!;

1 N-[(1S,2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[dipropylamino)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(4-methylphenyl)-4-oxobutanamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>4</sup>-[3-(trifluoromethyl)phenyl]succinamide;

N<sup>1</sup>-[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(5-pyridin-2-yl-2H-tetraazol-2-yl)acetamide;

Structure possibly contains peptides which are not supported in current version!;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(3-methylbenzyl)propyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]isoxazole-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(3,5-dimethoxyphenoxy)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2,5-dimethyl-1H-pyrrol-1-yl)-3-hydroxybenzamide;

N<sup>1</sup>-[(1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N<sup>1</sup>-[5-(cyclopentylmethyl)-1,3,4-thiadiazol-2-yl]-N<sup>4</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]succinamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-[3-(trifluoromethyl)benzyl]propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(3-oxo-1,2-benzisothiazol-2(3H)-yl)acetamide;

N<sup>1</sup>-{ (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{ [1-methyl-5-(pyrrolidin-1-ylcarbonyl)-1H-pyrrol-3-yl]amino}propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N- { (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(3,4-difluorophenyl)-4-oxobutanamide;

N- { (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(2-naphthyl)-4-oxobutanamide;

N- { (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-4,6-diethoxypyridine-2-carboxamide;

N- { (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(5-methyl-1H-pyrrol-2-yl)-4-oxobutanamide;

N- { (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-({ [2-(methylamino)ethyl]amino}sulfonyl)benzamide;

N- { (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (3-methoxybenzyl)amino]propyl}-3-methyl-5-(4-methylbenzoyl)benzamide;

N<sup>1</sup>-{ (1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-3-(benzylamino)-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N- { (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(piperazin-1-ylsulfonyl)benzamide;

N<sup>1</sup>-{ (1S,2R)-3-({2-[4-(aminosulfonyl)phenyl]ethyl}amino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{ (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[2-hydroxy-1-(hydroxymethyl)ethyl]amino}propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{ (1S,2R)-1-(4-fluoro-3-methylbenzyl)-2-hydroxy-3-(isopentylamino)propyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N- { (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(3-oxo-2,1-benzisothiazol-1(3H)-yl)propanamide;

N- { (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2,6-dihydroxypyrimidin-4-yl)acetamide;

N<sup>1</sup>-{ (1S,2R)-2-hydroxy-3-[ (3-methoxybenzyl)amino]-1-[3-(trifluoromethyl)benzyl]propyl}-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N- { (1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-hydroxybenzyl)propyl}-3-[(dipropylamino)sulfonyl]propanamide;

N- { (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(3,4-difluorophenyl)-2-methyl-4-oxobutanamide;

N<sup>1</sup>-{ (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-

ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>5</sup>-{(2-pyridin-2-ylethyl)pentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[2-(4-fluorophenyl)-1,3-benzoxazol-5-yl]acetamide;

N<sup>2</sup>-(anilinocarbonyl)-N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]glycinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(1,3-dithian-2-yl)-3-furamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[2-oxo-2-(propylamino)ethyl]benzamide;

N-[(1S,2R)-3-(benzylamino)-1-(3-bromobenzyl)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]-3-(2-fluorophenyl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methylthiophene-2-carboxamide;

2-[4-(benzyloxy)phenyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(5,7-dimethyl[1,2,4]triazolo[4,3-a]pyrimidin-3-yl)thio]acetamide;

N<sup>1</sup>-(1-acetyl-2,3-dihydro-1H-indol-7-yl)-N<sup>4</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]succinamide;

N<sup>1</sup>-(3-acetylphenyl)-N<sup>5</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]pentanediamide;

3-(4-chlorophenoxy)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxypropanamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxypropyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methylbenzyl)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-indole-7-carboxamide;

N<sup>1</sup>-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(3-methylbenzyl)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(1,2,3-thiadiazol-4-yl)benzamide;

N-[(1S,2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(4,4-dimethyl-2,5-dioxoimidazolidin-1-yl)-2-[(1-propylbutyl)sulfonyl]methyl]propanamide;

N<sup>1</sup>-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[1-methyl-3-(methylthio)-1H-indol-2-yl]acetamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-dichlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2-furyl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(3-pyridin-2-yl-1,2,4-oxadiazol-5-yl)propanamide;

2-[2-(acetylamino)-1,3-thiazol-4-yl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(4-methyl-4H-1,2,4-triazol-3-yl)thio]-2-phenylacetamide;

N<sup>1</sup>-[(1S,2R)-1-(4-chlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

4-(1,3-benzothiazol-2-yl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]butanamide;

N<sup>1</sup>-(3-chloro-4-fluorophenyl)-N<sup>4</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]succinamide;

N<sup>1</sup>-[(1S,2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(2-oxo-2,3-dihydroquinazolin-4-yl)thio]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-methyl-5-(2-methylbenzoyl)benzamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methylbenzyl)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-propoxybenzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-methyl-1H-indole-2-carboxamide;

5-chloro-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(3-methyl-4H-1,2,4-triazol-4-yl)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(3,4-difluorophenyl)-2-methoxy-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(3-thien-2-yl-1H-pyrazol-1-yl)acetamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>5</sup>-phenylpentanediamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2-thioxo-1,3-benzothiazol-3(2H)-yl)acetamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(cyclohexylmethyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-2-hydroxy-1-(4-methoxybenzyl)-3-[(3-methoxybenzyl)amino]propyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(3-hydroxy-4-methylphenyl)acetamide;

N<sup>1</sup>-[(1S,2R)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-7-fluoro-4H-imidazo[5,1-c][1,4]benzoxazine-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(3,4-dihydro-2H-1,5-benzodioxepin-7-yl)-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-benzofuran-3-carboxamide;

N<sup>1</sup>-(3,4-dichlorophenyl)-N<sup>3</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}malonamide;

N<sup>1</sup>-{(1S,2R)-3-(benzylamino)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1R)-2-hydroxy-1-methylethyl]amino)propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methylbenzyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>5</sup>-pyridin-3-ylpentanediamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methyl-4-oxo-4H-chromene-6-carboxamide;

$\text{N}^1-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy}-3-\{\text{3-}(1\text{H-})$   
 imidazol-1-yl)propyl]amino}propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-  
 dipropylisophthalamide;

$\text{3-}\{(\text{dipropylamino})\text{sulfonyl}\}\text{-N-}\{(1S,2R)-1-[3\text{-fluoro-5-}$   
 (trifluoromethyl)benzyl]-2-hydroxy-3-[ (3-  
 methoxybenzyl)amino]propyl}propanamide;

$\text{3-}\{(\text{dipropylamino})\text{sulfonyl}\}\text{-N-}\{(1S,2R)-2\text{-hydroxy-1-(4-}$   
 hydroxybenzyl)-3-(isopentylamino)propyl]propanamide;

$\text{N}^1-\{(1S,2R)-1-(1,3\text{-benzodioxol-5-ylmethyl})-2\text{-hydroxy-3-}$   
 (isopentylamino)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$\text{3-}\{(\text{dipropylamino})\text{sulfonyl}\}\text{-N-}\{(1S,2R)-2\text{-hydroxy-3-}$   
 (isopentylamino)-1-(thien-2-ylmethyl)propyl]propanamide;

$\text{N-}\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-})$   
 ethylbenzyl)amino]-2-hydroxypropyl}-4-[ (2,2-  
 dimethylpropanoyl)amino]-2-hydroxybenzamide;

$\text{N}^1-\{(1S,2R)-2\text{-hydroxy-3-(isopentylamino)-1-(3-}$   
 methoxybenzyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$\text{N-}\{(1S,2R)-1-(4\text{-fluorobenzyl})-2\text{-hydroxy-3-\{[3-}$   
 (trifluoromethyl)benzyl)amino}propyl)-3-\{[(3-  
 methoxybenzyl)amino]\text{sulfonyl}\}benzamide;

$\text{N}^1-\{(1S,2R)-2\text{-hydroxy-3-(isopentylamino)-1-[3-}$   
 (trifluoromethyl)benzyl]propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-  
 dipropylisophthalamide;

$\text{N-}[6-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-})$   
 ethylbenzyl)amino]-2-hydroxypropyl}amino)-6-oxohexyl]-2-  
 furamide;

$\text{N-}\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-})$   
 ethylbenzyl)amino]-2-hydroxypropyl}-2-[ (1-phenyl-4,5-dihydro-  
 1H-tetraazol-5-yl)thio]acetamide;

$\text{4-acetyl-4-amino-N-}\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-})$   
 ethylbenzyl)amino]-2-hydroxypropyl}cyclohexa-1,5-diene-1-  
 sulfonamide;

$\text{N-}\{(1S,2S)-1\text{-benzyl-2-hydroxy-3-\{[3-}$   
 (trifluoromethyl)benzyl)amino}propyl)-3-\{[(3-  
 methoxybenzyl)amino]\text{sulfonyl}\}benzamide;

$\text{N-}\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-})$   
 ethylbenzyl)amino]-2-hydroxypropyl}-4-(3,4-dihydro-2H-chromen-  
 6-yl)-4-oxobutanamide;

$\text{N}^1-\{(1S,2R)-2\text{-hydroxy-3-(isopentylamino)-1-(3-}$   
 methoxybenzyl)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-  
 tricarboxamide;

$\text{N}^1-\{(1S,2R)-1-(3\text{-fluoro-4-methylbenzyl})-2\text{-hydroxy-3-\{[3-}$   
 methoxybenzyl)amino]propyl}-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

$\text{N-}\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-})$   
 ethylbenzyl)amino]-2-hydroxypropyl}indolizine-2-carboxamide;

$\text{N}^1-\{(1S,2R)-3-(benzylamino)-2\text{-hydroxy-1-[3-}$   
 (trifluoromethoxy)benzyl]propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-  
 dipropylisophthalamide;

$\text{N-}\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-})$   
 ethylbenzyl)amino]-2-hydroxypropyl}nicotinamide 1-oxide;

N-[ (1S, 2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-(isopentylamino)propyl]-3-[(dipropylamino)sulfonyl]propanamide; 2-({(1S, 2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}amino)-2-oxoethyl carbamate; N-{(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,3-dihydro-1H-cyclopenta[b]quinoline-9-carboxamide; N-{(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-methyl-1H-pyrazole-5-carboxamide; N-[5-({(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}amino)-5-oxopentyl]benzamide; N-{(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[(methoxymethyl)thio]benzamide; 3-(1,3-benzothiazol-2-yl)-N-{(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-methoxypropanamide; N-{(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-thien-3-ylpropanamide; N-{(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-pyridin-2-ylthiophene-2-carboxamide; N<sup>1</sup>-{(1S, 2R)-3-(benzylamino)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxypropyl}-N<sup>3</sup>, N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide; N-{(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(5,6-dimethyl-2,4-dioxo-1,2,3,4-tetrahydropyridin-3-yl)acetamide; N<sup>1</sup>-{(1S, 2R)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxy-3-(isopentylamino)propyl}-5-methyl-N<sup>3</sup>, N<sup>3</sup>-dipropylisophthalamide; N-{(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-isobutyl-1,3-dioxoisooindoline-5-carboxamide; 3-[( {(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}amino)sulfonyl]benzoic acid; 5-(acetylamino)-N-{(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-furamide; N<sup>1</sup>-{(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-[(4-methoxyphenyl)acetyl]glycinamide; N-{(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}isoquinoline-4-carboxamide; N<sup>1</sup>-[(1S, 2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-N<sup>3</sup>, N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide; N-{(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(4-hydroxy-3-

methoxyphenyl)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(4-phenyl-4H-1,2,4-triazol-3-yl)thio]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(3,5-dimethoxyphenyl)acetamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methoxybenzyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(2-ethyl-4H-[1,2,4]triazolo[1,5-a]benzimidazol-4-yl)acetamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(2-furylmethyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

7-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-benzofuran-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(2-oxo-2H-1,3-benzoxazin-3(4H)-yl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(pyrimidin-2-ylthio)acetamide;

N<sup>1</sup>-[3-(aminocarbonyl)-4,5,6,7-tetrahydro-1-benzothien-2-yl]-N<sup>4</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]succinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(5-phenyl-1,3,4-oxadiazol-2-yl)thio]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]quinoline-6-carboxamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(2-furylmethyl)-2-hydroxypropyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2,3-dihydro-1,4-benzodioxin-6-yl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(1H-indol-3-yl)-1H-pyrazole-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-4-{[(methylamino)carbonothioyl]amino}benzamide;

6-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]nicotinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(3-hydroxyphenyl)-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(phthalazin-1-ylthio)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[1-oxidopyridin-2-yl]thio)acetamide;

3-(acetylamino)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-fluoro-1H-indole-2-carboxamide;

N-((1S,2S)-1-benzyl-2-hydroxy-3-[(3-(trifluoromethyl)benzyl)amino]propyl)-3-[(3-chlorobenzyl)amino]sulfonyl)benzamide;

N<sup>1</sup>-{(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-3-(benzylamino)-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

4-(3,4-dichlorophenyl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-hydroxy-3-methyl-4-oxobutanamide;

3-[(dipropylamino)sulfonyl]-N-{(1S,2R)-2-hydroxy-3-(isopentylamino)-1-[3-(trifluoromethoxy)benzyl]propyl}propanamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>4</sup>-(5-methyl-1,3,4-thiadiazol-2-yl)succinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2-ethyl-1H-benzimidazol-1-yl)acetamide;

N-{(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-[(dipropylamino)sulfonyl]propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(2-oxo-1,3-benzoxazol-3(2H)-yl)propanamide;

N-[(1S,2R)-1-(3,5-dichlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>4</sup>-(6-methylpyridin-2-yl)succinamide;

ethyl (4R)-4-[(({1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}amino)carbonyl]-1,3-oxazolidine-3-carboxylate;

N-{(1R,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-glycylbenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(1-methyl-1H-imidazol-2-yl)benzamide;

4-(acetylamino)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}butanamide trifluoroacetate;

$N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino}]-2\text{-hydroxypropyl}\}-N^2\{- [(3S)\text{-tetrahydrofuran-3-yloxy}]\text{carbonyl}\}\text{-D-leucinamide};$   
 $N\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino}]-2\text{-hydroxypropyl}\}-3\text{-}(pyrrolidin-3-ylsulfonyl)\text{benzamide};$   
 $N\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[ (3-methoxybenzyl)amino]propyl}\}-3\text{-}[(dipropylamino)methyl]\text{benzamide};$   
 $N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[ (1R)-1-(hydroxymethyl)-3-methylbutyl]amino}]\text{propyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $N^1\{- (1S,2R)-3-[tert-butyl(cyclohexyl)amino]-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[ (1S)-1-(hydroxymethyl)-2,2-dimethylpropyl]amino}]\text{propyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ [ (2R)-1-(ethylpyrrolidin-2-yl)methyl]amino]-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ [3-(dimethylamino)-2,2-dimethylpropyl]amino]-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ [2-(diisopropylamino)ethyl]amino]-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ [(1-ethylpyrrolidin-2-yl)methyl]amino]-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $N^1\{- (1S,2R)-3-[ [(1-benzylpyrrolidin-3-yl)amino]-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[ (3-pyrrolidin-1-ylpropyl)amino]propyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ [3-(dimethylamino)propyl]amino]-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $N^1\{- (1S,2R)-3-[ [2-(acetylamino)ethyl]amino]-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $N^1\{- (1S,2R)-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[ [2-(6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)phenyl]amino}]\text{propyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $N^1\{- (1S,2R)-3-[ [7-chloro-1-(2-hydroxy-3-methoxyphenyl)-3,4-dihydroisoquinolin-2(1H)-yl]-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$   
 $N^1\{- (1S,2R)-3-[ [4-(1-cyanocyclopentyl)phenyl]amino]-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxypropyl}\}-5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide};$

$N^1$ -[(1S,2R)-3-({4-[4-(acetylamino)phenoxy]phenyl}amino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-3-[(4-benzoyl-2,3-dimethylphenyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-3-[(2-amino-2-oxo-1-phenylethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{4-[(1-methyl-1H-imidazol-2-yl)methyl]piperazin-1-yl}propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -((1S,2R)-1-[3,5-bis(trifluoromethyl)benzyl]-2-hydroxy-3-{[3-(trifluoromethyl)benzyl]amino}propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

(1S,2R)-N<sup>1</sup>-[2-(tert-butylthio)ethyl]-N<sup>2</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}cyclopropane-1,2-dicarboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4,5-dihydroronaphtho[2,1-d]isoxazole-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-methyl-1H-benzo[g]indazole-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methyl-1,3-thiazole-4-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-methoxy-1H-pyrrole-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-9-oxo-1,2,3,9-tetrahydrocyclopenta[b]chromene-7-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2-oxo-2,3-dihydro-1H-benzimidazol-5-yl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)acetamide;

2-[2-(1,3-benzoxazol-2-yl)phenoxy]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;

5-chloro-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-morpholin-4-ylbenzamide;

3-(3-chloroisoxazol-5-yl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(6-methoxy-1,1'-biphenyl-3-yl)-4-oxobutanamide;

4-(1-benzofuran-2-yl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-oxo-1,2,3,4-tetrahydroquinoline-3-carboxamide;

2-(1-benzofuran-2-yl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methylpropanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-6-methoxy-1-benzofuran-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[4-(1H-pyrrol-1-yl)phenyl]propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1H-imidazo[1,2-b]pyrazole-6-carboxamide;

(O) N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[ (4-methyl-1,3-thiazol-2-yl)thio]acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methoxy-4-(methylthio)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-hydroxy-4-(propionylamino)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-6-{[(4-methylphenyl)sulfonyl]amino}-4-oxohexanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1H-benzimidazole-5-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methyl-2-(1-oxo-1,3-dihydro-2H-isoindol-2-yl)propanamide;

7-(acetylamino)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methylquinoline-5-carboxamide;

N<sup>3</sup>-(tert-butoxycarbonyl)-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-b-alaninamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-hydroxy-3-propylhexanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-phenyl-2-(1H-pyrrol-1-yl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1-methyl-5-phenyl-1H-pyrazole-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(3-oxo-2,3-dihydro-1H-isoindol-1-yl)acetamide;

4-[2-(acetylamino)-4,5-dimethylphenyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-oxobutanamide;

6-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]pyrazine-2-carboxamide 4-oxide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-6-methoxypyrazine-2-carboxamide 4-oxide;

2-(1H,1'H-2,2'-biimidazol-1-yl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]acetamide;

5-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,3-dihydro-1-benzofuran-7-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-([1,2,4]triazolo[4,3-b]pyridazin-6-ylthio)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methyl-1-pyridin-4-yl-1H-1,2,3-triazole-4-carboxamide;

2-butyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-oxo-3,4-dihydroquinazoline-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(7-methoxy-1-benzofuran-2-yl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(2-ethyl-1-oxo-2,3-dihydro-1H-isoindol-5-yl)oxy]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]pyrazine-2-carboxamide 4-oxide;

7-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]quinoline-2-carboxamide;

2-cyano-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(3,4-dimethoxyphenyl)-2-methylpropanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-5-(propionylamino)benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[2-oxo-5-(trifluoromethyl)pyridin-1(2H)-yl]propanamide;

5-(4-chlorophenyl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-furamide;

4-cyano-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(1H-pyrrol-1-yl)thiophene-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3,5-bis(methylthio)isothiazole-4-carboxamide;

2-chloro-4-cyano-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(methoxyacetyl)amino]-3-phenylpropanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-fluoro-4-morpholin-4-ylbenzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(1-oxidothiomorpholin-4-yl)butanamide;

4-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,3-dimethyl-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

N-[2-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino]carbonylphenyl]-5-methyl-2-furamide;

1-(cyanomethyl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-pyrrole-2-carboxamide;

N<sup>1</sup>-(2-chloropyridin-3-yl)-N<sup>4</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]succinamide;

3-(cyclopentyloxy)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-methoxybenzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(5-pyrrolidin-1-yl-2H-tetraazol-2-yl)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,5-dimethyl-1-phenyl-1H-pyrrole-3-carboxamide;

1-(4-acetylphenyl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]piperidine-4-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-methyl-2-(1H-1,2,4-triazol-1-yl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-(piperidin-1-ylmethyl)-2-furamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-methyl-2,3-dihydro-1-benzothiophene-2-carboxamide 1,1-dioxide;

2-(2,1,3-benzoxadiazol-5-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,3-thiazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4,5-dihydrofuro[2,3-g][2,1]benzisoxazole-8-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(4-methyl-1,2,3-thiadiazol-5-yl)thio]acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(2-furoyl)-4-hydroxyprolinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-oxo-4,5,6,7-tetrahydro-1-benzofuran-3-carboxamide;

4,5-dichloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)isothiazole-3-carboxamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N<sup>5</sup>-(1,3-thiazol-2-yl)pentanediamide;

N-acetyl-4-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)phenylalaninamide;

8-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxycinnoline-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,6-dioxohexahydropyrimidine-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(5-methyl-4-phenyl-1,3-oxazol-2-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-phenylimidazo[1,2-a]pyridine-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[3-(4-methoxyphenyl)-1,2,4-oxadiazol-5-yl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(4-methyl-1,2,3-thiadiazol-5-yl)-1,3-thiazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-2-phenyl-2H-1,2,3-triazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3-pyridin-2-yl-1,2,4-oxadiazol-5-yl)butanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,3-dimethyl-1H-thieno[2,3-c]pyrazole-5-carboxamide;

4-(1,3-benzodioxol-5-yl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]butanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-5-(4-methyl-1,2,3-thiadiazol-5-yl)isoxazole-4-carboxamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-(dimethylamino)-1-methylethyl)amino]-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(2-methylmorpholin-4-yl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[2-hydroxy(phenyl)methyl]-4-methylpiperazin-1-yl}propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2R)-2-methylbutyl]amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-3-[(4-(diethylamino)-1-methylbutyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-hydroxy-1,1-dimethylethyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(2-methylpiperidin-1-yl)propyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methyl-4,5,6,7-tetrahydro-3H-3lambda4-[1,3]thiazolo[5,4-c]pyridin-2-yl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-3-[(3-ethylbenzyl)amino]-2-hydroxy-1-(1H-pyrazol-1-ylmethyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

3,5-bis(acetylamino)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide;

N<sup>1</sup>-[4-(aminosulfonyl)phenyl]-N<sup>4</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]succinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[methyl(methylsulfonyl)amino]benzamide;

1-acetyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]piperidine-4-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(4-methoxyphenoxy)propanamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>4</sup>-methyllumicinamide;

$N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-N^4-(2,6\text{-dimethylphenyl})succinamide;$

$N\text{-acetyl-}N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}\text{-D-phenylalaninamide;}$

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-2-[(4-methylphenyl)sulfonyl]acetamide;$

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-2-\{[(ethylamino)carbonyl]amino\}benzamide;$

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-1-phenyl-1,4,5,6-tetrahydrocyclopenta[c]pyrazole-3-carboxamide;$

$4-(cyclopentyloxy)\text{-}N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}\text{benzamide;}$

$N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-N^4\text{-pyridin-3-ylsuccinamide;}$

$N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-N^4\text{-phenylsuccinamide;}$

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-3,4\text{-dihydroxybenzamide;}$

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-5-(1H-1,2,4-triazol-1-yl)pentanamide;$

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-2-phenyl-1,3-oxazole-4-carboxamide;$

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-7-methoxy-4-oxo-1,2,3,4-tetrahydronaphthalene-2-carboxamide;$

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-4-[4-[(methylsulfonyl)amino]phenyl]-4-oxobutanamide;$

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-4-hydroxy-7-methoxy-1-benzofuran-5-carboxamide;$

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-4-hydroxy-7-methoxy-1-benzothiophene-5-carboxamide;$

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-3,6,6\text{-trimethyl-4-oxo-4,5,6,7-tetrahydro-1-benzofuran-2-carboxamide;}$

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-5,6\text{-dihydro-4H-cyclopenta[b]thiophene-2-carboxamide;}$

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-1,3-thiazole-4-carboxamide;$

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(2-pyridin-2-yl-1,3-thiazol-4-yl)acetamide;

N<sup>1</sup>-[5-(aminosulfonyl)-1,3,4-thiadiazol-2-yl]-N<sup>4</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]succinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-hydroxy-6-neopentylpyridine-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-(4-fluorophenyl)-1,4,5,6-tetrahydrocyclopenta[c]pyrazole-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-methyl-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a]azepine-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-methyl-3-furamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-furamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2-hydroxyethoxy)benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]thiophene-2-carboxamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>2</sup>,N<sup>2</sup>-dimethylphthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methyl-2-phenyl-1,3-oxazole-4-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)-2-hydroxybutanamide;

2-(2H-1,2,3-benzotriazol-2-yl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]butanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-indazole-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-hydroxyquinoxaline-2-carboxamide;

2-(acetylamino)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4,5-dimethylthiophene-3-carboxamide;

N<sup>1</sup>-(2-cyanophenyl)-N<sup>4</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]succinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-ethyl-1H-indole-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-benzofuran-2-carboxamide;

1-benzyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3,5-dimethyl-1H-pyrazole-4-carboxamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-[(4-methylphenyl)sulfonyl]glicinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4,8-dihydroxyquinoline-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(1,1-dioxidotetrahydrothien-3-yl)acetamide;

methyl 5-[{[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino}carbonyl]-1H-benzimidazol-2-ylcarbamate;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(2-methyl-1,3-benzoxazol-5-yl)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[ethyl(methyl)amino]-4-hydroxypyrimidine-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(2-pyridin-4-yl-1,3-benzoxazol-5-yl)acetamide;

4-[2-(diethylamino)ethoxy]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide;

3-(aminosulfonyl)-4-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide;

2-(diethylamino)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-hydroxypyrimidine-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5,6,7,8-tetrahydro-4H-cyclohepta[c]isoxazole-3-carboxamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>4</sup>,N<sup>4</sup>-diphenylsuccinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-6-hydroxy-4-methylpyridine-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-phenylimidazo[1,2-a]pyridine-7-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]quinoline-4-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(1,3-dimethyl-2,6-dioxo-1,2,3,6-tetrahydro-9H-purin-9-yl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methoxy-1H-indole-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(3,5-dimethyl-1H-pyrazol-1-yl)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methylisoxazole-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-methylisoxazole-5-carboxamide;

2-(1-benzothien-4-yl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-methyl-4-oxo-4,5,6,7-tetrahydro-1H-indole-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-benzothiophene-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-hydroxynicotinamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-[(4-methylphenyl)sulfonyl]-beta-alanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-hydroxyquinoline-4-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(5-phenyl-1H-tetraazol-1-yl)acetamide;

4-[(cyclobutylcarbonyl)amino]methyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(2-oxo-1,3-benzoxazol-3(2H)-yl)butanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(1,3-dioxooctahydro-2H-isoindol-2-yl)butanamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-(tetrahydrofuran-2-ylmethyl)phthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(2,3-dihydro-1H-indol-1-yl)-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}thieno[3,2-b]pyridine-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(6-methoxy-1H-benzimidazol-2-yl)thio]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]thieno[2,3-c]pyridine-2-carboxamide;

2-(1H-benzimidazol-2-ylthio)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(2,4-difluorobenzyl)oxy]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5,6-dimethyl-4-oxo-3,4-dihydrothieno[2,3-d]pyrimidine-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-(2-fluorophenyl)-5-oxopyrrolidine-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(5-methyl-1H-tetraazol-1-yl)benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(4,4-dimethyl-4,5-dihydro-1,3-oxazol-2-yl)thiophene-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-(trifluoromethoxy)-1H-indole-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-phenyl-5-propyl-1H-pyrazole-4-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[(pyridin-2-ylthio)methyl]-2-furamide;

5-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-morpholin-4-ylpyrimidine-4-carboxamide;

5-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-methyl-1,2,3-thiadiazole-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,1,3-benzoxadiazole-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(imidazo[1,2-a]pyridin-2-ylmethyl)thio]acetamide;

2-(acetylamino)-N-[(1R,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]-1,3-oxazole-4-carboxamide;

N-[(1S,2R)-1-[3-(cyclohexylmethyl)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]acetamide;

1 2-{[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]amino}carbonyl]amino}-N,N-dipropylethanesulfonamide;

2-(3-azabicyclo[3.2.2]non-3-yl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]acetamide;

2-(4-benzoylphenoxy)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]-4-(7-methoxy-2,3-dihydro-1-benzofuran-4-yl)-4-oxobutanamide;

N-[(1S,2R)-1-[3-(cyclohexylmethyl)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(trifluoromethyl)sulfonyl]amino]benzamide;

N<sup>1</sup>-[(1S,2R)-1-[3-(cyclohexylmethyl)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

3-chloro-N-[(1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-[(3-trifluoromethyl)benzyl]amino]propyl]benzamide;

3-chloro-N-[(1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]benzamide;

3-chloro-N-[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-trifluoromethyl)benzyl]amino]propyl]benzamide;

3-chloro-N-[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]benzamide;

N-[(1S,2S)-1-benzyl-2-hydroxy-3-[(3-trifluoromethyl)benzyl]amino]propyl]-3-chlorobenzamide;

N-[(1S,2S)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-chlorobenzamide;

3-[(3-chlorobenzyl)amino]sulfonyl]-N-[(1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-[(3-trifluoromethyl)benzyl]amino]propyl]benzamide;

3-[(3-chlorobenzyl)amino]sulfonyl]-N-[(1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]benzamide;

3-[(3-chlorobenzyl)amino]sulfonyl]-N-[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-trifluoromethyl)benzyl]amino]propyl]benzamide;

3-[(3-chlorobenzyl)amino]sulfonyl]-N-[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]benzamide;

N-[(1S,2S)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(3-chlorobenzyl)amino]sulfonyl]benzamide;

N-{(1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-[(3-methoxybenzyl)amino]sulfonyl}benzamide;

N-{(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-(trifluoromethyl)benzyl)amino]propyl}-3-[(3-methoxybenzyl)amino]sulfonyl}benzamide;

N-{(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-[(3-methoxybenzyl)amino]sulfonyl}benzamide;

N-{(1S,2S)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-[(3-methoxybenzyl)amino]sulfonyl}benzamide;

N<sup>1</sup>-[(1R,2S)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N<sup>1</sup>-[(1R,2S)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N<sup>1</sup>-[(1R,2S)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1R,2S)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1R,2S)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N<sup>1</sup>-[(1R,2S)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

3-[(dipropylamino)sulfonyl]-N-[(1R,2S)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]propanamide;

3-[(dipropylamino)sulfonyl]-N-[(1R,2S)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]propanamide;

N<sup>1</sup>-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methylbenzyl)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N<sup>1</sup>-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methylbenzyl)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]propanamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-(4,5-dimethyl-2-furoyl)-5-methylbenzamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-2-hydroxy-3-(isopentylsulfonyl)propanamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-[(2-methoxyethyl)(propyl)amino]sulfonyl}propanamide;

$N^1-\{(1R,2R)-3-(benzylamino)-2-hydroxy-1-[(phenylthio)methyl]propyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1R,2R)-2-hydroxy-3-(isopentylamino)-1-[(phenylthio)methyl]propyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S,2R)-3-(benzylamino)-1-[4-(benzyloxy)benzyl]-2-hydroxypropyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S,2R)-1-[4-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(1-naphthylmethyl)propyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(1-naphthylmethyl)propyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S,2R)-1-(2-furylmethyl)-2-hydroxy-3-(isopentylamino)propyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S,2R)-3-(benzylamino)-1-[3-(benzyloxy)benzyl]-2-hydroxypropyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S,2R)-2-hydroxy-1-(4-hydroxybenzyl)-3-(isopentylamino)propyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S)-1-\{(1R)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl\}but-3-ynyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S)-1-\{(1R)-2-(benzylamino)-1-hydroxyethyl\}but-3-ynyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S)-1-\{(1R)-1-hydroxy-2-(isopentylamino)ethyl\}but-3-ynyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S,2R)-3-(benzylamino)-1-(cyclohexylmethyl)-2-hydroxypropyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-(isopentylamino)propyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S)-1-\{(1R)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl\}-3-methylbutyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1S)-1-\{(1R)-1-hydroxy-2-(isopentylamino)ethyl\}-3-methylbutyl\}-N^3,N^3\text{-dipropylbenzene-1,3,5-tricarboxamide};$   
 $N^1-\{(1R,2R)-3-(benzylamino)-2-hydroxy-1-[(phenylthio)methyl]propyl\}-5-methyl-N^3,N^3\text{-dipropylisophthalamide};$


$N^1\text{-}\{(1R,2R)\text{-}2\text{-hydroxy}-3\text{-}(isopentylamino)\text{-}1\text{-}[(phenylthio)methyl]propyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}3\text{-}(benzylamino)\text{-}1\text{-}[4\text{-}(benzyloxy)benzyl]\text{-}2\text{-}hydroxypropyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}[4\text{-}(benzyloxy)benzyl]\text{-}2\text{-}hydroxy-3\text{-}(isopentylamino)propyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}2\text{-}hydroxy-3\text{-}[(3-methoxybenzyl)amino]\text{-}1\text{-}(1\text{-}naphthylmethyl)propyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}3\text{-}(benzylamino)\text{-}2\text{-}hydroxy-1\text{-}(1\text{-}naphthylmethyl)propyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}2\text{-}hydroxy-3\text{-}(isopentylamino)\text{-}1\text{-}(1\text{-}naphthylmethyl)propyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(2-furylmethyl)\text{-}2\text{-}hydroxy-3\text{-}(isopentylamino)propyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}3\text{-}(benzylamino)\text{-}1\text{-}[3\text{-}(benzyloxy)benzyl]\text{-}2\text{-}hydroxypropyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}[3\text{-}(benzyloxy)benzyl]\text{-}2\text{-}hydroxy-3\text{-}(isopentylamino)propyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(4-fluorobenzyl)\text{-}2\text{-}hydroxy-3\text{-}(isopentylamino)propyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}2\text{-}hydroxy-3\text{-}(isopentylamino)\text{-}1\text{-}(thien-2\text{-}ylmethyl)propyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S)\text{-}1\text{-}\{(1R)\text{-}1\text{-}hydroxy-2\text{-}[(3-methoxybenzyl)amino]ethyl\}\text{but-3-ynyl}\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S)\text{-}1\text{-}\{(1R)\text{-}2\text{-}(benzylamino)\text{-}1\text{-}hydroxyethyl\}\text{but-3-ynyl}\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S)\text{-}1\text{-}\{(1R)\text{-}1\text{-}hydroxy-2\text{-}(isopentylamino)ethyl\}\text{but-3-ynyl}\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(cyclohexylmethyl)\text{-}2\text{-}hydroxy-3\text{-}(isopentylamino)propyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1S)\text{-}1\text{-}\{(1R)\text{-}1\text{-}hydroxy-2\text{-}(isopentylamino)ethyl\}\text{-}3\text{-}methylbutyl\}\text{-}5\text{-methyl-N}^3,N^3\text{-dipropylisophthalamide;}$   
 $N^1\text{-}\{(1R,2R)\text{-}2\text{-}hydroxy-3\text{-}[(3-methoxybenzyl)amino]\text{-}1\text{-}[(phenylthio)methyl]propyl\}\text{-N}^5,N^5\text{-dipropylpentanediamide;}$   
 $N^1\text{-}\{(1R,2R)\text{-}3\text{-}(benzylamino)\text{-}2\text{-}hydroxy-1\text{-}[(phenylthio)methyl]propyl\}\text{-N}^5,N^5\text{-dipropylpentanediamide;}$   
 $N^1\text{-}\{(1R,2R)\text{-}2\text{-}hydroxy-3\text{-}(isopentylamino)\text{-}1\text{-}[(phenylthio)methyl]propyl\}\text{-N}^5,N^5\text{-dipropylpentanediamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}3\text{-}(benzylamino)\text{-}1\text{-}[4\text{-}(benzyloxy)benzyl]\text{-}2\text{-}hydroxypropyl\}\text{-N}^5,N^5\text{-dipropylpentanediamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}[4\text{-}(benzyloxy)benzyl]\text{-}2\text{-}hydroxy-3\text{-}(isopentylamino)propyl\}\text{-N}^5,N^5\text{-dipropylpentanediamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}2\text{-}hydroxy-3\text{-}[(3-methoxybenzyl)amino]\text{-}1\text{-}(1\text{-}naphthylmethyl)propyl\}\text{-N}^5,N^5\text{-dipropylpentanediamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}3\text{-}(benzylamino)\text{-}2\text{-}hydroxy-1\text{-}(1\text{-}naphthylmethyl)propyl\}\text{-N}^5,N^5\text{-dipropylpentanediamide;}$

$N^1$ -[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(1-naphthylmethyl)propyl]- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -[(1S,2R)-3-(benzylamino)-1-(2-furylmethyl)-2-hydroxypropyl]- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -[(1S,2R)-1-(2-furylmethyl)-2-hydroxy-3-(isopentylamino)propyl]- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -{(1S,2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -{(1S,2R)-3-(benzylamino)-1-[3-(benzyloxy)benzyl]-2-hydroxypropyl}- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -[(1S,2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -[(1S,2R)-3-(benzylamino)-1-(4-fluorobenzyl)-2-hydroxypropyl]- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -[(1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(thien-2-ylmethyl)propyl]- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(thien-2-ylmethyl)propyl]- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-hydroxybenzyl)propyl]- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -[(1S,2R)-2-hydroxy-1-(4-hydroxybenzyl)-3-(isopentylamino)propyl]- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -{[(1S)-1-(1R)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl]but-3-ynyl}- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-isopropylbenzyl)propyl]- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -{[(1S)-1-[(1R)-2-(benzylamino)-1-hydroxyethyl]but-3-ynyl}- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-isopropylbenzyl)propyl]- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -{[(1S)-1-[(1R)-1-hydroxy-2-(isopentylamino)ethyl]but-3-ynyl}- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -{[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -{[(1S,2R)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}- $N^5,N^5$ -dipropylpentanediamide;  
 $N$ -[(1S,2R)-1-(4-chlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-3-[(dipropylamino)sulfonyl]propanamide;  
 $N^1$ -[(1S,2R)-3-(benzylamino)-1-(cyclohexylmethyl)-2-hydroxypropyl]- $N^5,N^5$ -dipropylpentanediamide;  
 $N^1$ -{[(1S,2R)-3-(benzylamino)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxypropyl}- $N^5,N^5$ -dipropylpentanediamide;

N-[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-3-(benzylamino)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;  
 N<sup>1</sup>-[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 N<sup>1</sup>-[(1S,2R)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 N-[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-3-[(dipropylamino)sulfonyl]propanamide;  
 N<sup>1</sup>-{(1S)-1-{(1R)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl}-3-methylbutyl}-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 N<sup>1</sup>-{(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-[3-(trifluoromethoxy)benzyl]propyl}-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 3-[(dipropylamino)sulfonyl]-N-{(1S,2R)-1-(4-fluoro-3-methylbenzyl)-2-hydroxy-3-(3-methoxybenzyl)amino}propylpropanamide;  
 N<sup>1</sup>-{(1S)-1-{(1R)-2-(benzylamino)-1-hydroxyethyl}-3-methylbutyl}-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 N<sup>1</sup>-{(1S,2R)-3-(benzylamino)-2-hydroxy-1-[3-(trifluoromethoxy)benzyl]propyl}-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 N-[(1S,2R)-3-(benzylamino)-1-(4-fluoro-3-methylbenzyl)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;  
 N<sup>1</sup>-{(1S)-1-{(1R)-1-hydroxy-2-(isopentylamino)ethyl}-3-methylbutyl}-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 N<sup>1</sup>-{(1S,2R)-2-hydroxy-3-(isopentylamino)-1-[3-(trifluoromethoxy)benzyl]propyl}-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-1-(4-fluoro-3-methylbenzyl)-2-hydroxy-3-(isopentylamino)propyl]propanamide;  
 3-[(dipropylamino)sulfonyl]-N-[(1R,2R)-2-hydroxy-3-(3-methoxybenzyl)amino]-1-[(phenylthio)methyl]propylpropanamide;  
 N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(3-fluoro-4-methylbenzyl)-2-hydroxypropyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 N-[(1R,2R)-3-(benzylamino)-2-hydroxy-1-[(phenylthio)methyl]propyl]-3-[(dipropylamino)sulfonyl]propanamide;  
 N-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-[3-(trifluoromethyl)benzyl]propyl]-3-[(dipropylamino)sulfonyl]propanamide;  
 N<sup>1</sup>-[(1S,2R)-1-(3-fluoro-4-methylbenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 3-[(dipropylamino)sulfonyl]-N-[(1R,2R)-2-hydroxy-3-(isopentylamino)-1-[(phenylthio)methyl]propyl]propanamide;  
 3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-[3-(trifluoromethyl)benzyl]propyl]propanamide;  
 N<sup>1</sup>-[(1S,2R)-2-hydroxy-1-(4-methoxybenzyl)-3-[(3-methoxybenzyl)amino]propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N-[ (1S, 2R) -3-(benzylamino)-2-hydroxy-1-(3-methylbenzyl)propyl]-3-[ (dipropylamino)sulfonyl]propanamide;  
 N-[ (1S, 2R) -3-(benzylamino)-1-[4-(benzyloxy)benzyl]-2-hydroxypropyl]-3-[ (dipropylamino)sulfonyl]propanamide;  
 N<sup>1</sup>-[ (1S, 2R) -3-(benzylamino)-2-hydroxy-1-(4-methoxybenzyl)propyl]-N<sup>5</sup>, N<sup>5</sup>-dipropylpentanediamide;  
 3-[ (dipropylamino)sulfonyl]-N-[ (1S, 2R) -2-hydroxy-3-(isopentylamino)-1-(3-methylbenzyl)propyl]propanamide;  
 N-[ (1S, 2R) -1-[4-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-3-[ (dipropylamino)sulfonyl]propanamide;  
 N<sup>1</sup>-[ (1S, 2R) -2-hydroxy-3-(isopentylamino)-1-(4-methoxybenzyl)propyl]-N<sup>5</sup>, N<sup>5</sup>-dipropylpentanediamide;  
 N-[ (1S, 2R) -3-(benzylamino)-2-hydroxy-1-(1-naphthylmethyl)propyl]-3-[ (dipropylamino)sulfonyl]propanamide;  
 N-[ (1S, 2R) -3-(benzylamino)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxypropyl]-3-[ (dipropylamino)sulfonyl]propanamide;  
 N<sup>1</sup>-{ (1S, 2R) -1-(4-chlorobenzyl)-2-hydroxy-3-[ (3-methoxybenzyl)amino]propyl}-N<sup>5</sup>, N<sup>5</sup>-dipropylpentanediamide;  
 3-[ (dipropylamino)sulfonyl]-N-[ (1S, 2R) -2-hydroxy-3-(isopentylamino)-1-(1-naphthylmethyl)propyl]propanamide;  
 3-[ (dipropylamino)sulfonyl]-N-[ (1S, 2R) -1-(3-fluoro-4-methoxybenzyl)-2-hydroxypropyl]-3-[ (3-methoxybenzyl)amino]propyl]propanamide;  
 N<sup>1</sup>-[ (1S, 2R) -3-(benzylamino)-1-(4-chlorobenzyl)-2-hydroxypropyl]-N<sup>5</sup>, N<sup>5</sup>-dipropylpentanediamide;  
 N-[ (1S, 2R) -3-(benzylamino)-1-(2-furylmethyl)-2-hydroxypropyl]-3-[ (dipropylamino)sulfonyl]propanamide;  
 N-[ (1S, 2R) -3-(benzylamino)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxypropyl]-3-[ (dipropylamino)sulfonyl]propanamide;  
 N<sup>1</sup>-[ (1S, 2R) -1-(4-chlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N<sup>5</sup>, N<sup>5</sup>-dipropylpentanediamide;  
 3-[ (dipropylamino)sulfonyl]-N-[ (1S, 2R) -1-(2-furylmethyl)-2-hydroxy-3-(isopentylamino)propyl]propanamide;  
 3-[ (dipropylamino)sulfonyl]-N-[ (1S, 2R) -1-(3-fluoro-4-methoxybenzyl)-2-hydroxy-3-(isopentylamino)propyl]propanamide;  
 N<sup>1</sup>-{ (1S, 2R) -1-(1, 3-benzodioxol-5-ylmethyl)-2-hydroxy-3-[ (3-methoxybenzyl)amino]propyl}-N<sup>5</sup>, N<sup>5</sup>-dipropylpentanediamide;  
 N-[ (1S, 2R) -1-(3, 5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl]-2-phenyl-2-(4H-1, 2, 4-triazol-3-ylthio)acetamide;  
 N<sup>1</sup>-[ (1S, 2R) -1-(1, 3-benzodioxol-5-ylmethyl)-3-(benzylamino)-2-hydroxypropyl]-N<sup>5</sup>, N<sup>5</sup>-dipropylpentanediamide;  
 1-acetyl-N-[ (1S, 2R) -1-(3, 5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl]-2-phenylprolinamide;  
 N-[ (1S, 2R) -3-(benzylamino)-1-[3-(benzyloxy)benzyl]-2-hydroxypropyl]-3-[ (dipropylamino)sulfonyl]propanamide;

$N^1$ -[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-2-hydroxy-3-(isopentylamino)propyl]- $N^5,N^5$ -dipropylpentanediamide;



$N$ -[(1S,2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-3-[dipropylamino]sulfonylpropanamide;

$N^1$ -[(1S,2R)-1-(4-fluoro-3-methylbenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]- $N^5,N^5$ -dipropylpentanediamide;

$N$ -[(1S,2R)-3-(benzylamino)-1-(4-fluorobenzyl)-2-hydroxypropyl]-3-[dipropylamino]sulfonylpropanamide;

$N^1$ -[(1S,2R)-3-(benzylamino)-1-(4-fluoro-3-methylbenzyl)-2-hydroxypropyl]- $N^5,N^5$ -dipropylpentanediamide;

3-[dipropylamino]sulfonyl-N-[(1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]propanamide;

$N'$ -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3R,4S)-3-(hydroxymethyl)-6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)propyl)-5-methyl-N,N-dipropylisophthalamide;

$N^1$ -[(1S,2R)-1-(4-fluoro-3-methylbenzyl)-2-hydroxy-3-(isopentylamino)propyl]- $N^5,N^5$ -dipropylpentanediamide;

$N'$ -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3R,4S)-6-isopropyl-3-methyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)propyl)-5-methyl-N,N-dipropylisophthalamide;

$N$ -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(thien-2-ylmethyl)propyl]-3-[dipropylamino]sulfonylpropanamide;

$N^1$ -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-[3-(trifluoromethyl)benzyl]propyl]- $N^5,N^5$ -dipropylpentanediamide;

3-[dipropylamino]sulfonyl-N-[(1S)-1-[(1R)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl]but-3-ynyl]propanamide;

$N'$ -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3R,4S)-6-isopropyl-2,2-dioxido-3-propyl-3,4-dihydro-1H-isothiochromen-4-yl]amino)propyl)-5-methyl-N,N-dipropylisophthalamide;

$N^1$ -[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-[3-(trifluoromethyl)benzyl]propyl]- $N^5,N^5$ -dipropylpentanediamide;

$N$ -[(1S)-1-[(1R)-2-(benzylamino)-1-hydroxyethyl]but-3-ynyl]-3-[dipropylamino]sulfonylpropanamide;

$N^1$ -[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(3-methylbenzyl)propyl]- $N^5,N^5$ -dipropylpentanediamide;

3-[dipropylamino]sulfonyl-N-[(1S)-1-[(1R)-1-hydroxy-2-(isopentylamino)ethyl]but-3-ynyl]propanamide;

$N'$ -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3S,4R)-3-(hydroxymethyl)-6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)propyl)-5-methyl-N,N-dipropylisophthalamide;

$N^1$ -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methylbenzyl)propyl]- $N^5,N^5$ -dipropylpentanediamide;

N'-(*(1S,2R)*-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[(3*S*,4*R*)-3-(2-hydroxyethyl)-6-isopropyl-2,2-dioxido-3,4-dihydro-1*H*-isothiochromen-4-yl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;  
 N-[(*1S,2R*)-1-(cyclohexylmethyl)-2-hydroxy-3-[*(3-*  
methoxybenzyl)amino]propyl]-3-[*(dipropylamino)sulfonyl*]propanamide;  
 N<sup>1</sup>-[(*1S,2R*)-2-hydroxy-3-(isopentylamino)-1-(3-methylbenzyl)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 N-[(*1S,2R*)-3-(benzylamino)-1-(cyclohexylmethyl)-2-hydroxypropyl]-3-[*(dipropylamino)sulfonyl*]propanamide;  
 N<sup>1</sup>-[(*1S,2R*)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-[*(3-methoxybenzyl)amino*]propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 N'-(*(1S,2R)*-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[(3*S*,4*S*)-6-isopropyl-2,2-dioxido-3,4-dihydro-1*H*-isothiochromen-4-yl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;  
 N-[(*1S,2R*)-1-(cyclohexylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-3-[*(dipropylamino)sulfonyl*]propanamide;  
 N<sup>1</sup>-[(*1S,2R*)-3-(benzylamino)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxypropyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 3-[*(dipropylamino)sulfonyl*]-N-[(*1S*)-1-{(*1R*)-1-hydroxy-2-[*(3-methoxybenzyl)amino*]ethyl}-3-methylbutyl]propanamide;  
 N'-(*(1S,2R)*-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[(3*S*,4*S*)-6-isopropyl-3-methyl-2,2-dioxido-3,4-dihydro-1*H*-isothiochromen-4-yl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;  
 N<sup>1</sup>-[(*1S,2R*)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-(isopentylamino)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 N'-(*(1S,2R)*-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[(4*R*)-6-isopropyl-2,2-dioxido-3,4-dihydro-1*H*-isothiochromen-4-yl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;  
 N-[(*1S*)-1-[(*1R*)-2-(benzylamino)-1-hydroxyethyl]-3-methylbutyl]-3-[*(dipropylamino)sulfonyl*]propanamide;  
 N<sup>1</sup>-[(*1S,2R*)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxy-3-[*(3-methoxybenzyl)amino*]propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 3-[*(dipropylamino)sulfonyl*]-N-[(*1S*)-1-[(*1R*)-1-hydroxy-2-(isopentylamino)ethyl]-3-methylbutyl]propanamide;  
 N-[(*1S,2R*)-1-(3,5-difluorobenzyl)-3-[*(3-ethylbenzyl)amino*]-2-hydroxypropyl]-3-[*(3-methoxypropyl)(methylsulfonyl)amino*]benzamide;  
 N<sup>1</sup>-[(*1S,2R*)-3-(benzylamino)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxypropyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 N-[(*1S,2R*)-1-(3,5-difluorobenzyl)-3-[*(3-ethylbenzyl)amino*]-2-hydroxypropyl]-4-[*(3-methoxypropyl)(methylsulfonyl)amino*]benzamide;  
 N-[(*1S,2R*)-1-(3,5-difluorobenzyl)-3-[*(3-ethylbenzyl)amino*]-2-hydroxypropyl]-1-methyl-1,3-dihydro-2,1-benzisothiazole-5-carboxamide 2,2-dioxide;  
 N<sup>1</sup>-[(*1S,2R*)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

$N^1$ -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methoxybenzyl)propyl]- $N^3,N^3$ -dipropylbenzene-1,3,5-tricarboxamide;

$N$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[(2-methoxyethyl)(methylsulfonyl)amino]benzamide;

$N$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,2-dimethylchromane-6-carboxamide;

$N^1$ -[(1S,2R)-3-(benzylamino)-1-(3-bromobenzyl)-2-hydroxypropyl]- $N^5,N^5$ -dipropylpentanediamide;

$N$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-[(2-methoxyethyl)(methylsulfonyl)amino]nicotinamide;

$N$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,2-dimethylchromane-7-carboxamide;

$N^1$ -[(1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-(isopentylamino)propyl]- $N^5,N^5$ -dipropylpentanediamide;

$N^1$ -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-isopropylbenzyl)propyl]- $N^3,N^3$ -dipropylbenzene-1,3,5-tricarboxamide;

benzyl (3R)-4-({(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}amino)-2,2,3-trimethyl-4-oxobutanoate;

$N$ -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methoxybenzyl)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

$N$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-[(3-hydroxypropyl)(methylsulfonyl)amino]nicotinamide;

$N^1$ -[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-isopropylbenzyl)propyl]- $N^3,N^3$ -dipropylbenzene-1,3,5-tricarboxamide;

3-[(dipropylamino)sulfonyl]- $N$ -[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(3-methoxybenzyl)propyl]propanamide;

$N$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-[(2-hydroxyethyl)(methylsulfonyl)amino]nicotinamide;

$N$ -{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-4-(phenylsulfonyl)butanamide;

(3S)-tetrahydrofuran-3-yl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

$N$ -[(1S,2R)-3-(benzylamino)-1-(3,5-dichlorobenzyl)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;

$N$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-[(2-methoxyethyl)(methylsulfonyl)amino]nicotinamide;

$N^1$ -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methoxybenzyl)propyl]- $N^3,N^3$ -dipropylbenzene-1,3,5-tricarboxamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-1-(4-isopropylbenzyl)-3-[(3-methoxybenzyl)amino]propyl]propanamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(2-methoxyethyl)(methylsulfonyl)amino]isonicotinamide;  
 N<sup>1</sup>-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methoxybenzyl)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 N<sup>1</sup>-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N<sup>3</sup>-(phenylsulfonyl)-beta-alaninamide;  
 N-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-isopropylbenzyl)propyl]-3-[(dipropylamino)sulfonyl]propanamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[(2-methoxyethyl)(methylsulfonyl)amino]nicotinamide;  
 N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(4-fluoro-3-methylbenzyl)-2-hydroxypropyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 N<sup>1</sup>-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N<sup>3</sup>-[(4-methylphenyl)sulfonyl]-beta-alaninamide;  
 3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-isopropylbenzyl)propyl]propanamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(3-hydroxypropyl)(methylsulfonyl)amino]isonicotinamide;  
 N<sup>1</sup>-[(1S,2R)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 N<sup>1</sup>-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N<sup>3</sup>-[(4-fluorophenyl)sulfonyl]-beta-alaninamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(2-hydroxyethyl)(methylsulfonyl)amino]isonicotinamide;  
 N-[(1S,2R)-3-(benzylamino)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;  
 N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-isopropylbenzyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N<sup>3</sup>-[(4-methoxyphenyl)sulfonyl]-beta-alaninamide;  
 3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxy-3-(isopentylamino)propyl]propanamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[(2-hydroxyethyl)(methylsulfonyl)amino]nicotinamide;

$N^1\text{-}\{(1S,2R)\text{-}2\text{-hydroxy-3-(isopentylamino)\text{-}1-(4-isopropylbenzyl)propyl}\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-benzyl-2\text{-hydroxy-3-(3-methoxybenzyl)amino]propyl}\text{-}N^2\text{-}\{(4-methylphenyl)sulfonyl\}glycinamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3-(3-ethylbenzyl)amino\text{-}2\text{-hydroxypropyl}\text{-}5\text{-}\{(3-hydroxypropyl)(methylsulfonyl)amino]nicotinamide;}$

$N\text{-}\{(1S,2R)\text{-}3-(benzylamino)\text{-}2\text{-hydroxy-1-[3-(trifluoromethoxy)benzyl]propyl\text{-}3-[ (dipropylamino)sulfonyl]propanamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-benzyl-2\text{-hydroxy-3-(3-methoxybenzyl)amino]propyl}\text{-}N^2\text{-}\{(4-fluorophenyl)sulfonyl\}glycinamide;}$

$N^1\text{-}\{(1S,2R)\text{-}2\text{-hydroxy-3-(isopentylamino)\text{-}1-[3-(trifluoromethoxy)benzyl]propyl\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}}$

$N\text{-}\{(1S,2R)\text{-}3-(benzylamino)\text{-}1-(3-fluoro-4-methylbenzyl)\text{-}2\text{-hydroxypropyl\text{-}3-[ (dipropylamino)sulfonyl]propanamide;}$

$N\text{-}\{(1S,2R)\text{-}1-(3,5\text{-difluorobenzyl)\text{-}3-(3-ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}2-[ (3-methoxypropyl)(methylsulfonyl)amino]isonicotinamide;}$

$N^1\text{-}\{(1S,2R)\text{-}3-(benzylamino)\text{-}2\text{-hydroxy-1-(4-methoxybenzyl)propyl\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-benzyl-2\text{-hydroxy-3-(3-methoxybenzyl)amino]propyl}\text{-}N^2\text{-}\{(4-methoxyphenyl)sulfonyl\}glycinamide;}$

$3\text{-[(dipropylamino)sulfonyl]-N-[ (1S,2R)\text{-}1-(3-fluoro-4-methylbenzyl)\text{-}2\text{-hydroxy-3-(isopentylamino)propyl]propanamide;}$

$N\text{-}\{(1S,2R)\text{-}1-(3,5\text{-difluorobenzyl)\text{-}3-(3-ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}5-[ (3-methoxypropyl)(methylsulfonyl)amino]nicotinamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-benzyl-2\text{-hydroxy-3-(3-methoxybenzyl)amino]propyl\text{-}3-[ (4-chlorophenyl)sulfonyl]propanamide;}$

$N^1\text{-}\{(1S,2R)\text{-}2\text{-hydroxy-3-(isopentylamino)\text{-}1-(4-methoxybenzyl)propyl\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}}$

$3\text{-[(dipropylamino)sulfonyl]-N-[ (1S,2R)\text{-}2\text{-hydroxy-1-(4-methoxybenzyl)\text{-}3-[ (3-methoxybenzyl)amino]propyl]propanamide;}$

$N\text{-}\{(1S,2R)\text{-}1-(3,5\text{-difluorobenzyl)\text{-}3-(3-ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}1-(methylsulfonyl)-1H-indole-5-carboxamide;}$

$N^1\text{-}\{(1S,2R)\text{-}3-(benzylamino)\text{-}1-(4-fluoro-3-methylbenzyl)\text{-}2\text{-hydroxypropyl\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-benzyl-2\text{-hydroxy-3-(3-methoxybenzyl)amino]propyl\text{-}N^2\text{-}(benzylsulfonyl)glycinamide;}$

$N\text{-}\{(1S,2R)\text{-}3-(benzylamino)\text{-}2\text{-hydroxy-1-(4-methoxybenzyl)propyl\text{-}3-[ (dipropylamino)sulfonyl]propanamide;}$

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1-(methylsulfonyl)indoline-5-carboxamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[ (3-methoxybenzyl)amino]propyl}-3-[ (4-fluorophenyl)sulfonyl]propanamide;

N<sup>1</sup>-[(1S,2R)-1-(4-fluoro-3-methylbenzyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

3-[ (dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methoxybenzyl)propyl]propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1-(methylsulfonyl)indoline-4-carboxamide;

N<sup>1</sup>-{(1S,2R)-1-benzyl-2-hydroxy-3-[ (3-methoxybenzyl)amino]propyl}-N<sup>3</sup>-[ (4-chlorophenyl)sulfonyl]-beta-alaninamide;

N<sup>1</sup>-{(1S,2R)-3-(benzylamino)-2-hydroxy-1-[ (3-trifluoromethyl)benzyl]propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-3-(benzylamino)-1-(4-chlorobenzyl)-2-hydroxypropyl]-3-[ (dipropylamino)sulfonyl]propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1-(methylsulfonyl)indoline-6-carboxamide;

N<sup>1</sup>-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(3-methylbenzyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-benzyl-2-hydroxy-3-[ (3-methoxybenzyl)amino]propyl}-N<sup>3</sup>-[ (benzylsulfonyl)-beta-alaninamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1-(methylsulfonyl)-1H-indole-4-carboxamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[ (3-methoxybenzyl)amino]propyl]-3-[ (4-methoxyphenyl)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[1-methyl-1-(methylsulfonyl)ethyl]benzamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[ (3-methoxybenzyl)amino]propyl]-3-[ (4-methylphenyl)sulfonyl]propanamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[1-methyl-1-(methylsulfonyl)ethyl]benzamide;

N<sup>1</sup>-{(1S,2R)-2-hydroxy-1-(3-methoxybenzyl)-3-[ (3-methoxybenzyl)amino]propyl}-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N<sup>1</sup>-benzyl-N<sup>4</sup>-{(1S,2R)-1-benzyl-2-hydroxy-3-[ (3-methoxybenzyl)amino]propyl}-2,2-dimethylsuccinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(ethylsulfonyl)benzamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-(1,1-dioxido-3-oxo-1,2-benzisothiazol-2(3H)-yl)propanamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methoxybenzyl)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(propylsulfonyl)benzamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)propanamide;

N<sup>1</sup>-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(3-methoxybenzyl)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

(2R)-N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-methyl-3-(phenylsulfonyl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(pentylsulfonyl)benzamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(3-chloro-5-fluorobenzyl)-2-hydroxypropyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

(2S)-N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-methyl-3-(phenylsulfonyl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[2-hydroxyethyl]sulfonyl]benzamide;

N<sup>1</sup>-[(1S,2R)-1-(3-chloro-5-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[2-methoxyethyl]sulfonyl]benzamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-dichlorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N<sup>1</sup>-benzyl-N<sup>5</sup>-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]pentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[2-ethoxyethyl]sulfonyl]benzamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-[(phenylsulfonyl)methyl]acrylamide;

N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(3,5-dichlorobenzyl)-2-hydroxypropyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[3-hydroxypropyl]sulfonyl]benzamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-2-[{isopentylsulfonyl)methyl]acrylamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-dichlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl}-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,3-dihydro-1-benzothiophene-5-carboxamide 1,1-dioxide;

N<sup>1</sup>-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N<sup>3</sup>-[(dipropylamino)carbonyl]-beta-alaninamide;

N<sup>1</sup>-{(1S,2R)-2-hydroxy-1-(4-isopropylbenzyl)-3-[(3-methoxybenzyl)amino]propyl}-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-benzothiophene-5-carboxamide 1,1-dioxide;

N<sup>1</sup>-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N<sup>2</sup>-[(dipropylamino)carbonyl]glycinamide;

benzyl (4R)-4-{{[(1S,2R)-1-benzyl-3-[(3-(dimethylamino)-2,2-dimethylpropyl)amino]-2-hydroxypropyl]amino}carbonyl}-1,3-oxazolidine-3-carboxylate compound with methyl hydroperoxide (1:2);

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,3-dihydro-1-benzothiophene-6-carboxamide 1,1-dioxide;

tert-butyl (2R,3S)-2-hydroxy-3-({2-hydroxy-3-[(3-methoxyphenyl)sulfonyl]propanoyl}amino)-4-phenylbutyl(3-methoxybenzyl)carbamate;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-benzothiophene-6-carboxamide 1,1-dioxide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methyl-2,3-dihydro-1,2-benzisothiazole-6-carboxamide 1,1-dioxide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methyl-2,3-dihydro-1,2-benzisothiazole-5-carboxamide 1,1-dioxide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-methyl-1,3-dihydro-2,1-benzisothiazole-6-carboxamide 2,2-dioxide;

N<sup>1</sup>-[(1S,2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-3-(benzylamino)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-(isopentylamino)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(dipropylamino)sulfonyl]propanamide;  
 N<sup>1</sup>-[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1S,2R)-1-[4-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-(cyclohexylmethyl)-2-hydroxypropyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 N<sup>1</sup>-[(1S,2R)-3-(benzylamino)-1-[3-(benzyloxy)benzyl]-2-hydroxypropyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 N<sup>1</sup>-[(1S,2R)-1-[4-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[hydroxy(2-methylphenyl)methyl]-5-methylbenzamide;  
 N<sup>1</sup>-[(1R,2S)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1R,2S)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1R,2S)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 N<sup>1</sup>-[(1R,2S)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 3-chloro-N-[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]benzamide;  
 3-chloro-N-[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-trifluoromethyl)benzyl]amino]propyl)benzamide;  
 benzyl (2R,3S)-4-(3,5-difluorophenyl)-3-[(3-(4,4-dimethyl-2,5-dioxoimidazolidin-1-yl)-2-[(1-propylbutyl)sulfonyl]methyl)propanoyl]amino]-2-hydroxybutyl(3-ethylbenzyl)carbamate;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]-7-(1H-imidazol-1-yl)-5,6-dihydroronaphthalene-2-carboxamide;  
 2-[[{[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]amino}carbonyl]amino]-N,N-dipropylethanesulfonamide;  
 benzyl (2R,3S)-4-(3,5-difluorophenyl)-2-hydroxy-3-[(N-(3-phenylpropanoyl)-3-[(1-propylbutyl)sulfonyl]alanyl)amino]butyl(3-ethylbenzyl)carbamate;  
 N<sup>1</sup>-[(1S,2R)-3-[(benzyloxy)carbonyl](3-ethylbenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-N<sup>2</sup>-{[(3S)-tetrahydrofuran-3-yloxy]carbonyl}-D-leucinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(1,3]oxazolo[4,5-b]pyridin-2-ylthio)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(imidazo[1,2-a]pyridin-2-ylmethyl)thio]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(5,7-dimethyl[1,2,4]triazolo[4,3-a]pyrimidin-3-yl)thio]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,3-dihydro-1H-cyclopenta[b]quinoline-9-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-hydroxy-6-oxo-1-phenyl-1,6-dihdropyridazine-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,3-dioxoisooindoline-5-carboxamide;

1-benzyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-imidazole-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(4,4-dimethyl-4,5-dihydro-1,3-oxazol-2-yl)thiophene-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-isobutyl-1,3-dioxoisooindoline-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-oxo-2-phenylpyrazolidine-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5,6-dimethyl-4-oxo-3,4-dihydrothieno[2,3-d]pyrimidine-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(2,4-difluorobenzyl)oxy]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]thieno[2,3-c]pyridine-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2-methyl-1H-benzimidazol-1-yl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(2,5-dioxopyrrolidin-1-yl)-4-methylbenzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]thieno[3,2-b]pyridine-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2,3-dihydro-1H-indol-1-yl)-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(1,3-dioxooctahydro-2H-isoindol-2-yl)butanamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-[(4-methylphenyl)sulfonyl]-beta-alaninamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(1H-indol-3-yl)-4-oxobutanamide;

N<sup>2</sup>-(anilinocarbonothioyl)-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}glycinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-methyl-4-oxo-4,5,6,7-tetrahydro-1H-indole-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5,6,7,8-tetrahydro-4H-cyclohepta[c]isoxazole-3-carboxamide;

4-[2-(diethylamino)ethoxy]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-[(4-methylphenyl)sulfonyl]glycinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(3,5-dioxo-1,2,4-triazolidin-4-yl)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(2-hydroxyethoxy)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(1,3-dithian-2-yl)-3-furamide;

4-(3-chlorophenyl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-hydroxy-4-oxobutanamide or 2479;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methyl-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a]azepine-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-(4-fluorophenyl)-1,4,5,6-tetrahydrocyclopenta[c]pyrazole-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5,6-dihydro-4H-cyclopenta[b]thiophene-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3,6,6-trimethyl-4-oxo-4,5,6,7-tetrahydro-1-benzofuran-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-7-methoxy-4-oxo-1,2,3,4-tetrahydronaphthalene-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,3-dioxo-1,2,3,4-tetrahydroquinoxaline-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4,5,6,7-tetrahydro-2H-indazole-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methyl-4-oxo-3,4-dihydrothieno[2,3-d]pyrimidine-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-7-fluoro-4H-imidazo[5,1-c][1,4]benzoxazine-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(3-fluoro-4-methoxyphenyl)-4-oxobutanamide;

methyl 4-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino)-4-oxobutyl-dithiocarbamate;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl][1,2,4]triazolo[4,3-a]pyridine-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-phenyl-1,4,5,6-tetrahydrocyclopenta[c]pyrazole-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(4-methylphenyl)sulfonyl]acetamide;

3-(2-chlorophenyl)-2-cyano-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(4-methylphenyl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2-hydroxy-5-methylphenyl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(2,5-dioxo-2,5-dihydro-1H-pyrrol-1-yl)benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-oxo-4-thien-2-ylbutanamide or 2379;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2,5-dioxo-2,5-dihydro-1H-pyrrol-1-yl)-2-hydroxybenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(2,5-dioxopyrrolidin-1-yl)benzamide;

4-[(aminocarbonyl)amino]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[(trifluoroacetyl)amino]butanamide;

5-bromo-N<sup>1</sup>-{(1S,2R)-2-hydroxy-1-(pentafluorobenzyl)-3-[(3-(trifluoromethyl)benzyl)amino]propyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[(1-hydroxycyclopentyl)thio]acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(2-oxocyclohexyl)propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(2-naphthyl)-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-oxo-2,3-dihydro-1H-indazole-4-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1,3-dimethyl-1H-thieno[2,3-c]pyrazole-5-carboxamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-[(dimethylamino)sulfonyl]valinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(2-furyl)-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(5-methyl-4-phenyl-1,3-oxazol-2-yl)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,6-dioxohexahydropyrimidine-4-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5,7-dimethoxy-1-oxoindane-2-carboxamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>5</sup>-(2-pyridin-2-ylethyl)pentanediamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[4-(2-furoyl)piperazin-1-yl]-4-oxobutanamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-[(1Z)-prop-1-en-1-yl]benzyl)amino]propyl]-5-methyl-N,N-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-oxo-4,5,6,7-tetrahydro-1-benzofuran-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-oxo-1-(thien-2-ylmethyl)pyrrolidine-3-carboxamide;

2-[(cyanomethyl)thio]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]nicotinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-(2-furoyl)-4-hydroxyprolinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4,5-dihydrofuro[2,3-g][2,1]benzisoxazole-8-carboxamide;

methyl 3-[([(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino)carbonyl]-5-methylthiophene-2-sulfenate;

2-(acetylamino)-2-(1H-1,2,3-benzotriazol-1-yl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]acetamide;

1-[(cyclohexylamino)carbonyl]amino)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]cyclopropanecarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(2-ethyl-4H-[1,2,4]triazolo[1,5-a]benzimidazol-4-yl)acetamide;

(2E)-N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>4</sup>-[4-(1,3-oxazol-5-yl)phenyl]but-2-enediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,3,4,5-tetrahydrothiopyrano[4,3-b]indole-8-carboxamide;

4-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,3-dimethyl-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(3,4-dihydro-2H-1,5-benzodioxepin-7-yl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(1-oxidothiomorpholin-4-yl)butanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-oxo-4-(2-thioxo-1,3-benzothiazol-3(2H)-yl)butanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-8H-thieno[2,3-b]indole-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3,4-dihydro-2H-1,5-benzodioxepine-7-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4H-chromeno[3,4-d]isoxazole-4-carboxamide;

4-(3,4-dichlorophenyl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(3,4-difluorophenyl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(3,4-difluorophenyl)-2-methyl-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(3,4-difluorophenyl)-2-methoxy-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-4-oxo-4-[3-(trifluoromethyl)phenyl]butanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-4-oxo-4-thien-2-ylbutanamide;

4-(3,4-dichlorophenyl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-3-methyl-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(2-ethyl-1-oxo-2,3-dihydro-1H-isoindol-5-yl)oxy]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-oxoisindoline-1-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(7-methoxy-1-benzofuran-2-yl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4H-chromeno[3,4-d]isoxazole-8-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-methyl-4-oxo-4H-chromene-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-([1,2,4]triazolo[4,3-b]pyridazin-6-ylthio)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(1,1-dioxidotetrahydrothien-2-yl)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(3,4-dihydro-2H-chromen-6-yl)-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-ethyl-3-oxoisooindoline-1-carboxamide;

4-[2-(acetylamino)-4,5-dimethylphenyl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(4-hydroxyphenyl)-4-oxobutanamide;

2-[(6-chloro[1,2,4]triazolo[4,3-b]pyridazin-3-yl)oxy]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-hydroxy-4-oxo-4-thien-3-ylbutanamide;

3-chlorophenyl 4-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino)-4-oxobutanoate;

4-(4-chloro-2-hydroxyphenyl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-[(4-methylphenyl)sulfonyl]amino)-4-oxohexanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(6-hydroxy-3-oxo-2,3-dihydroimidazo[2,1-b][1,3]thiazol-2-yl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(4,5-dihydro-1,3-thiazol-2-ylthio)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1H-imidazo[1,2-b]pyrazole-6-carboxamide;

4-(1-benzofuran-2-yl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(6-methoxy-1,1'-biphenyl-3-yl)-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(4-methoxyphenyl)-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(2,3-dihydro-1,4-benzodioxin-6-yl)-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2-oxo-2,3-dihydro-1H-benzimidazol-5-yl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-9-oxo-1,2,3,9-tetrahydrocyclopenta[b]chromene-7-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-methyl-1H-benzo[g]indazole-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4,5-dihydroronaphtho[2,1-d]isoxazole-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(tetraazolo[1,5-b]pyridazin-6-ylthio)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(5-methyl-1H-pyrrol-2-yl)-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[(trifluoromethyl)sulfonyl]amino}butanamide;

N-[{(1S,2R)-3-(2-acetyl-1-ethylhydrazino)-1-benzyl-2-hydroxypropyl}-2-[(methylsulfonyl)amino]-1,3-thiazole-4-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(1-hydroxy-2-propylpentyl)benzamide;

N<sup>1</sup>-{[(1S,2R)-3-[(2-{4-[(3-chlorobenzyl)oxy]phenyl}ethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide};

N<sup>1</sup>-{[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-morpholin-4-ylpropyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide};

ethyl 4-{{(2R,3S)-4-(3,5-difluorophenyl)-3-[(3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino]-2-hydroxybutyl}amino}piperidine-1-carboxylate;

N<sup>1</sup>-{[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>2</sup>-[(methylsulfonyl)acetyl]-N<sup>2</sup>-pentylglycinamide};

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-{{(2R)-2-(methoxymethyl)pyrrolidin-1-yl}sulfonyl}propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-{{(2S)-2-(methoxymethyl)pyrrolidin-1-yl}sulfonyl}propanamide;

ethyl 4-{{(2R,3S)-3-[(3-[(dipropylamino)carbonyl]benzoyl)amino]-2-hydroxy-4-phenylbutyl}amino}piperidine-1-carboxylate;

N<sup>1</sup>-{[(1S,2R)-1-benzyl-3-[(3R)-1-benzylpyrrolidin-3-yl]amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

methyl (2E)-2-[2-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)amino]-2-oxoethyl]-4-methylpent-2-enoate;

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}benzyl\text{-}2\text{-}hydroxy\text{-}3\text{-}\{[(3\text{-}methoxybenzyl)amino]propyl\}\text{-}N^4\text{-}\{4\text{-}methoxybenzyl\}\text{succinamide};$

$N\text{-}\{(1S,2R)\text{-}1\text{-}benzyl\text{-}2\text{-}hydroxy\text{-}3\text{-}\{[(3\text{-}methoxybenzyl)amino]propyl\}\text{-}3\text{-}\{[(4\text{-}fluorophenyl)sulfonyl]amino\}\text{-}3\text{-}methylbutanamide;$

$N\text{-}\{(1S,2R)\text{-}1\text{-}benzyl\text{-}2\text{-}hydroxy\text{-}3\text{-}\{[(3\text{-}methoxybenzyl)amino]propyl\}\text{-}9,10\text{-}dioxo\text{-}9,10\text{-}dihydroanthracene\text{-}2\text{-}carboxamide;$

$N\text{-}\{(1S,2R)\text{-}1\text{-}benzyl\text{-}2\text{-}hydroxy\text{-}3\text{-}\{[(3\text{-}methoxybenzyl)amino]propyl\}\text{-}4\text{-}(benzyloxy)benzamide;$

$N'\text{-}\{(1S,2R)\text{-}1\text{-}benzyl\text{-}2\text{-}hydroxy\text{-}3\text{-}\{[(3\text{-}methoxybenzyl)amino]propyl\}\text{-}N\text{-}methyl\text{-}N\text{-}phenylurea$

$N'\text{-}\{(1S,2R)\text{-}1\text{-}benzyl\text{-}2\text{-}hydroxy\text{-}3\text{-}\{[(3\text{-}methoxybenzyl)amino]propyl\}\text{-}N,N\text{-}diisopropylurea$

$N'\text{-}\{(1S,2R)\text{-}1\text{-}benzyl\text{-}2\text{-}hydroxy\text{-}3\text{-}\{[(3\text{-}methoxybenzyl)amino]propyl\}\text{-}N,N\text{-}diphenylurea$

$N'\text{-}\{(1S,2R)\text{-}1\text{-}benzyl\text{-}2\text{-}hydroxy\text{-}3\text{-}\{[(3\text{-}methoxybenzyl)amino]propyl\}\text{-}N,N\text{-}dimethylurea$

methyl 2-{{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}amino}carbonyl]amino}benzoate;

phenyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

2-methoxyethyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

2-(benzyloxy)ethyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

prop-2-ynyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

(1R,2S,5R)-2-isopropyl-5-methylcyclohexyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

pentyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

neopentyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

$N^1\text{-}\{(1S,2R)\text{-}3\text{-}\{[(6\text{-}chlorimidazo[2,1\text{-}b][1,3]thiazol\text{-}5\text{-}yl)methyl]amino\}\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}2\text{-}hydroxypropyl\}\text{-}5\text{-}methyl\text{-}N^3,N^3\text{-}dipropylisophthalamide;$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}2\text{-}hydroxy\text{-}3\text{-}\{[(4\text{-}oxo\text{-}4H-chromen\text{-}3\text{-}yl)methyl]amino\}\text{-}5\text{-}methyl\text{-}N^3,N^3\text{-}dipropylisophthalamide;$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}2\text{-}hydroxy\text{-}3\text{-}\{(1,7,7\text{-}trimethylbicyclo[2.2.1]hept\text{-}2\text{-}yl)amino\}\text{-}5\text{-}methyl\text{-}N^3,N^3\text{-}dipropylisophthalamide;$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-}difluorobenzyl)\text{-}2\text{-}hydroxy\text{-}3\text{-}\{(3\text{-}iodobenzyl)amino\}\text{-}4\text{-}(3\text{-}methyl\text{-}5\text{-}oxo\text{-}4,5\text{-}dihydro\text{-}1H-pyrazol\text{-}1\text{-}yl)benzamide;$

$N^1\text{-}\{(1S,2R)\text{-}3\text{-}\{ (1\text{-acetyl} \text{piperidin-3\text{-yl}) amino}\}\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxypropyl}\}}\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{ (3\text{-ethylbenzyl) amino}\}\text{-}2\text{-hydroxypropyl}\}}\text{-N}^3\text{-ethoxy-5-methylisophthalamide;}$

$N^1\text{-}(allyloxy)\text{-N}^3\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{ (3\text{-ethylbenzyl) amino}\}\text{-}2\text{-hydroxypropyl}\}}\text{-5-methylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{ (3\text{-ethylbenzyl) amino}\}\text{-}2\text{-hydroxypropyl}\}}\text{-N}^3\text{-isobutoxy-5-methylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{ (3\text{-ethylbenzyl) amino}\}\text{-}2\text{-hydroxypropyl}\}}\text{-5-methyl-N}^3\text{-}(2,2,3,3,3\text{-pentafluoropropyl) isophthalamide;}$

ethyl 4-((3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl) amino]-2-hydroxypropyl]amino)carbonyl)-5-methylbenzoyl)amino)butanoate;

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{ (3\text{-ethylbenzyl) amino}\}\text{-}2\text{-hydroxypropyl}\}}\text{-5-methyl-N}^3,\text{N}^3\text{-bis(2,2,2\text{-trifluoroethyl) isophthalamide;}}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{ (3\text{-ethylbenzyl) amino}\}\text{-}2\text{-hydroxypropyl}\}}\text{-N}^3\text{-ethyl-N}^3\text{-}\{(1\text{-ethyl} \text{piperidin-4\text{-yl}) carbonyl}\}\text{-5-methylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{ (3\text{-ethylbenzyl) amino}\}\text{-}2\text{-hydroxypropyl}\}}\text{-N}^3\text{-}(2,2,3,3,4,4,4\text{-heptafluorobutyl)\text{-}5-methylisophthalamide;}$

$N^1\text{-}(1\text{-benzylpyrrolidin-3\text{-yl})-N}^3\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{ (3\text{-ethylbenzyl) amino}\}\text{-}2\text{-hydroxypropyl}\}}\text{-N}^1\text{-ethyl-5-methylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{ (3\text{-ethylbenzyl) amino}\}\text{-}2\text{-hydroxypropyl}\}}\text{-5-methyl-N}^3\text{-}\{(tetrahydrofuran-2\text{-ylmethyl) isophthalamide;}}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-3\text{-}\{ [(3R)\text{-}2\text{-oxoazepan-3\text{-yl) amino}\} propyl]\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{ (1,1\text{-dioxido-3,4\text{-dihydro-2H-1,2-benzothiazin-4\text{-yl}) amino}\}\text{-}2\text{-hydroxypropyl}\}}\text{-5-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-3\text{-}\{ [2\text{-}(4\text{-methylpentanoyl) hydrazino] propyl]\text{-}5\text{-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{ (3\text{-ethylbenzyl) amino}\}\text{-}2\text{-hydroxypropyl}\}}\text{-3\text{-}\{ (3\text{-ethylphenyl) sulfonyl}\} propanamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{ (3\text{-ethylbenzyl) amino}\}\text{-}2\text{-hydroxypropyl}\}}\text{-2,2,3,3,4,4\text{-hexafluoro-N}^5,\text{N}^5\text{-dipropylpentanediamide;}$

$N^5\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{ (3\text{-ethylbenzyl) amino}\}\text{-}2\text{-hydroxypropyl}\}}\text{-2-phenyl-N}^1,\text{N}^1\text{-dipropylpentanediamide;}$

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(3-hydroxypropyl)(methylsulfonyl)amino]benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[(2-hydroxyethyl)(methylsulfonyl)amino]benzamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-{{(2R)-2-(methoxymethyl)pyrrolidin-1-yl}sulfonyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[(3-hydroxypropyl)(methylsulfonyl)amino]benzamide;

5-bromo-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-{{(trifluoromethyl)sulfonyl}amino}benzamide;

N<sup>1</sup>-{(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(thien-2-ylmethyl)propyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(4-methyl-1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropyl-5-(1,3-thiazol-2-yl)isophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(methylsulfonyl)amino]benzamide;

4-{{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}amino}-4-oxo-3-{{(1-propylbutyl)sulfonyl}methyl}butanoic acid trifluoroacetate;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(isopentylamino)propyl]-5-[(methylsulfonyl)amino]}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]propanamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-2-[(methylsulfonyl)amino]-1,3-thiazole-4-carboxamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(isopentylamino)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropyl-5-{{(trifluoromethyl)sulfonyl}amino}isophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(isopentylsulfonyl)propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-methyl-1H-imidazol-4-yl)sulfonyl]amino}benzamide tri;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[(trifluoromethyl)sulfonyl]amino}benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2-hydroxyethyl)(propyl)amino]sulfonyl}propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(1,3-oxazol-2-yl)benzamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(2-hydroxy-1,1-dimethylethyl)amino]sulfonyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2-hydroxy-1,1-dimethylethyl)amino]sulfonyl}benzamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(3-hydroxypropyl)amino]sulfonyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[(methylsulfonyl)amino]-1,3-thiazole-4-carboxamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-(phenylacetyl)-3-[(1-propylbutyl)sulfonyl]alaninamide;

N<sup>1</sup>-{(1R,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-benzyloxycarbonyl-3-[(1-propylbutyl)sulfonyl]alaninamide trifluoroacetate;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(3-methylisoxazol-4-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-([(2-(methylamino)ethyl)amino]sulfonyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(2-hydroxyethyl)amino]sulfonyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[(methylsulfonyl)amino]butanamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(piperazin-1-ylsulfonyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[methyl(methylsulfonyl)amino]benzamide;

5-[[bis(2-hydroxyethyl)amino]sulfonyl]-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2,8-dimethylquinoline-3-carboxamide;

2-[(2R,3S)-4-(3,5-difluorophenyl)-3-({3-(dipropylamino)carbonyl}-5-methylbenzoyl)amino]-2-hydroxybutyl]amino}ethyl 2,4-difluorophenylcarbamate;

5-(aminosulfonyl)-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropyl-5-(1H-pyrazol-4-yl)isophthalide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-hydroxyisoxazole-5-carboxamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1-methyl-1H-imidazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl}-5-methylbenzamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(2-hydroxyethyl)amino]sulfonyl}-N<sup>3</sup>-propylisophthalide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(([(1S)-2-hydroxy-1-methylethyl]amino)sulfonyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-diethyl-5-(1,3-oxazol-2-yl)isophthalide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl}-5-methylbenzamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]sulfonyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(([(1R)-2-hydroxy-1-methylethyl]amino)sulfonyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalide;

N<sup>1</sup>-{(1S,2R)-2-hydroxy-1-(2,3,5-trifluorobenzyl)-3-[(3-(trifluoromethyl)benzyl)amino]propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalide;

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-ethylbenzyl})\text{amino}\}-2\text{-hydroxypropyl}\}-3-(2\text{-ethyl-1-hydroxybutyl})\text{benzammide};$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-ethylbenzyl})\text{amino}\}-2\text{-hydroxypropyl}\}-5-[(\text{dimethylamino})\text{sulfonyl}]-N^3,N^3\text{-dipropylisophthalammide};$

$N^1\{-\{1S,2R\}-3-\{[1-(\text{aminocarbonyl})\text{cyclohexyl})\text{amino}\}-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxypropyl}\}-5\text{-methyl}-N^3,N^3\text{-dipropylisophthalammide};$

$N^1\{-\{1S,2R\}-3-\{[2-(\text{aminosulfonyl})\text{ethyl}]\text{amino}\}-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxypropyl}\}-5\text{-methyl}-N^3,N^3\text{-dipropylisophthalammide};$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[}(1\text{-methylhexyl})\text{amino}]\text{propyl}\}-5\text{-methyl}-N^3,N^3\text{-dipropylisophthalammide};$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[}(2\text{-ethylhexyl})\text{amino}]\text{propyl}\}-5\text{-methyl}-N^3,N^3\text{-dipropylisophthalammide};$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[}(4\text{-phenylbutyl})\text{amino}]\text{propyl}\}-5\text{-methyl}-N^3,N^3\text{-dipropylisophthalammide};$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[}(pentylamino)\text{propyl}\}-5\text{-methyl}-N^3,N^3\text{-dipropylisophthalammide};$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[}(5\text{-hydroxypentyl})\text{amino}]\text{propyl}\}-5\text{-methyl}-N^3,N^3\text{-dipropylisophthalammide};$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[}(6\text{-hydroxyhexyl})\text{amino}]\text{propyl}\}-5\text{-methyl}-N^3,N^3\text{-dipropylisophthalammide};$

$N^1\{-\{1S,2R\}-3-\{[(3\text{-butoxypropyl})\text{amino}]-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxypropyl}\}-5\text{-methyl}-N^3,N^3\text{-dipropylisophthalammide};$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[}((2R)-2\text{-hydroxypropyl})\text{amino}]\text{propyl}\}-5\text{-methyl}-N^3,N^3\text{-dipropylisophthalammide};$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-ethylbenzyl})\text{amino}\}-2\text{-hydroxypropyl}\}-N^3\text{-ethyl}-N^3\text{-methyl-5-(1,3-oxazol-2-yl)}\text{isophthalammide};$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-ethylbenzyl})\text{amino}\}-2\text{-hydroxypropyl}\}-N^3\text{-methyl-5-(1,3-oxazol-2-yl)}\text{-N}^3\text{-propylisophthalammide};$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-ethylbenzyl})\text{amino}\}-2\text{-hydroxypropyl}\}-N^3\text{-NA-dipropyl-5-(pyrrolidin-1-ylsulfonyl)}\text{isophthalamide hydrochloride;}$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-2\text{-hydroxy-3-[}(isopentylamino)\text{propyl}\]-5-\{[(2\text{-hydroxy-1,1-dimethylethyl})\text{amino}]\text{sulfonyl}\}-N^3,N^3\text{-dipropylisophthalammide};$

$N^1\{-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-oxazol-5-yl)-N^3,N^3-$   
 $\text{dipropylisophthalamide hydrochloride};$   
 $N^1\{-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethynylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)-N^3,N^3-$   
 $\text{dipropylisophthalamide hydrochloride};$   
 $N^1\text{-butyl-}N^3\{-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-N^1\text{-methyl-5-(1,3-oxazol-2-yl)isophthalamide};$   
 $N^1\{-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-N^3\text{-ethyl-5-(1,3-oxazol-2-yl)-N^3-propylisophthalamide};$   
 $N^1\{-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethynylbenzyl)amino]-2-hydroxypropyl}-N^3,N^3\text{-dipropyl-5-(1,3-thiazol-2-yl)isophthalamide hydrochloride};$   
 $N\{-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-3-\{(1-$   
 $\text{propylbutyl)amino}\text{sulfonyl}\text{propanamide};$   
 $N^1\{-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-5-\{(2R)-2-$   
 $(hydroxymethyl)pyrrolidin-1-yl\text{sulfonyl}\}-N^3,N^3\text{-dipropylisophthalamide};$   
 $N^1\{-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethynylbenzyl)amino]-2-hydroxypropyl}-5-\{(2\text{-hydroxy-1,1-dimethylethyl)amino}\text{sulfonyl}\}-N^3,N^3\text{-dipropylisophthalamide};$   
 $N^1\{-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(isobutylamino)\text{propyl}-5-(1,3-oxazol-2-yl)-N^3,N^3\text{-dipropylisophthalamide hydrochloride};$   
 $5\text{-bromo-}N^1\{-((1S,2R)-1-[3-fluoro-4-(trifluoromethyl)benzyl]-2-hydroxy-3-\{[3-(trifluoromethyl)benzyl]amino\}\text{propyl}\}-N^3,N^3\text{-dipropylisophthalamide};$   
 $5\text{-bromo-}N^1\{-((1S,2R)-2-hydroxy-1-(2,3,4-trifluorobenzyl)-3-\{[3-(trifluoromethyl)benzyl]amino\}\text{propyl}\}-N^3,N^3\text{-dipropylisophthalamide};$   
 $N\{-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-3-(2-ethylbutanoyl)-5-methylbenzamide hydrochloride;$   
 $N\{-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-3-methyl-5-[2-propylpiperidin-1-yl]\text{benzamide hydrochloride};$   
 $N\{-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-3-methyl-5-[2-methylpyrrolidin-1-yl]\text{benzamide hydrochloride};$   
 $N\{-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-3-\{(2,6-dimethylpiperidin-1-yl)\text{carbonyl}\}-5-methylbenzamide hydrochloride;$

$N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-5-\{(2-$   
 $\text{methoxyethyl)amino]sulfonyl}\}-N^3,N^3\text{-dipropylisophthalammide;}$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-\{[3-$   
 $(\text{trifluoromethyl)benzyl}]\text{amino}]\text{propyl}\}-N^3,N^3\text{-dipropyl-5-(1,3-}$   
 $\text{thiazol-2-yl)isophthalamide dihydrochloride;}$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethynylbenzyl)amino]-2-hydroxypropyl}-5-\{(2-$   
 $\text{hydroxyethyl)amino]sulfonyl}\}-N^3,N^3\text{-dipropylisophthalammide;}$   
 $N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-3-\text{methyl-5-(2-}$   
 $\text{propylpentanoyl)benzamide hydrochloride;}$   
 $N^1-(\text{sec-butyl})-N^3-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-5-\text{methyl-N}^1-$   
 $\text{propylisophthalammide;}$   
 $N^1\text{-butyl-}N^3-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-5-\text{methyl-N}^1-$   
 $\text{propylisophthalammide;}$   
 $N^1\text{-allyl-}N^1\text{-cyclopentyl-}N^3-\{(1S,2R)-1-(3,5-$   
 $\text{difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-\text{methylisophthalammide;}$   
 $N^1,N^1\text{-dibutyl-}N^3-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-5-\text{methylisophthalammide;}$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}-N^3,N^3\text{-diisobutyl-5-}$   
 $\text{methylisophthalammide;}$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-\{3-\{(1Z)-$   
 $\text{prop-1-enyl)benzyl}\text{amino}]\text{propyl}\}-5-\text{methyl-N}^3,N^3\text{-}$   
 $\text{dipropylisophthalammide;}$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-\{[3-$   
 $(\text{ethylsulfonyl)benzyl}\]\text{amino}-2-hydroxypropyl}-5-\text{methyl-N}^3,N^3\text{-}$   
 $\text{dipropylisophthalammide;}$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-\{[1-\{(\text{3-}$   
 $\text{iodophenyl)cyclopropyl}\]\text{amino}]\text{propyl}\}-5-\text{methyl-N}^3,N^3\text{-}$   
 $\text{dipropylisophthalammide;}$   
 $N^1-\{(1-(3,5-difluorobenzyl)-3-\{[2-(ethylamino)-1-methyl-2-$   
 $\text{oxoethyl}\]\text{amino}-2-hydroxypropyl}-5-\text{methyl-N},N-$   
 $\text{dipropylisophthalammide;}$   
 $N^1-\{(1S,2R)-3-\{[(1,1'\text{-biphenyl-3-ylmethyl)\amino}-1-(3,5-$   
 $\text{difluorobenzyl)-2-hydroxypropyl}-5-\text{methyl-N}^3,N^3\text{-}$   
 $\text{dipropylisophthalammide;}$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-\{[3-$   
 $\text{hydroxy-1-phenylpropyl}\]\text{amino}]\text{propyl}\}-5-\text{methyl-N}^3,N^3\text{-}$   
 $\text{dipropylisophthalammide;}$   
 $N^1\text{-cyclohexyl-}N^3-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-N^1,5-$   
 $\text{dimethylisophthalammide;}$   
 $N^1\text{-cyclohexyl-}N^3-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-N^1\text{-ethyl-5-}$   
 $\text{methylisophthalammide;}$

$N^1$ -[(1S,2R)-3-{[3-(1-benzothien-2-yl)benzyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(trifluoromethyl)benzyl]amino}propyl]-5-ethynyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (3-thien-3-ylbenzyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(5-methylthien-2-yl)benzyl]amino}propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (3-pyridin-4-ylbenzyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(4-methylthien-2-yl)benzyl]amino}propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[3-(2,4-dimethoxy pyrimidin-5-yl)benzyl]amino}-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[3-(3,5-dimethylisoxazol-4-yl)benzyl]amino}-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^4$ -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl]-6-methyl-N<sup>2</sup>,N<sup>2</sup>-dipropylpyridine-2,4-dicarboxamide;

$N^1$ -[(1S,2R)-3-{[3-(cyclopropylamino)benzyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-3-{[3-(cyclopropylamino)benzyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-ethynyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[1-(2-isobutyl-1,3-thiazol-5-yl)cyclopropyl]amino}propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl]-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

methyl 3-({[(2R,3S)-4-(3,5-difluorophenyl)-3-({3-[dipropylamino]carbonyl}-5-methylbenzoyl)amino]-2-hydroxybutyl}amino)methyl phenyl(methyl)carbamate;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-[methyl(methylsulfonyl)amino]benzyl]amino}propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[3-[dimethylamino]sulfonyl]benzyl}amino)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-isobutyl-1,3-thiazol-5-yl)methyl]amino}propyl)-5-(1,3-oxazol-2-yl)-N^3,N^3-dipropylisophthalammide;$

$N^1-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethylphenyl)-1-methylethyl]amino)-2-hydroxypropyl)-5-ethynyl-N^3,N^3-dipropylisophthalammide;$

$N^1-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethylphenyl)-1-methylethyl]amino)-2-hydroxypropyl)-5-methyl-N^3,N^3-dipropylisophthalammide;$

$N^1-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino}propyl)-5-(1,3-oxazol-2-yl)-N^3,N^3-dipropylisophthalammide;$

$N^1-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethylphenyl)-1-methylethyl]amino)-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)-N^3,N^3-dipropylisophthalammide;$

$N^1-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-(3-isobutylisoxazol-5-yl)cyclopropyl]amino}propyl)-5-(1,3-oxazol-2-yl)-N^3,N^3-dipropylisophthalammide;$

$N^1-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-(3-isobutylisoxazol-5-yl)cyclopropyl]amino}propyl)-5-ethynyl-N^3,N^3-dipropylisophthalammide;$

$N^1-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(methylsulfonyl)amino]benzyl]amino}propyl]-5-methyl-N^3,N^3-dipropylisophthalammide;$

$N^1-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-(3-isobutylisoxazol-5-yl)cyclopropyl]amino}propyl)-5-methyl-N^3,N^3-dipropylisophthalammide;$

$N^1-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)-N^3,N^3-dipropylisophthalammide;$

$N^1-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(trifluoromethyl)benzyl]amino}propyl)-5-(1,3-oxazol-2-yl)-N^3,N^3-dipropylisophthalammide;$

$N^1-[(1S,2R)-3-[(3-cyanobenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N^3,N^3-dipropylisophthalammide;$

$N^1-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1-[(isobutylamino)(oxo)methyl]-3-(methylthio)propyl]amino}propyl)-5-methyl-N,N-dipropylisophthalammide;$

$N^1-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl]amino)-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)-N^3,N^3-dipropylisophthalammide;$

$N^1-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-[(1E)-hex-1-enyl]benzyl]amino)-2-hydroxypropyl]-5-methyl-N^3,N^3-dipropylisophthalammide;$

$N^1-[(1S,2R)-3-[[3-(5-acetylthien-2-yl)benzyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N^3,N^3-dipropylisophthalammide;$

$N^1$ -[(1S,2R)-3-[(3-allylbenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(6-methoxypyridin-3-yl)benzyl]amino}propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N$ -[(1S,2R)-3-{[(2-tert-butylpyrimidin-4-yl)methyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^4$ -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl}-6-methyl-N<sup>2</sup>,N<sup>2</sup>-dipropylpyridine-2,4-dicarboxamide;

$N^1$ -[(1S,2R)-3-[(3-butylbenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-pentylbenzyl)amino]propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-3-[(3-cyclopentylbenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-3-[(3-cyclohexylbenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-3-{[3-(cyclohexylmethyl)benzyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-hex-5-enylbenzyl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

methyl (2S)-3-[3-({(2R,3S)-4-(3,5-difluorophenyl)-3-((3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino)-2-hydroxybutyl}amino)methyl]phenyl]-2-methylpropanoate;

$N^1$ -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(3-methylthien-2-yl)benzyl]amino}propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(3-methylpyridin-2-yl)benzyl]amino}propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(4-methylpyridin-2-yl)benzyl]amino}propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(5-methylpyridin-2-yl)benzyl]amino}propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1$ -[(1S,2R)-3-{[3-(4-chlorobutyl)benzyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

$N^1-[ (1S,2R)-3-\{ [3-(3-cyanopropyl)benzyl]amino\}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N^3,N^3-$   
dipropylisophthalammide;

$N^1-[ (1S,2R)-3-\{ [3-(4-cyanobutyl)benzyl]amino\}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N^3,N^3-$   
dipropylisophthalammide;

$N^1-[ (1S,2R)-3-\{ [3-(6-cyanoheptyl)benzyl]amino\}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N^3,N^3-$   
dipropylisophthalammide;

$N^1-[ (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-\{ [3-(6-methylpyridin-2-yl)benzyl]amino\}propyl]-5-methyl-N^3,N^3-$   
dipropylisophthalammide;

$N^1-[ (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-\{ [3-(1,3-oxazol-2-yl)benzyl]amino\}propyl]-5-methyl-N^3,N^3-$   
dipropylisophthalammide;

$methyl\ 3-\{ [(2R,3S)-4-(3,5-difluorophenyl)-3-\{ [3-[(dipropylamino)carbonyl]-5-(1,3-oxazol-2-yl)benzoyl]amino\}-2-hydroxybutyl]amino\}methylphenyl(methyl)carbamate;$

$N^1-[ (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-\{ [(1S)-1-[(isobutylamino)carbonyl]-3-(methylsulfonyl)propyl]amino\}propyl]-5-methyl-N^3,N^3-$   
dipropylisophthalammide;

$N^1-butyl-N^3-\{ (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-\{ [3-(3-isopropylbenzyl)amino]propyl\}-N^1,5-dimethylisophthalammide;$

$N^1-[ (1S,2R)-1-(3,5-difluorobenzyl)-3-\{ [1-(3-ethylphenyl)-1-methylethyl]amino\}-2-hydroxypropyl]-5-\{ [(2-hydroxy-1,1-dimethylethyl)amino]sulfonyl\}-N^3,N^3-dipropylisophthalammide;$

$N^1-\{ (1S,2R)-1-(3,5-difluorobenzyl)-3-\{ [3-ethylbenzyl]amino\}-2-hydroxypropyl\}-5-\{ [methyl\{ (trifluoromethyl)sulfonyl\}amino]\}-N^3,N^3-$   
dipropylisophthalammide;

$N^1-[ (1S,2R)-3-(cyclopropylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-\{ [(2-hydroxy-1,1-dimethylethyl)amino]sulfonyl\}-N^3,N^3-dipropylisophthalammide;$

$N^1-[ (1S,2R)-1-(3,5-difluorobenzyl)-3-\{ [1-(3-ethylphenyl)-1-methylethyl]amino\}-2-hydroxypropyl]-N^3,N^3-dipropyl-5-(1,3-thiazol-2-yl)isophthalammide;$

$N^1-\{ (1S,2R)-1-(3,5-difluorobenzyl)-3-\{ [3-ethylbenzyl]amino\}-2-hydroxypropyl\}-5-\{ [methyl(methylsulfonyl)amino]\}-N^3,N^3-dipropylisophthalammide;$

$N^1-butyl-N^3-\{ (1S,2R)-1-(3,5-difluorobenzyl)-3-\{ [1-(3-ethylphenyl)-1-methylethyl]amino\}-2-hydroxypropyl\}-N^1,5-dimethylisophthalammide;$

$N^1-[ (1S,2R)-1-(2,4-difluorobenzyl)-2-hydroxy-3-\{ [3-(trifluoromethyl)benzyl]amino\}propyl]-5-methyl-N^3,N^3-$   
dipropylisophthalammide;

$5-bromo-N^1-\{ (1S,2R)-1-(2,4-difluorobenzyl)-2-hydroxy-3-\{ [3-(trifluoromethyl)benzyl]amino\}propyl\}-N^3,N^3-$   
dipropylisophthalammide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2-ethylpiperidin-1-yl)sulfonyl]propanamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethylphenyl)cyclopropyl)amino]-2-hydroxypropyl}-5-ethynyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalammide;

N<sup>1</sup>-cyclobutyl-N<sup>3</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methylisophthalammide;

N<sup>1</sup>-cyclopentyl-N<sup>3</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methylisophthalammide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>-pentylisophthalammide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-isopentyl-5-methylisophthalammide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-ethyl-N<sup>3</sup>-(2-hydroxyethyl)-5-methylisophthalammide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-(2-ethoxyethyl)-5-methylisophthalammide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-(2-methoxyethyl)-N<sup>3</sup>,5-dimethylisophthalammide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-(2-furylmethyl)-N<sup>3</sup>,5-dimethylisophthalammide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2R,5R)-2,5-dimethylpyrrolidin-1-yl]carbonyl)-5-methylbenzammide;

N<sup>1</sup>-cyclopentyl-N<sup>3</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>1</sup>,5-dimethylisophthalammide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,5-dimethyl-N<sup>3</sup>-pentylisophthalammide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-(2-hydroxyethyl)-5-methyl-N<sup>3</sup>-propylisophthalammide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-ethyl-N<sup>3</sup>-(2-methoxyethyl)-5-methylisophthalammide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>-(2-methylcyclohexyl)isophthalammide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-(2-methoxyethyl)-5-methyl-N<sup>3</sup>-propylisophthalammide;

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl)\text{-}N^3,N^3\text{-bis(2-methoxyethyl)\text{-}5\text{-methylisophthalammide;}}$

$N^1\text{-allyl-}N^1\text{-cyclohexyl-}N^3\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl)\text{-}5\text{-methylisophthalammide;}}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl)\text{-}5\text{-methyl-N^3,N^3\text{-dipentylisophthalammide;}}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl)\text{-}N^3,N^3\text{-bis(2-ethoxyethyl)\text{-}5\text{-methylisophthalammide;}}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-}3\text{-}}[(2\text{-naphthylmethyl)amino}\text{propyl)\text{-}5\text{-}(1,3\text{-oxazol-2-yl)\text{-}N^3,N^3\text{-dipropylisophthalammide;}}$

$N^1\text{-butyl-}N^3\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}\{[1\text{-}(3\text{-ethylphenyl)cyclopropyl]amino}\text{-}2\text{-hydroxypropyl)\text{-}N^1,5\text{-dimethylisophthalammide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}\{[1\text{-}(3\text{-ethylphenyl)cyclopropyl]amino}\text{-}2\text{-hydroxypropyl)\text{-}5\text{-}}[(2\text{-hydroxy-}1,1\text{-dimethylethyl)amino}\text{sulfonyl)\text{-}N^3,N^3\text{-dipropylisophthalammide;}}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-}3\text{-}}[(1S)\text{-}1,2,3,4\text{-tetrahydronaphthalen-1-ylamino}\text{propyl)\text{-}5\text{-methyl-N^3,N^3\text{-dipropylisophthalammide;}}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-}3\text{-}}\{[(2S)\text{-tetrahydrofuran-2-ylmethyl]amino}\text{propyl)\text{-}5\text{-methyl-N^3,N^3\text{-dipropylisophthalammide;}}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl)\text{-}5\text{-}}[(3\text{-hydroxypropyl)sulfonyl)\text{-}N^3,N^3\text{-dipropylisophthalammide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl)\text{-}5\text{-}}[(1H-imidazol-4-yl)\text{-}N^3,N^3\text{-dipropylisophthalamide trifluoroacetate;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl)\text{-}5\text{-}}[(3\text{-isoxazol-3-yl)\text{-}N^3,N^3\text{-dipropylisophthalammide;}}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethylbenzyl)amino}\text{-}2\text{-hydroxypropyl)\text{-}3\text{-}}\{[(2R)\text{-}2\text{-}}(methoxymethyl)pyrrolidin-1-yl]carbonyl\text{-}5\text{-}(1,3\text{-oxazol-2-yl)\text{benzammide;}}$

$N^4\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3\text{-ethynylbenzyl)amino}\text{-}2\text{-hydroxypropyl)\text{-}6\text{-methyl-N^2,N^2\text{-dipropylpyridine-2,4-dicarboxammide;}}$

$N^4\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}2\text{-hydroxy-}3\text{-}}\{[(3\text{-trifluoromethyl)benzyl]amino}\text{propyl)\text{-}6\text{-methyl-N^2,N^2\text{-dipropylpyridine-2,4-dicarboxammide;}}$

$N^4\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}\{[1\text{-}(3\text{-ethylphenyl)cyclopropyl]amino}\text{-}2\text{-hydroxypropyl)\text{-}6\text{-methyl-N^2,N^2\text{-dipropylpyridine-2,4-dicarboxammide;}}$

$N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-\{[1-(3-$   
 $\text{ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl\}-N^3,N^3\text{-dipropyl-}$   
 $5-(1,3-thiazol-2-yl)isophthalammide;$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-\{[3-$   
 $\text{ethylbenzyl}]\amino}-2-hydroxypropyl\}-5-[methyl(thien-2-$   
 $ylsulfonyl)\amino]-N^3,N^3\text{-dipropylisophthalammide};$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-\{[3-$   
 $\text{ethylbenzyl}]\amino}-2-hydroxypropyl\}-5-\{[(2R)-2-$   
 $\text{hydroxypropyl}]\amino\}\text{sulfonyl}-N^3,N^3\text{-dipropylisophthalammide};$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-\{[1-(2-$   
 $\text{isobutyl-1,3-thiazol-5-yl)cyclopropyl]amino\}\text{propyl}\}-5-(1,3-$   
 $\text{oxazol-2-yl})-N^3,N^3\text{-dipropylisophthalammide};$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-\{[3-$   
 $\text{ethylbenzyl}]\amino}-2-hydroxypropyl\}-3\text{-hydroxy-N}^5,N^5\text{-}$   
 $\text{dipropylpentanediamide};$   
 $N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-\{[3-$   
 $\text{ethylbenzyl}]\amino}-2-hydroxypropyl\}-2-(2-dipropylamine-2-$   
 $\text{oxoethoxy})\text{acetammide};$   
 $N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-\{[3-$   
 $\text{ethylbenzyl}]\amino}-2-hydroxypropyl\}-2-\{[2-dipropylamine-2-$   
 $\text{oxoethyl}\}\text{thio}\}\text{acetammide};$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-\{[2-$   
 $(\text{isobutylamino})-1,1\text{-dimethyl-2-oxoethyl}]\amino\}\text{propyl}\}-5-(1,3-$   
 $\text{oxazol-2-yl})-N,N\text{-dipropylisophthalammide};$   
 $N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-\{[3-$   
 $\text{ethylbenzyl}]\amino}-2-hydroxypropyl\}-4-$   
 $\{(\text{methylsulfonyl})\text{methyl}\}\text{benzammide};$   
 $N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-\{[3-$   
 $\text{ethylbenzyl}]\amino}-2-hydroxypropyl\}-3\text{-methyl-5-(2-$   
 $\text{methylpentanoyl})\text{benzamide hydrochloride};$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-\{[3-$   
 $\text{ethylbenzyl}]\amino}-2-hydroxypropyl\}-5-[{(\text{methylsulfonyl})\amino}]-$   
 $N^3,N^3\text{-dipropylisophthalammide};$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-\{[3-$   
 $\text{ethylbenzyl}]\amino}-2-hydroxypropyl\}-3-\{[1-$   
 $\text{propylbutyl}]\amino\}\text{sulfonyl-D-alaninamide dihydrochloride};$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-\{[3-$   
 $\text{ethylbenzyl}]\amino}-2-hydroxypropyl\}-N^2\text{-propionyl-3-\{[1-}$   
 $\text{propylbutyl}]\amino\}\text{sulfonyl-D-alaninamide};$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-\{[(1S)-2-$   
 $(\text{isobutylamino})-1\text{-methyl-2-oxoethyl}]\amino\}\text{propyl}\}-N,N\text{-dipropyl-}$   
 $5-(1,3-thiazol-2-yl)isophthalammide;$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-\{[(1S)-2-$   
 $(\text{isobutylamino})-1\text{-methyl-2-oxoethyl}]\amino\}\text{propyl}\}-N\text{-methyl-N-}$   
 $\text{propyl-5-(1,3-thiazol-2-yl)isophthalammide};$   
 $N^1\text{-butyl-}N^3-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-\{[3-$   
 $\text{ethylbenzyl}]\amino}-2-hydroxypropyl\}-N^1\text{-methyl-5-(1,3-thiazol-2-}$   
 $\text{y1)isophthalammide};$

N-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[ (3-hydroxypropyl) (methylsulfonyl)amino]benzammide;

N-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(methylsulfonyl)benzammide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>- $(1\text{-oxobutyl})$ -3-[ (1-propylbutyl)sulfonyl]-D-alaninamide hydrochloride;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropyl-5-pyrimidin-2-ylisophthalammide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-{[(2S)-2-hydroxypropyl]amino}sulfonyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalammide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-methyl-N<sup>3</sup>-propyl-5-(1,3-thiazol-2-yl)isophthalammide;

N-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(2-methylpentanoyl)-5-(1,3-oxazol-2-yl)benzammide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-[ (methylsulfonyl)amino]benzyl)amino]propyl}-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalammide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>- $(2,2\text{-dimethylpropanoyl})$ -3-[ (1-propylbutyl)sulfonyl]-D-alaninamide hydrochloride;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-{[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]sulfonyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalammide;

N-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[ (3-hydroxypropyl) (methylsulfonyl)amino]benzammide;

N<sup>2</sup>-acetyl-N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[ (1-propylbutyl)sulfonyl]-D-alaninamide hydrochloride;

2-[allyl (methylsulfonyl)amino]-N-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1,3-thiazole-5-carboxammide;

3-(butylsulfonyl)-N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-D-alaninamide bis(trifluoroacetate);

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ [1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl}-3-[ (1-propylbutyl)sulfonyl]-D-alaninamide bis(trifluoroacetate);

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-isobutyryl-3-[ (1-propylbutyl)sulfonyl]-D-alaninamide hydrochloride;

N-[ (1S,2R)-3-(butylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-4-(ethylthio)benzammide;

N-[ (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl]-1-(2-fluorophenyl)-5-oxopyrrolidine-3-carboxammide;

N<sup>1</sup>- (4-tert-butyl-1,3-thiazol-2-yl)-N<sup>4</sup>-{ (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}succinammide;

N-[ (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl]-3-hydroxy-6-(1-hydroxy-2,2-dimethylpropyl)pyridine-2-carboxammide;

N-[ (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl]-2-{[(ethylamino)carbonyl]amino}benzammide;

3-(1-cyanoethyl)-N-[ (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl]benzammide;

1-(cyanomethyl)-N-[ (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-pyrrole-2-carboxammide;

N<sup>1</sup>-{ (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[3-(1H-imidazol-1-yl)propyl]amino}propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalammide;

N<sup>1</sup>-{ (1S,2R)-1-(3,5-difluorobenzyl)-3-[{ (2R)-1-ethylpyrrolidin-2-yl}methyl]amino}-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalammide;

3-acetyl-N-[ (1S,2R)-3-(benzylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]benzammide;

N<sup>1</sup>-{ (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (7-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino]propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalammide;

N<sup>1</sup>-{ (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (2E)-hex-2-enylamino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalammide;

N<sup>1</sup>-{ (1S,2R)-1-(3,5-difluorobenzyl)-3-[{ (5R)-3-ethyl-2-oxo-1,3-oxazolidin-5-yl}methyl]amino}-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalammide;

N<sup>1</sup>-{ (1S,2R)-1-(3,5-difluorobenzyl)-3-[{ (5S)-3-ethyl-2-oxo-1,3-oxazolidin-5-yl}methyl]amino}-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalammide;

N<sup>1</sup>-{ (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (2,2-dioxido-3,4-dihydro-1,2-benzoxathiin-4-yl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalammide;

N<sup>1</sup>-{ (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (1,1-dioxido-3,4-dihydro-2H-1,2-benzothiazin-4-yl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalammide;

N<sup>5</sup>-{ (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-phenyl-N<sup>1</sup>,N<sup>1</sup>-dipropylpentanediammide;

N<sup>1</sup>-{ (1S,2R)-1-[{ [5-(cyanomethyl)-1H-imidazol-1-yl]methyl}-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalammide;


$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}}\text{-}N^3,N^3\text{-dipropyl\text{-}5\text{-pyrimidin\text{-}2\text{-ylisophthalammide};}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(2-ethylpyrimidin\text{-}4\text{-yl)methyl]amino]\text{-}2\text{-hydroxypropyl)\text{-}5\text{-methyl\text{-}N}^3,N^3\text{-dipropylisophthalammide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl)\text{-}N^2\text{-}(2,2\text{-dimethylpropanoyl)\text{-}3\text{-}\{[(1-propylbutyl)sulfonyl]\text{-}D\text{-alaninamide hydrochloride;}}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl)\text{-}5\text{-}\{[(ethyl(methyl)amino)sulfonyl]\text{-}N}^3,N^3\text{-dipropylisophthalammide;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl)\text{-}3\text{-}\{[(2-hydroxyethyl)(methylsulfonyl)amino]\text{benzamide;}}$   
 $5\text{-bromo-}N^1\text{-}\{(1S,2R)\text{-}1\text{-}(2,4\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl)\text{-}N}^3,N^3\text{-dipropylisophthalammide;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl)\text{-}3\text{-}\{[(2-methoxyethyl)(methylsulfonyl)amino]\text{benzamide hydrochloride;}}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl)\text{-}3\text{-}\{[(methylsulfonyl)methyl]\text{benzamide;}}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl)\text{-}5\text{-}\{[(4-hydroxybutyl)sulfonyl]\text{-}N}^3,N^3\text{-dipropylisophthalamide hydrochloride;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl)\text{-}1\text{-}(dipropylamino)\text{isoquinoline-7-carboxamide;}}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl)\text{-}5\text{-}\{[(2-hydroxyethyl)(methyl)amino)sulfonyl]\text{-}N}^3,N^3\text{-dipropylisophthalammide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl)\text{-}5\text{-}\{[(ethylamino)sulfonyl]\text{-}N}^3,N^3\text{-dipropylisophthalammide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl)\text{-}5\text{-}\{[(5-methyl-1,2,4-oxadiazol-3-yl)\text{-}N}^3,N^3\text{-dipropylisophthalamide hydrochloride;}$   
 $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl)\text{-}2\text{-}\{[(methyl(methylsulfonyl)amino)\text{-}1,3\text{-oxazole-4-carboxamide;}}$   
 $3\text{-}(butylsulfonyl)\text{-}N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}}\text{propanamide;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl)\text{-}N}^3,N^3\text{-dipropylmalonamide;}$

$N^2-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-N^3,N^3-$   
 $dipropylbicyclo[2.2.1]hept-5-ene-2,3-dicarboxammide;$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-N^3,N^3-dipropylcyclopentane-$   
 $1,3-dicarboxammide;$   
 $N^2-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-3,4-dimethyl-N^5,N^5-$   
 $dipropylthieno[2,3-b]thiophene-2,5-dicarboxammide;$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-2-phenyl-N^5,N^5-$   
 $dipropylpentanediammide;$   
 $N^2-benzyl-N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-N^2-[2-(dipropylamino)-2-$   
 $oxoethyl]glycinammide;$   
 $3-(4-chlorophenyl)-N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-$   
 $[(3-ethylbenzyl)amino]-2-hydroxypropyl\}-N^5,N^5-$   
 $dipropylpentanediammide;$   
 $(2E)-N^5-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-2-(methoxyimino)-N^1,N^1-$   
 $dipropylpentanediammide;$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-N^2-[2-(dipropylamino)-2-$   
 $oxoethyl]-N^2-phenylglycinammide;$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-N^2,N^2-dipropylcyclohexane-$   
 $1,2-dicarboxammide;$   
 $N^1-\{(1S,2R)-3-[(benzyloxy)amino]-1-(3,5-difluorobenzyl)-2-$   
 $hydroxypropyl\}-5-(1,3-oxazol-2-yl)-N^3,N^3-$   
 $dipropylisophthalammide;$   
 $N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-3-phenylpropanammide;$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1,1-dioxido-3,4-$   
 $dihydro-2H-1,2-benzothiazin-4-yl)amino]-2-hydroxypropyl\}-5-$   
 $methyl-N^3,N^3-dipropylisophthalammide;$   
 $N^1-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-5-(1H-imidazol-2-yl)-N^3,N^3-$   
 $dipropylisophthalammide;$   
 $N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-3-(1-hydroxy-2-$   
 $propylpentyl)benzammide;$   
 $N-\{(1R,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-3-isobutyrylbenzammide;$   
 $hydrochloride;$   
 $N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-3-(2-$   
 $propylpentanoyl)benzammide;$   
 $N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-$   
 $\cdot ethylbenzyl)amino]-2-hydroxypropyl\}-3-(2-$   
 $ethylbutanoyl)benzamide hydrochloride;$

$N^3-[ (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(1,2,3,4-tetrahydronaphthalen-1-ylamino)propyl]-N^5,N^5-diisopropylpyridine-3,5-dicarboxammide;$   
 $N'-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1S)-2-(ethylamino)-1-methyl-2-oxoethyl]amino)-2-hydroxypropyl)-5-methyl-N,N-dipropylisophthalammide;$   
 $N^1-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-hydroxy-1-phenylpropyl)amino]propyl]-5-methyl-N^3,N^3-dipropylisophthalammide;$   
 $N'-[(1S,2R)-3-[(1S)-2-(benzylamino)-1-methyl-2-oxoethyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalammide;$   
 $N^1-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3,3-dimethyl-N^2,N^2-dipropylcyclopropane-1,2-dicarboxammide;$   
 $N^1-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-N^5,N^5-dipropylpentanediammide;$   
 $N^1-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3,3-dimethyl-N^5,N^5-dipropylpentanediammide;$   
 $N^1-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-ethyl-3-methyl-N^5,N^5-dipropylpentanediammide;$   
 $N^1-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-hydroxy-3-methyl-N^5,N^5-dipropylpentanediammide;$   
 $2-[allyl(methylsulfonyl)amino]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,3-oxazole-4-carboxammide;$   
 $N^1-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-(dimethylamino)ethyl)amino]-2-hydroxypropyl)-5-methyl-N^3,N^3-dipropylisophthalammide;$   
 $N^1-[(1S,2R)-3-[(2-[bis(2-hydroxyethyl)amino]ethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N^3,N^3-dipropylisophthalammide;$   
 $N^1-[(1S,2R)-3-(cyclopropylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-3-[(1-propylbutyl)sulfonyl]-D-alaninamide dihydrochloride;$   
 $N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[4-(hydroxymethyl)-1,3-oxazol-2-yl]benzamide hydrochloride;$

or a pharmaceutically acceptable salt thereof.

310. A compound of the formula:



wherein

R<sub>a</sub> and R<sub>d</sub> are independently C<sub>1</sub>-C<sub>6</sub> alkyl;

X is O or S;

5 R<sub>b</sub> and R<sub>c</sub> are independently hydrogen or halogen;

R<sub>e</sub> is C<sub>1</sub>-C<sub>6</sub> alkyl or an optionally substituted phenyl.

311. A compound according to claim 310, wherein R<sub>a</sub> is methyl and R<sub>d</sub> is ethyl.

10 312. A compound according to claim 311, wherein X is O.

313. A compound according to claim 312, wherein R<sub>b</sub> and R<sub>c</sub> are F.

314. A compound according to claim 312, wherein R<sub>b</sub> and R<sub>c</sub> are hydrogen.

15 315. A compound according to claim 314, wherein R<sub>e</sub> is meta-substituted ethyl phenyl group.

316. A compound according to claim 314, wherein R<sub>e</sub> is -CH<sub>2</sub>CH<sub>2</sub>CH(CH<sub>3</sub>)<sub>2</sub>.

317. A compound according to claim 314, wherein R<sub>e</sub> is  
20 methyl.

318. A compound according to claim 314, wherein R<sub>e</sub> is phenyl.

319. A compound according to claim 311, wherein X is S.


320. A compound according to claim 319, wherein R<sub>b</sub> and R<sub>c</sub>  
25 are F.

321. A compound according to claim 319, wherein R<sub>b</sub> and R<sub>c</sub> are hydrogen.


322. A compound according to claim 321, wherein R<sub>e</sub> is meta-substituted ethyl phenyl group.

323. A compound according to claim 321, wherein R<sub>e</sub> is methyl.

324. A compound of the formula:



5 wherein



R<sub>f</sub> and R<sub>g</sub> are both hydrogen or together with the carbon to which they are attached form a carbonyl;

X<sub>a</sub> is a covalent bond or a carbonyl;

10 R<sub>n</sub> is hydrogen or hydroxy;

R<sub>i</sub> and R<sub>j</sub> are independently hydrogen or a halogen;

R<sub>k</sub> is C<sub>1</sub>-C<sub>6</sub> alkyl;

R<sub>l</sub> is C<sub>1</sub>-C<sub>6</sub> alkyl or an optionally substituted phenyl; and

m is 0 or 1.

15

325. A compound according to claim 324, wherein R<sub>f</sub> and R<sub>g</sub>, taken together with the carbon to which they are attached, are a carbonyl.

20 326. A compound according to claim 4325, wherein X<sub>a</sub> is a covalent bond.

327. A compound according to claim 326, wherein R<sub>h</sub> is hydrogen.

328. A compound according to claim 327, wherein m is 1.

25 329. A compound according to claim 328, wherein R<sub>i</sub> and R<sub>j</sub> are F.

330. A compound according to claim 328, wherein R<sub>i</sub> and R<sub>j</sub> are hydrogen.

331. A compound according to claim 330, wherein R<sub>k</sub> is ethyl.

332. A compound according to claim 330, wherein R<sub>e</sub> is meta-substituted ethyl phenyl group.

333. A compound according to claim 330, wherein R<sub>e</sub> is -CH<sub>2</sub>CH<sub>2</sub>CH(CH<sub>3</sub>)<sub>2</sub>.

5 334. A compound according to claim 330, wherein R<sub>e</sub> is methyl.

335. A compound according to claim 330, wherein R<sub>e</sub> is phenyl.

10 336. A compound according to claim 324, wherein R<sub>f</sub> and R<sub>g</sub> are hydrogen.

337. A compound according to claim 336, wherein X<sub>a</sub> is a carbonyl.

338. A compound according to claim 337, wherein R<sub>h</sub> is hydroxyl.

15 339. A compound according to claim 338, wherein R<sub>i</sub> and R<sub>j</sub> are F.

340. A compound according to claim 338, wherein R<sub>i</sub> and R<sub>j</sub> are hydrogen.

20 341. A compound according to claim 338, wherein R<sub>k</sub> is ethyl.

342. A compound according to claim 338, wherein R<sub>e</sub> is meta-substituted ethyl phenyl group.

343. A compound according to claim 338, wherein R<sub>e</sub> is -CH<sub>2</sub>CH<sub>2</sub>CH(CH<sub>3</sub>)<sub>2</sub>.

25 344. A compound according to claim 338, wherein R<sub>e</sub> is methyl.

345. A compound which is:

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(2-hydroxyethyl)(methylsulfonyl)amino]benzamide;

5-bromo-N<sup>1</sup>-((1S,2R)-1-(2,4-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(2-methoxyethyl)(methylsulfonyl)amino]benzamide;

N-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[ (methylsulfonyl)methyl]benzamide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[ (4-hydroxybutyl)sulfonyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1-[dipropylamino]isoquinoline-7-carboxamide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-{[(2-hydroxyethyl)(methyl)amino]sulfonyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(ethylamino)sulfonyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(5-methyl-1,2,4-oxadiazol-3-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[methyl(methylsulfonyl)amino]-1,3-oxazole-4-carboxamide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylmalonamide;

N<sup>2</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylbicyclo[2.2.1]hept-5-ene-2,3-dicarboxamide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylcyclopentane-1,3-dicarboxamide;

N<sup>2</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3,4-dimethyl-N<sup>5</sup>,N<sup>5</sup>-dipropylthieno[2,3-b]thiophene-2,5-dicarboxamide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-phenyl-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

N<sup>2</sup>-benzyl-N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-[2-(dipropylamino)-2-oxoethyl]glycinamide;

3-(4-chlorophenyl)-N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;

(2E)-N<sup>5</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(methoxyimino)-N<sup>1</sup>,N<sup>1</sup>-dipropylpentanediamide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-[2-(dipropylamino)-2-oxoethyl]-N<sup>2</sup>-phenylglycinamide;

N<sup>1</sup>-<{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>,N<sup>2</sup>-dipropylcyclohexane-

1,2-dicarboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-phenylpropanamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (2,2-dioxido-3,4-dihydro-1,2-benzoxathiin-4-yl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (2,2-dioxido-3,4-dihydro-1,2-benzoxathiin-4-yl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (7-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino]propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (7-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino]propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1H-imidazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-propyl-1,3-benzoxazole-6-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methyl-1,3-benzoxazole-6-carboxamide;

5-[(tert-butylamino)sulfonyl]-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>4</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ [1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl}-6-methyl-N<sup>2</sup>,N<sup>2</sup>-dipropylpyridine-2,4-dicarboxamide;

N<sup>4</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ [1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl}-6-methyl-N<sup>2</sup>,N<sup>2</sup>-dipropylpyridine-2,4-dicarboxamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-ethynyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethynylbenzyl)amino]-2-hydroxypropyl}-5-ethynyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ [1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropyl-5-(1,3-thiazol-2-yl)isophthalamide;

N<sup>1</sup>-butyl-N<sup>3</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>1</sup>-methyl-5-(1,3-thiazol-2-yl)isophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-methyl-N<sup>3</sup>-propyl-5-(1,3-

thiazol-2-yl)isophthalamide;

$N^1\{-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
ethylbenzyl)amino]-2-hydroxypropyl\}-5-(4-methyl-1,3-oxazol-2-  
yl)-N^3,N^3\text{-dipropylisophthalamide};

$N^1\{-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
ethylbenzyl)amino]-2-hydroxypropyl\}-N^3\text{-methyl-5-(1,3-oxazol-2-  
yl)-N^3\text{-propylisophthalamide};

$N^1\text{-butyl-}N^3\{-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
ethylbenzyl)amino]-2-hydroxypropyl\}-N^1\text{-methyl-5-(1,3-oxazol-2-  
yl)isophthalamide;}

$N^1\{-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
ethylbenzyl)amino]-2-hydroxypropyl\}-N^3\text{-ethyl-5-(1,3-oxazol-2-  
yl)-N^3\text{-propylisophthalamide};

$N^1\{-\{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ [3-$   
(trifluoromethyl)benzyl]amino\}propyl\}-N^3,N^3\text{-dipropyl-5-(1,3-  
thiazol-2-yl)isophthalamide; and

$N^1\{-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ [1-(3-$   
ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl\}-5-(1,3-oxazol-  
2-yl)-N^3,N^3\text{-dipropylisophthalamide};

$N^1\{-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ [1-(3-$   
ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl\}-5-(1,3-  
oxazol-2-yl)-N^3,N^3\text{-dipropylisophthalamide};

$5-\{[tert-butyl(methyl)amino]sulfonyl\}-N^1\{-\{(1S,2R)-1-(3,5-$   
difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl\}-  
N^3,N^3\text{-dipropylisophthalamide};

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
ethylbenzyl)amino]-2-hydroxypropyl\}-2-isopropyl-1,3-  
benzoxazole-6-carboxamide;

$(2S)-N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
ethylbenzyl)amino]-2-hydroxypropyl\}-2-hydroxy-2-(1-  
naphthyl)ethanamide;

$(2R)-N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
ethylbenzyl)amino]-2-hydroxypropyl\}-2-hydroxy-2-(1-  
naphthyl)ethanamide;

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
ethylbenzyl)amino]-2-hydroxypropyl\}isonicotinamide;

$N^1\{-\{(1S,2R)-1-benzyl-3-[ (3-ethylbenzyl)amino]-2-$   
hydroxypropyl\}-N^3\text{-methyl-5-(1,3-oxazol-2-yl)-N^3\text{-  
propylisophthalamide};

$N^1\{-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
ethylbenzyl)amino]-2-hydroxypropyl\}-5-[1-(ethoxymethyl)-1H-  
imidazol-2-yl]-N^3,N^3\text{-dipropylisophthalamide};

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
ethylbenzyl)amino]-2-hydroxypropyl\}-2-propyl-1,3-benzoxazole-5-  
carboxamide;

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
ethylbenzyl)amino]-2-hydroxypropyl\}-2-isopropyl-1,3-  
benzoxazole-5-carboxamide;

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
ethylbenzyl)amino]-2-hydroxypropyl\}-3-[ [ethyl(methyl)amino]sulfonyl]benzamide;

$N-\{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$

ethylbenzyl)amino]-2-hydroxypropyl}-2-methyl-1,3-benzoxazole-5-carboxamide;

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-ethylbenzyl})\text{amino}\}\text{-2-hydroxypropyl}\}\text{-5-(methylsulfonyl)-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-ethylbenzyl})\text{amino}\}\text{-2-hydroxypropyl}\}\text{-5-(methylsulfonyl)-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-ethylbenzyl})\text{amino}\}\text{-2-hydroxypropyl}\}\text{-2-methyl-1,3-benzoxazole-7-carboxamide;}$

$\text{methyl } 3-\{(\{1S,2R\}-1-(3,5\text{-difluorobenzyl})-3-\{(\text{3-ethylbenzyl})\text{amino}\}\text{-2-hydroxypropyl})\text{amino}\}\text{carbonyl}\}\text{benzoate;}$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})\text{-2-hydroxy-3-\{(5-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)\text{amino}\}\text{propyl}\}\text{-5-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})\text{-2-hydroxy-3-\{(5-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)\text{amino}\}\text{propyl}\}\text{-5-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})\text{-3-\{(1S)-2,3-dihydro-1H-inden-1-yl\text{amino}\}\text{-2-hydroxypropyl}\}\text{-5-methyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})\text{-3-\{(\text{3-ethylbenzyl})\text{amino}\}\text{-2-hydroxypropyl}\}\text{-N}^2,\text{N}^2\text{-dipropylcyclohexane-1,2-dicarboxamide;}$

$N\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})\text{-3-\{(\text{3-ethylbenzyl})\text{amino}\}\text{-2-hydroxypropyl}\}\text{-3-\{[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]\text{sulfonyl}\}\text{benzamide;}}$

$N\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})\text{-3-\{(\text{3-ethylbenzyl})\text{amino}\}\text{-2-hydroxypropyl}\}\text{-4-\{[ethyl(methyl)amino]\text{sulfonyl}\}\text{benzamide;}}$

formic acid compound with  $N\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})\text{-3-\{(\text{3-ethylbenzyl})\text{amino}\}\text{-2-hydroxypropyl}\}\text{-4-\{[ethyl(methyl)amino]\text{sulfonyl}\}\text{benzamide (1:1);}}$

$N\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})\text{-3-\{(\text{3-ethylbenzyl})\text{amino}\}\text{-2-hydroxypropyl}\}\text{-3,5-dimethylbenzamide;}$

$N^1\text{-butyl-}N^3\text{-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})\text{-3-\{[(1-(3-ethynylphenyl)cyclopropyl)\text{amino}\}\text{-2-hydroxypropyl}\}\text{-N}^1\text{-methyl-5-(1,3-thiazol-2-yl)\text{isophthalamide;}}$

$N^1\text{-butyl-}N^5\text{-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})\text{-3-\{(\text{3-ethylbenzyl})\text{amino}\}\text{-2-hydroxypropyl}\}\text{-N}^1\text{-methylpentanediamide;}}$

$N^1\{-\{1S,2R\}-1-(3,5\text{-difluorobenzyl})\text{-3-\{(\text{3-ethylbenzyl})\text{amino}\}\text{-2-hydroxypropyl}\}\text{-N}^5,\text{N}^5\text{-dipropylpentanediamide;}$

$(2R)\text{-N}^5\text{-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})\text{-3-\{(\text{3-ethylbenzyl})\text{amino}\}\text{-2-hydroxypropyl}\}\text{-2-methyl-N}^1,\text{N}^1\text{-dipropylpentanediamide;}}$

$(2S)\text{-N}^5\text{-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})\text{-3-\{(\text{3-ethylbenzyl})\text{amino}\}\text{-2-hydroxypropyl}\}\text{-2-methyl-N}^1,\text{N}^1\text{-dipropylpentanediamide;}}$

$N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-N^4,N^4\text{-dipropylsuccinamide};$   
 $N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-N^2-[2-(dipropylamino)-2-$   
 $\text{oxoethyl}]-N^2\text{-methylglycinamide};$   
 $N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-N^2-[2-(dipropylamino)-2-$   
 $\text{oxoethyl}]\text{glycinamide};$   
 $N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-5-[2-$   
 $(methoxymethyl)pyrrolidin-1-yl]-5\text{-oxopentanamide};$   
 $N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-N^5-(2-furylmethyl)-N^5-$   
 $\text{methylpentanediamide};$   
 $N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ [(4-ethylpyridin-2-$   
 $\text{yl)methyl]amino]-2-hydroxypropyl}\}-5\text{-methyl-N}^3,N^3\text{-}$   
 $\text{dipropylisophthalamide};$   
 $N^4\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ [1-(3-$   
 $\text{ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl}\}-6\text{-methyl-}$   
 $N^2,N^2\text{-dipropylpyridine-2,4-dicarboxamide};$   
 $N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-2,2\text{-dimethylchromane-7-}$   
 $\text{carboxamide};$   
 $N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-2,2\text{-dimethylchromane-6-}$   
 $\text{carboxamide};$   
 $N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-2\text{-methyl-1,3-benzoxazole-4-}$   
 $\text{carboxamide};$   
 $N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-2\text{-propyl-1,3-benzoxazole-4-}$   
 $\text{carboxamide};$   
 $N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-4-[ [(2R)-2-$   
 $(methoxymethyl)pyrrolidin-1-yl]sulfonyl\}benzamide;$   
 $N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-3\{-\text{dihydroxy[(2S)-2-}$   
 $(hydroxymethyl)pyrrolidin-1-yl]-\lambda^4\text{-sulfanyl}\}benzamide;$   
 $1\text{-butyl-}N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-1\text{H-indole-6-carboxamide};$   
 $N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-1\text{-propyl-1H-indole-6-}$   
 $\text{carboxamide};$   
 $1\text{-butyl-}N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-1\text{H-indole-5-carboxamide};$   
 $N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$   
 $\text{ethylbenzyl)amino]-2-hydroxypropyl}\}-3-[4-(2-hydroxyethyl)-1,3-$   
 $\text{oxazol-2-yl}]\text{benzamide};$   
 $N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-2\text{-hydroxy-3-[ (3-}$   
 $\text{isopropylbenzyl)amino]propyl}\}-N^3,N^3\text{-dipropyl-5-(1,3-thiazol-2-}$

y1) isophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl}-N<sup>3</sup>,N<sup>3</sup>-dipropyl-5-(1,3-thiazol-2-yl)isophthalamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(4-ethylpyridin-2-yl)methyl]amino)-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl)-4-(ethoxymethyl)benzamide;

1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)indoline-6-carboxamide;

3-[(tert-butylamino)sulfonyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,3-dihydro-1,4-benzodioxine-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]sulfonyl)benzamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N<sup>3</sup>,N<sup>3</sup>-dipropyl-5-pyridin-4-ylisophthalamide;

N<sup>1</sup>-butyl-N<sup>3</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl)-N<sup>1</sup>,5-dimethylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl)-3-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl)-5-methylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl)-5-methylbenzamide;

3-(1-butyl-1H-pyrazol-4-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethylphenyl)cyclopropyl)amino]-2-hydroxypropyl)-3-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl)-5-methylbenzamide;

1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-indazole-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-thien-2-yl-1,3-thiazole-4-carboxamide;

5-(aminosulfonyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-methyl-1H-pyrrole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(2-furylmethyl)sulfonyl]methyl)-1,3-thiazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(4-fluorobenzyl)sulfonyl]methyl}-1,3-thiazole-4-carboxamide;

1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[methyl(methylsulfonyl)amino]-1H-indole-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl)-4-(2-methoxyethyl)benzamide;

N<sup>1</sup>-butyl-N<sup>3</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-phenylcyclopropyl)amino]propyl)-N<sup>1</sup>-methyl-5-(1,3-thiazol-2-yl)isophthalamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-phenylcyclopropyl)amino]propyl)-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(ethylamino)sulfonyl]benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(methylamino)sulfonyl]benzamide;

(2E)-3-(1-butyl-1H-pyrazol-4-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)prop-2-enamide or (2E)-3-(1-butyl-1H-pyrazol-4-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)prop-2-enamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)isoquinoline-7-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(propylamino)isoquinoline-7-carboxamide or N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(propylamino)isoquinoline-7-carboxamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl)-5-[(2-hydroxy-1,1-dimethylethyl)amino]sulfonyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

methyl 3-(2-{3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino}carbonyl)phenyl)-1,3-oxazol-5-yl)propanoate;

3-(2-{3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino}carbonyl)phenyl)-1,3-oxazol-5-yl)propanoic acid;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(3-hydroxypropyl)-1H-indole-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-ethoxybenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-6-(pyrrolidin-1-ylcarbonyl)isonicotinamide;

$N^1$ -((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(6-ethylpyridin-2-yl)methyl]amino]-2-hydroxypropyl)-5-methyl- $N^3,N^3$ -dipropylisophthalamide;

$N$ -{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[dipropylamino)sulfonyl]benzamide;

$N^1$ -((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(6-ethylpyridin-2-yl)methyl]amino)-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)- $N^3,N^3$ -dipropylisophthalamide;

tert-butyl (1*R*)-1-[( (1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino]carbonyl]-3-(methylsulfinyl)propylcarbamate;

$N$ -{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(dipropylamino)isonicotinamide;

$N$ -{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(dipropylamino)isonicotinamide;

(2*R*)-2-amino- $N$ -{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(methylsulfinyl)butanamide;

$N$ -{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-{[(ethyl(methyl)amino)sulfonyl]-5-[(2*S*)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl}benzamide;

$N$ -{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-[methyl(propyl)amino]isoquinoline-7-carboxamide or  $N$ -{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-[methyl(propyl)amino]isoquinoline-7-carboxamide;

$N$ -{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(1,3-oxazol-2-yl)benzamide;

$N^1$ -{(1*S*,2*R*)-3-[(1-(3-bromophenyl)cyclopropyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)- $N^3,N^3$ -dipropylisophthalamide;

$N^1$ -{(1*S*,2*R*)-3-[(1-(3-bromophenyl)cyclopropyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)- $N^3,N^3$ -dipropylisophthalamide;

$N^5$ -{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- $N^3,N^3$ -dipropyl-1*H*-pyrazole-3,5-dicarboxamide;

$N^1$ -{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- $N^2,N^2$ -dipropylcyclobutane-1,2-dicarboxamide;

$N$ -{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[dipropylamino)carbonothioyl]benzamide;

3-[(E)-(cyanoimino)(dipropylamino)methyl]- $N$ -{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-

hydroxypropyl}benzamide;

$N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]propyl\}-5-methyl-N^3,N^3\text{-dipropylisophthalamide};$

$N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl\}-3-(1-propylbutoxy)benzamide;$

$N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ [(5-ethylpyridin-3-yl)methyl]amino]-2-hydroxypropyl\}-5-(1,3-oxazol-2-yl)-N^3,N^3\text{-dipropylisophthalamide};$

$N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]propyl\}-5-methyl-N^3,N^3\text{-dipropylisophthalamide};$

$N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl\}-1-(2-methoxyethyl)-1H-indole-6-carboxamide;$

$N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl\}-3,4-dihydro-2H-1,4-benzoxazine-6-carboxamide;$

$N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl\}-3-[ [(2S)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl\}-5-[ [(2R)-2-(methoxymethyl)pyrrolidin-1-yl]sulfonyl]benzamide;$

$N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl\}-4-(1,3-thiazol-2-yl)benzamide;$

$N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl\}-4,8-diethoxyquinoline-2-carboxamide;$

$2-(4-butyl-3-oxopiperazin-1-yl)-N\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl\}acetamide;$

$N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl\}-N^3-[2-(dimethylamino)ethyl]-N^3,5\text{-dimethylisophthalamide};$

$N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (3-methylbutanoyl)amino]propyl\}-5-methyl-N^3,N^3\text{-dipropylisophthalamide};$

$N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (4-methylpentanoyl)amino]propyl\}-5-methyl-N^3,N^3\text{-dipropylisophthalamide};$

$\text{isobutyl } (2R,3S)-4-(3,5-difluorophenyl)-3-[ (3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino]-2-hydroxybutylcarbamate;$

$\text{ethyl } (2R,3S)-4-(3,5-difluorophenyl)-3-[ (3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino]-2-hydroxybutylcarbamate;$

$N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(pyrimidin-2-ylamino)propyl\}-5-methyl-N^3,N^3\text{-dipropylisophthalamide};$

$N^1\{- (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-$

ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>-[(1S)-1-methylpropyl]isophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl-N<sup>3</sup>-[(1R)-1-methylpropyl]isophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(dipropylamino)-6-methylpyrimidine-4-carboxamide;

1-[butyl(methyl)amino]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]isoquinoline-7-carboxamide or 1-[butyl(methyl)amino]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]isoquinoline-7-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,3-dihydro-2-benzothiophene-5-carboxamide 2,2-dioxide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl]-3-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl]-5-methylbenzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl]-3-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl]-5-methylbenzamide trifluoroacetate;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-isobutyl-1H-indole-6-carboxamide;

1-butyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2,5-dimethyl-1H-pyrrol-1-yl)-1H-indole-6-carboxamide;

1-butyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-methyl-1H-indole-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-oxo-2-propyl-2,3-dihydro-1,2-benzisothiazole-6-carboxamide 1,1-dioxide;

1-butyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(1,3-oxazol-2-yl)-1H-indole-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(dipropylamino)-6-methylisonicotinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(methylsulfonyl)methyl]-1,3-thiazole-4-carboxamide;

4-amino-1-butyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-indole-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-ethyl-3-oxo-2,3-dihydro-1,2-benzisothiazole-6-carboxamide 1,1-dioxide;

3-[(tert-butylamino)sulfonyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-

{[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl}benzamide;

3-[([(2S)-2-butylpyrrolidin-1-yl]carbonyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methylbenzamide;

4-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,4-dihydro-2H-1,4-benzoxazine-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-5-[(2R)-2-(propoxymethyl)pyrrolidin-1-yl]carbonyl}benzamide;

2-(1-butyl-2-oxopiperidin-4-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-pentylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(2-ethylhexyl)benzamide;

ethyl 5-{3-[(((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino]carbonyl}phenyl}-2-furoate;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,1'-biphenyl-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2'-(methylthio)-1,1'-biphenyl-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(2-fluorobenzyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(4-fluorobenzyl)benzamide;

ethyl 3'-[((((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino)carbonyl]-1,1'-biphenyl-2-carboxylate;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3',5'-difluoro-1,1'-biphenyl-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-phenylacetamide;

tert-butyl 4-[((((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino)carbonyl]benzylcarbamate;

(2R)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-2-phenylethanamide;

(2S)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-2-phenylethanamide;

3-(5-chloropentyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-

[(3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(1-phenylethyl)benzamide trifluoroacetate;  
 3-(cyclohexylmethyl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide;  
 3-cyclopentyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-hex-5-enylbenzamide;  
 3-(6-cyanohexyl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide;  
 N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-(2-formylthien-3-yl)benzyl)amino]-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-(5-formylthien-3-yl)benzyl)amino]-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(6-methoxypyridin-2-yl)benzyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1S,2R)-3-[(3-(5-cyanopyridin-3-yl)benzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-(6-fluoropyridin-3-yl)benzyl)amino]-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-pyrimidin-4-ylbenzyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylpyrimidin-2-yl)benzyl)amino]-2-hydroxypropyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-pyrimidin-2-ylbenzyl)amino]propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 methyl 2-[{[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino}carbonyl]-6-methylisonicotinate;  
 N<sup>4</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-6-methyl-N<sup>2</sup>,N<sup>2</sup>-dipropylpyridine-2,4-dicarboxamide 1-oxide;  
 1-butyl-4-cyano-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-indole-6-carboxamide;  
 1-butyl-4-cyano-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-indole-6-carboxamide;  
 5-(diethylamino)-N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1S,2R)-3-[(3-(diethylamino)benzyl)amino]-1-(3,5-

difluorobenzyl)-2-hydroxypropyl]-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(dimethylamino)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-ethylpyridin-4-yl)methyl]amino)-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>2</sup>-(tert-butoxycarbonyl)-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-L-norleucinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(3H-[1,2,3]triazolo[4,5-b]pyridin-3-yloxy)methyl]benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-3-[(2-hydroxyethyl)(propyl)amino]methyl}-5-methylbenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-3-[(ethyl(propyl)amino)methyl]-5-methylbenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-methyl-1,3-dihydro-2,1-benzisothiazole-5-carboxamide 2,2-dioxide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-L-norleucinamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(dimethylamino)benzyl]amino)-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

2-chloro-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-methylisonicotinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-3-[(2-hydroxyethyl)(propyl)amino]methyl}benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(3-fluoro-4-propoxyphenyl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(3-methoxy-4-propoxyphenyl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-3-methyl-5-[(methyl(propyl)amino)methyl]benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-3-[(dipropylamino)methyl]-5-methylbenzamide;

3-[(butyl(methyl)amino)methyl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-5-methylbenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(piperidin-1-

ylsulfonyl)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]propyl}-3-methylbenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl}-4-(3-methoxypropyl)benzamide;

5-amino-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-[(dimethylamino)methyl]benzyl)amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-(tert-butoxycarbonyl)-3-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-L-histidinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-isopentyl-1H-indole-6-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-propyl-2,3-dihydro-1,2-benzisothiazole-6-carboxamide 1,1-dioxide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-ethyl-2,3-dihydro-1,2-benzisothiazole-6-carboxamide 1,1-dioxide;

6-bromo-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,2-dimethylchromane-8-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[(methylsulfonyl)methyl]cyclohexanecarboxamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-piperidin-4-yl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-methyl-5-(1,3-oxazol-2-yl)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(methylsulfonyl)methyl]thiophene-2-carboxamide;

3-[(cyclohexylamino)methyl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-5-methylbenzamide;

2-(2-chlorophenoxy)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}pyrazine-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(phenylsulfonyl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]-6-methylisonicotinamide;

3-[([(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino]carbonyl]-5-methylbenzoic acid;

6-cyano-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,2-dimethylchromane-8-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-5-(1,3-thiazol-2-yl)benzamide;

formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(4-ethoxyphenyl)acetamide (1:1);

formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-5-[(2S)-2-propylpyrrolidin-1-yl]carbonyl]benzamide (1:1);

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(2R)-2-(2-methoxyethyl)pyrrolidin-1-yl]carbonyl]-5-methylbenzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(methylsulfonyl)methyl]cyclohexanecarboxamide;

3-butyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-methyl-1H-indole-5-carboxamide;

formic acid compound with 2-(1-butyl-2-oxo-1,2-dihdropyridin-4-yl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]acetamide (1:1);

3-butyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-L-histidinamide;

5-[(diethylamino)methyl]-N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[(dimethylamino)methyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-[(1S,2R)-3-[(3-ethylbenzyl)amino]-1-[3-(hexyloxy)benzyl]-2-hydroxypropyl]-3-(1,3-oxazol-2-yl)benzamide;

formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(3-hydroxy-4-methoxyphenyl)acetamide (1:1);

formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(1,3-thiazolidin-3-ylsulfonyl)benzamide (1:1);

formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-

(3,4-dihydroisoquinolin-2(1H)-ylsulfonyl)benzamide (1:1);  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(4-phenylpiperazin-1-yl)sulfonyl]benzamide;  
 3-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-indole-5-carboxamide;  
 N-((1S,2R)-3-[(3-ethylbenzyl)amino]-1-[3-(hexyloxy)benzyl]-2-hydroxypropyl)acetamide;  
 1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl)-1H-benzimidazole-6-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-[(methylsulfonyl)methyl]nicotinamide;  
 N<sup>1</sup>-[(1S,2R)-3-[(3-[(diethylamino)methyl]benzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[1-methyl-5-(4-methylbenzoyl)-1H-pyrrol-2-yl]acetamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(dipropylamino)-6-(1,3-oxazol-2-yl)isonicotinamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-6-(1,3-oxazol-2-yl)isonicotinamide;  
 1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl)-1H-benzimidazole-5-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]propyl)-3-methylbenzamide;  
 N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-piperidin-3-yl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 3-[(benzyl(methyl)amino)methyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-5-methylbenzamide;  
 formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(4-(4-fluorophenyl)piperazin-1-yl)sulfonyl]benzamide (2:1);  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(pyrrolidin-1-ylsulfonyl)benzamide;  
 formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(pyrrolidin-1-ylsulfonyl)benzamide (1:1);  
 formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-((4-[3-(trifluoromethyl)phenyl]piperazin-1-

yl}sulfonyl)benzamide (2:1);  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[(dimethylamino)sulfonyl]benzamide;  
 formic acid compound with N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[(dimethylamino)sulfonyl]benzamide (1:1);  
 N-{(1S,2R)-3-[(3-ethylbenzyl)amino]-1-[3-(hexyloxy)benzyl]-2-hydroxypropyl}-2-[(methylsulfonyl)amino]-1,3-oxazole-4-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-[(methylsulfonyl)methyl]nicotinamide;  
 N-[(1S,2R)-3-[(3-bromobenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-4-methylpentanamide;  
 1-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl-1H-pyrrole-2-carboxamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1H-pyrrol-2-ylmethyl)amino]propyl}-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-piperazin-1-yl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N-[(1S,2R)-3-[(3-bromobenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]acetamide;  
 N<sup>2</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-methyl-N<sup>4</sup>,N<sup>4</sup>-dipropylpyridine-2,4-dicarboxamide;  
 N<sup>2</sup>-(tert-butoxycarbonyl)-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-D-norleucinamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{{(4R)-6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl}amino}propyl)acetamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{{(4S)-6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl}amino}propyl)acetamide;  
 formic acid compound with 4-{{(4-chlorophenyl)(methyl)amino}sulfonyl}-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide (1:1);  
 formic acid compound with 4-{{[benzyl(phenyl)amino}sulfonyl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide (1:1);  
 formic acid compound with N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-

(morpholin-4-ylsulfonyl)benzamide (1:1);  
 N-[(1S,2R)-3-[(3-bromobenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]propanamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(3-oxo-4-propylcyclohexyl)acetamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(3-oxocyclohexyl)acetamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,1-dipropyl-3,4-dihydro-1H-isochromene-7-carboxamide;  
 formic acid compound with 4-[(2-cyanoethyl)(methyl)amino]sulfonyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide (1:1);  
 formic acid compound with 4-[[cyclohexyl(methyl)amino]sulfonyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide (1:1);  
 formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(methyl(2-pyridin-2-ylethyl)amino)sulfonyl]benzamide (2:1);  
 formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(methyl(phenyl)amino)sulfonyl]benzamide (1:1);  
 formic acid compound with 4-[[benzyl(methyl)amino]sulfonyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide (1:1);  
 formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(methyl(2-phenylethyl)amino)sulfonyl]benzamide (1:1);  
 formic acid compound with 4-[[allyl(methyl)amino]sulfonyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide (1:1);  
 formic acid compound with 4-[[2-(diethylamino)ethyl](methyl)amino]sulfonyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide (2:1);  
 formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(methyl(propyl)amino)sulfonyl]benzamide (1:1);  
 formic acid compound with 4-[[butyl(methyl)amino]sulfonyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide (1:1);  
 formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(methyl(pentyl)amino)sulfonyl]benzamide (1:1);

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(isopentyl(methyl)amino)sulfonyl]benzamide (1:1);

2-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,2,3,4-tetrahydroisoquinoline-7-carboxamide;

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(methyl(1-methylpyrrolidin-3-yl)amino)sulfonyl]benzamide (2:1);

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(4-ethylpyridin-2-yl)cyclopropyl)amino]-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl)-3-(2-methoxyethyl)benzamide;

1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl)-2-(2-methoxyethyl)-1H-benzimidazole-6-carboxamide;

L-alpha-glutamyl-L-valyl-N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-L-methioninamide;

3-[(cyclohexyl(methyl)amino)methyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-5-methylbenzamide;

N-((1S,2R)-1-(3-butoxybenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

formic acid compound with 2-(4-butyl-2,5-dioxopiperazin-1-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide (1:1);

3-bicyclo[2.2.1]hept-2-yl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

3-(butylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl)-4-(2-methoxyethyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl)-2-(dipropylamino)-6-(1,3-oxazol-2-yl)isonicotinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1,2,3,4-tetrahydronaphthalen-1-ylamino]propyl)-3-methylbenzamide;

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(dipropylamino)sulfonyl]benzamide (1:1);

formic acid compound with 4-[(diethylamino)sulfonyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide (1:1);

4-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(methylsulfonyl)-1,2,3,4-

tetrahydroquinoxaline-6-carboxamide;

1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)isoquinoline-7-carboxamide;

5-{{butyl(methyl)amino}methyl}-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thiophene-2-carboxamide;

3-{{butyl(methyl)amino}methyl}-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl}-5-methylbenzamide;

3-{{butyl(methyl)amino}methyl}-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{{[3-(trifluoromethyl)benzyl]amino}propyl}-5-methylbenzamide;

3-bromo-5-{{butyl(methyl)amino}methyl}-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)benzamide;

3-{{butyl(methyl)amino}methyl}-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{{[1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl}-5-methylbenzamide;

(2R)-2-(4-butyl-3-oxopiperazin-1-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)propanamide;

3-{{butyl(methyl)amino}methyl}-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(dipropylamino)-6-(1,3-thiazol-2-yl)isonicotinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-3-{{[isopentyl(methyl)amino]methyl}-5-methylbenzamide;

N-((1S,2R)-1-(3-butoxybenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(methylsulfonyl)amino]-1,3-oxazole-4-carboxamide;

3-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)imidazo[1,2-a]pyridine-6-carboxamide;

2-[butyl(methyl)amino]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-(1,3-oxazol-2-yl)isonicotinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,3-benzodioxole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[methyl(propyl)amino]-6-

(1,3-oxazol-2-yl)isonicotinamide;

3-{{butyl(methyl)amino}methyl}-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-phenylcyclopropyl)amino]propyl)-5-methylbenzamide;

3-{{butyl(methyl)amino}methyl}-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl)-5-methylbenzamide;

N-((1S,2R)-3-{{[1-(3-bromophenyl)cyclopropyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]acetamide;

3-{{butyl(methyl)amino}methyl}-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{{[2-(methylsulfonyl)-1-phenylethyl]amino}propyl)acetamide;

3-{{butyl(methyl)amino}methyl}-5-cyano-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{{[2-(methylsulfonyl)methyl]benzyl}amino}propyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-{{[(2-furylmethyl)(methyl)amino]methyl}-5-methylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-{{[(2-methoxyethyl)(methyl)amino]methyl}-5-methylbenzamide;

3-{{[2-(diethylamino)ethyl](methyl)amino}methyl}-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methylbenzamide;

N-((1S,2R)-3-[(3-bromobenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl)-2-methoxyacetamide;

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[4-(ethoxymethyl)piperidin-1-yl]pentanamide (2:1);

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-oxoindane-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-hydroxyindane-5-carboxamide;

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(4-propoxypiperidin-1-yl)acetamide (2:1);

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-{{isobutyl(methyl)amino}methyl}-5-methylbenzamide;

formic acid compound with 2-(1-butyl-2-oxopiperidin-4-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide (1:1);

formic acid compound with 2-(4-butylpiperazin-1-yl)-N-

{ (1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide (3:1);  
 4-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3,4-dihydro-2H-1,4-benzothiazine-6-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1R,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]amino}propyl)acetamide;  
 2-[(2S)-4-butyl-2-methyl-3-oxopiperazin-1-yl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;  
 2-[(2R)-4-butyl-2-methyl-3-oxopiperazin-1-yl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2,3-dioxo-4-propylpiperazin-1-yl)acetamide;  
 4-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1,2,3,4-tetrahydroquinoxaline-6-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-methyl-5-[[methyl(pentyl)amino]methyl]benzamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl)methyl]-5-methylbenzamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl}-2-(dipropylamino)isonicotinamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-{4-[(dimethylamino)methyl]pyridin-2-yl}cyclopropyl)amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(dipropylamino)-4-methyl-1,3-thiazole-5-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-[(4-ethylbenzyl)sulfonyl]ethyl)amino]-2-hydroxypropyl}acetamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-methyl-3-phenyl-1H-thieno[2,3-c]pyrazole-5-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-3,5-dimethylbenzamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1,2,3,4-tetrahydronaphthalen-1-ylamino]propyl}acetamide;  
 3-bromo-5-[[butyl(methyl)amino]methyl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide;  
 1-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl}-1H-indole-6-

carboxamide;

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(4\text{-dimethylamino)methyl]pyridin-2-yl}]\text{methyl}\}\text{amino}\text{-}2\text{-hydroxypropyl}\text{-}5\text{-}(1,3\text{-oxazol-2-yl)\text{-}N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$3\text{-}\{(butylamino)methyl\}\text{-}N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-methylbenzamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}3\text{-}\{[(2S)\text{-}2-(methoxymethyl)pyrrolidin-1-yl}\]\text{methyl}\}\text{-}5\text{-methylbenzamide;}$

formic acid compound with  $N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-}[4\text{-}(2-methoxyethyl)piperidin-1-yl]\text{acetamide (2:1);}$

$1\text{-butyl-}N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}1,2,3,4\text{-tetrahydroisoquinoline-7-carboxamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}N^1,5\text{-dimethyl-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}5\text{-}[3\text{-}(dimethylamino)prop-1-ynyl]\text{-N}^3,\text{N}^3\text{-dipropylisophthalamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-}(2\text{-phenoxyphenyl)\text{acetamide;}}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-}(2,5\text{-dimethylphenyl)\text{acetamide;}}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-}[2\text{-}(trifluoromethoxy)phenyl]\text{acetamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-}(2\text{-ethoxyphenyl)\text{acetamide;}}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-}[2\text{-}(trifluoromethyl)phenyl]\text{acetamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-}(2\text{-methoxyphenyl)\text{acetamide;}}$

$2\text{-}[2\text{-}(benzyloxy)phenyl]\text{-}N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{acetamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-mesitylacetamide;}$

$N\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}}[(3-ethylbenzyl)amino]\text{-}2\text{-hydroxypropyl}\}\text{-}2\text{-}(2,4\text{-dimethoxyphenyl)\text{acetamide;}}$

2-(2-chlorophenyl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;  
 2-cyclohexyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;  
 2-cyclopent-2-en-1-yl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-  
 3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(1-methyl-5-oxo-2-  
 thioxoimidazolidin-4-yl)acetamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2-  
 fluorophenyl)acetamide;  
 2-cyclopropyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;  
 2-cyclohex-1-en-1-yl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;  
 2-(1-adamantyl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;  
 (2S)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-phenylpropanamide;  
 (2R)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-phenylpropanamide;  
 2-(2,4-dichlorophenyl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-  
 3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2,3-  
 dimethoxyphenyl)acetamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[3-  
 (dimethylamino)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]-2-  
 hydroxypropyl}acetamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]-2-  
 hydroxypropyl}acetamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 [1-(4-ethynylpyridin-2-yl)cyclopropyl]amino]-2-hydroxypropyl}-5-(1,3-  
 oxazol-2-yl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 4-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}-3,4-dihydro-2H-1,4-  
 benzothiazine-6-carboxamide 1-oxide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}-1-heptyl-4-hydroxy-L-  
 prolinamide;  
 2-[butyl(methyl)amino]-6-chloro-N-{(1S,2R)-1-(3,5-  
 difluorobenzyl)-3-[  
 (3-ethylbenzyl)amino]-2-hydroxypropyl}isonicotinamide;  
 2-[butyl(methyl)amino]-6-cyano-N-{(1S,2R)-1-(3,5-

difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}isonicotinamide;

*N'*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[{(2-[(dimethylamino)methyl]pyridin-4-yl)methyl}amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)-*N,N*-dipropylisophthalamide;

4-butyl-*N*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-8-(1,3-oxazol-2-yl)-3,4-dihydro-2H-1,4-benzoxazine-6-carboxamide or 4-butyl-*N*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-8-(1,3-oxazol-2-yl)-3,4-dihydro-2H-1,4-benzoxazine-6-carboxamide;

*N*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(4-ethyl-1,3-oxazol-2-yl)-5-(1,3-oxazol-2-yl)benzamide;

3-benzyl-4-(4-butylphenyl)-*N*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-4-oxobutanamide;

2-(4-butyl-2-oxopiperazin-1-yl)-*N*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;

*N*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[4-(ethoxymethyl)piperidin-1-yl]acetamide;

2-(4-butyl-2,3-dioxopiperazin-1-yl)-*N*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}hexanamide;

*N*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (3-iodobenzyl)amino]propyl}acetamide;

*N'*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[{[1-(4-ethynylpyridin-2-yl)cyclopropyl}amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)-*N*<sup>3</sup>,*N*<sup>3</sup>-dipropylisophthalamide;

5-[{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[{[1-(3-ethylphenyl)cyclopropyl}amino]-2-hydroxypropyl}amino]-5-oxopentanoic acid;

1-butyl-*N*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1,2,3,4-tetrahydroquinoline-7-carboxamide or 1-butyl-*N*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1,2,3,4-tetrahydroquinoline-7-carboxamide;

4-[{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[{[1-(3-ethylphenyl)cyclopropyl}amino]-2-hydroxypropyl}amino]-4-oxobutanoic acid;

*N*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-propyl-1,2-benzisoxazole-5-carboxamide;

2-[allyl(methyl)amino]-*N*-{(1*S*,2*R*)-1-[3-(allyloxy)-5-fluorobenzyl]-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}isonicotinamide;

1-allyl-*N*-{(1*S*,2*R*)-1-[4-(allyloxy)-3-fluorobenzyl]-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-1*H*-indole-6-carboxamide;

*N*-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[{[1-(3-

ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-4-phenyl-2-(1H-pyrrol-1-yl)-1,3-thiazole-5-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-2-(dipropylamino)-4-(trifluoromethyl)-1,3-thiazole-5-carboxamide;  
 (2S)-2-[(2R,3S)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino}-N-isobutyl-4-(methylsulfonyl)butanamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(3-hydroxyprop-1-ynyl)benzyl]amino}propyl)acetamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-2,6-dimorpholin-4-ylpyrimidine-4-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl)-3-{[(2S)-2-ethylpyrrolidin-1-yl]carbonyl}-5-methylbenzamide;  
 (2S)-2-(4-butyl-3-oxopiperazin-1-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl)propanamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)tetrahydrofuran-3-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)propanamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-2-(1H-imidazol-4-yl)acetamide;  
 N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-N<sup>2</sup>,2-dimethylalaninamide;  
  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)cyclopentanecarboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)cyclopropanecarboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-2-phenylacetamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)tetrahydrofuran-2-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-1,3-thiazolidine-4-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-3-hydroxybutanamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-

dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-3-hydroxypropanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-3-hydroxy-2,2-dimethylpropanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-3-methylbutanamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)glycinamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-N<sup>2</sup>-methylglycinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-1-methyl-3-(trifluoromethyl)-1H-thieno[2,3-c]pyrazole-5-carboxamide;

2-[allyl(methyl)amino]-N-((1S,2R)-1-[4-(allyloxy)-3-fluorobenzyl]-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl)isonicotinamide;

3-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl)-1,2-benzisoxazole-5-carboxamide;

5-(3-aminopropyl)-N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl)-5-[3-(methylamino)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl)-5-[3-(methylamino)prop-1-ynyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

5-(3-aminoprop-1-ynyl)-N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-5-pyrrolidin-1-ylpyrazine-2-carboxamide;

4-butoxy-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl)quinoline-2-carboxamide;

2-cyano-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl)-6-[methyl(propyl)amino]isonicotinamide;

3-acetyl-1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl)-1H-indole-6-carboxamide;

N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{(1H-indol-6-ylmethyl)amino}propyl)-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl)-3-isobutyl-1,2-

benzisoxazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(2S)-pyrrolidin-2-yl]acetamide;

2-[2-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino]-2-oxoethyl]-N-(6-methoxy pyridin-3-yl)benzamide;

2-[2-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino]-2-oxoethyl]-N-(2,4-difluorophenyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-pyridin-3-ylacetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(1H-imidazol-5-yl)acetamide;

2-cyclopentyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-hydroxyphenyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-methylphenyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-iodophenyl)acetamide;

1-(4-chlorophenyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-oxopyrrolidine-3-carboxamide;

4-(2,4-dichlorophenoxy)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)butanamide;

4,5-dibromo-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thiophene-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(5-methyl-2-phenyl-1,3-oxazol-4-yl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl)-2,6-bis(dimethylamino)pyrimidine-4-carboxamide;

4-butyl-8-cyano-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,4-dihydro-2H-1,4-benzoxazine-6-carboxamide;

3-(allylsulfonyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethylphenyl)cyclopropyl)amino]-2-hydroxypropyl)benzamide;

3-(allylthio)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethylphenyl)cyclopropyl)amino]-2-hydroxypropyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(7-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino]propyl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (7-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino]propyl}acetamide;

formic acid compound with N<sup>1</sup>-[(3S)-1-azabicyclo[2.2.2]oct-3-yl]-N<sup>5</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl)pentanediamide (1:1);

formic acid compound with N<sup>1</sup>-[(3R)-1-azabicyclo[2.2.2]oct-3-yl]-N<sup>5</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl)pentanediamide (1:1);

formic acid compound with N<sup>1</sup>-[(3S)-1-azabicyclo[2.2.2]oct-3-yl]-N<sup>4</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl)succinamide (1:1);

formic acid compound with N<sup>1</sup>-[(3R)-1-azabicyclo[2.2.2]oct-3-yl]-N<sup>4</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl)succinamide (1:1);

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)pentanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-3-phenylpropanamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl}-5-[4-(dimethylamino)but-1-ynyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl)-3-(trifluoroacetyl)-1H-indole-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-3-{[isopentyl(methyl)amino]methyl}-5-methylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-3-{[isopentyl(methyl)amino]methyl}-5-methylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-4-(dipropylamino)-1-methyl-1H-pyrrole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-4-(2-methoxyethyl)benzamide;

N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-{(3-ethylbenzyl)amino}-2-hydroxypropyl}-5-[4-(dimethylamino)butyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[6-ethyl-2-(methylsulfonyl)-1,2,3,4-tetrahydroisoquinolin-4-yl]amino}-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[6-ethyl-2-(methylsulfonyl)-1,2,3,4-tetrahydroisoquinolin-4-yl]amino}-2-

hydroxypropyl)acetamide;

2,6-dichloro-N-((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)pyrimidine-4-carboxamide;

N-((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-{[(1*S*)-7-ethyl-1,2,3,4-tetrahydronaphthalen-1-yl]amino}-2-hydroxypropyl)acetamide;

N-((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-{[(1*R*)-7-ethyl-1,2,3,4-tetrahydronaphthalen-1-yl]amino}-2-hydroxypropyl)acetamide;

N-((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-2-morpholin-4-yl-4-(trifluoromethyl)-1,3-thiazole-5-carboxamide;

N-((1*S*,2*R*)-1-benzyl-3-[(6-ethyl-2,2-dioxido-3,4-dihydro-1*H*-isothiochromen-4-yl)amino]-2-hydroxypropyl)acetamide;

N-((1*S*,2*R*)-3-{[1-(3-bromophenyl)cyclopropyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl)acetamide;

$N^1$ -[(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-{[(1-(3-ethylphenyl)-1*H*-tetraazol-5-yl)methyl]amino}-2-hydroxypropyl]-5-methyl- $N^3,N^3$ -dipropylisophthalamide;

3-(allylsulfinyl)-N-((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl)benzamide;

methyl 3-[3'-(acetylamino)-1,1'-biphenyl-3-yl]-3-{[(2*R*,3*S*)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino}propanoate;

methyl 3-{[(2*R*,3*S*)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino}-3-[3-(5-formylthien-2-yl)phenyl]propanoate;

methyl 3-{[(2*R*,3*S*)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino}-3-(2'-acetyl-1,1'-biphenyl-3-yl)propanoate;

methyl 3-{[(2*R*,3*S*)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino}-3-[3'-(hydroxymethyl)-1,1'-biphenyl-3-yl]propanoate;

N-((1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[1-(3'-methoxy-1,1'-biphenyl-3-yl)cyclopropyl]amino}propyl)acetamide;

N-((1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[1-(3'-hydroxymethyl)-1,1'-biphenyl-3-yl]cyclopropyl]amino}propyl)acetamide;

N-((1*S*,2*R*)-3-{[1-(2'-acetyl-1,1'-biphenyl-3-yl)cyclopropyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl)acetamide;

N-((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-{[1-(5-formylthien-2-yl)phenyl]cyclopropyl]amino}-2-hydroxypropyl)acetamide;

N-((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-(9*H*-fluoren-9-ylamino)-2-hydroxypropyl)acetamide;

methyl 3-{[(2*R*,3*S*)-3-(acetylamino)-4-(3,5-

difluorophenyl)-2-hydroxybutyl]amino}-3-[3-(trifluoromethyl)phenyl]propanoate;  
 methyl 3-{[(2R,3S)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino}-3-(3-cyanophenyl)propanoate;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[3-(dimethylamino)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3'-(hydroxymethyl)-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;  
 3'-cyano-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2'-ethoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-(1,3-thiazol-2-yl)-3'-(trifluoromethoxy)-1,1'-biphenyl-3-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4'-propoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4'-(dimethylamino)-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2'-propoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3'-propoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3'-ethoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4'-ethoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4'-isopropoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4'-(hydroxymethyl)-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;  
 4'-butoxy-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4'-methoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-thiazol-2-yl)-4'-(trifluoromethoxy)-1,1'-biphenyl-3-carboxamide;

4'-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

3'-butoxy-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3'-isopropyl-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

3'-(acetylamino)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2'-methyl-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

2'-acetyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4'-hydroxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

4'-(acetylamino)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(1H-pyrrol-2-yl)-5-(1,3-thiazol-2-yl)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(E)-2-(4-fluorophenyl)ethenyl]-5-(1,3-thiazol-2-yl)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl}pyrimidine-4-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethylphenyl)cyclopropyl)amino]-2-hydroxypropyl}acetamide;

methyl 3-[(2R,3S)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino}-3-(3-bromophenyl)propanoate;

2-chloro-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl}-6-morpholin-4-ylpyrimidine-4-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl}-2-(dipropylamino)-6-morpholin-4-ylpyrimidine-4-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl)amino]-2-hydroxypropyl}-2,6-bis(dipropylamino)pyrimidine-4-carboxamide;

methyl 3-{{(2R,3S)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino}-3-(3-bromophenyl)propanoate;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl]amino)-2-hydroxypropyl)acetamide; or pharmaceutically acceptable salts thereof.

346. A compound which is:

N'-[(1S,2S)-3-(benzylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-ethynyl-N,N-dipropylisophthalamide;

N-(1-cyclopropylethyl)-N'-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N-phenylsuccinamide

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-[(1E)-prop-1-en-1-yl]benzyl]amino)propyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl]-5-(1,3-oxazol-2-yl)-N,N-dipropylisophthalamide;

methyl (3-{{(2R,3S)-4-(3,5-difluorophenyl)-3-[(3-(dipropylamino)carbonyl]-5-(1,3-oxazol-2-yl)benzoyl]amino}-2-hydroxybutyl)amino)methylcarbamate;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-[(methylsulfonyl)amino]benzyl)amino)propyl]-5-(1,3-oxazol-2-yl)-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl]-N,N-dipropylpyridine-3,5-dicarboxamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N,N-dipropylpyridine-3,5-dicarboxamide 1-oxide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl]-5-ethynyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl]-6-methyl-N<sup>2</sup>,N<sup>2</sup>-dipropylpyridine-2,4-dicarboxamide;

N'-[(1S,2R)-3-{{(2-tert-butylpyrimidin-4-yl)methyl}amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-3-{{(2-ethylpyrimidin-4-yl)methyl}amino}-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1-[(isobutylamino)carbonyl]-3-[(methylsulfonyl)propyl]amino]propyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-hydroxy-1-phenylpropyl)amino]propyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(6,7,8,9-

tetrahydro-5H-benzo[7]annulen-5-ylamino)propyl]-5-methyl-N,N-dipropylisophthalamide;

N'-(*(1S,2S)*-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[(1*R*)-6-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;

N'-(*(1S,2R)*-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[(1*R*)-6-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;

N'-(*(1S,2R)*-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[(1*S*)-2-oxo-1-methyl-2-(methylamino)ethyl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;

N'-[(*1S,2R*)-3-{[(*1S*)-1-benzyl-2-oxo-2-(methylamino)ethyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;

N<sup>1</sup>-{(*1S,2R*)-1-(3,5-difluorobenzyl)-3-[*(3-ethylbenzyl)amino*]-2-hydroxypropyl}-N<sup>2</sup>-{oxo[*3-(trifluoromethyl)phenyl*]methyl}glycinamide;

2-{[2-({(*1S,2R*)-1-(3,5-difluorobenzyl)-3-[*(3-ethylbenzyl)amino*]-2-hydroxypropyl}amino)-2-oxoethyl]thio}-N-(5-methylisoxazol-3-yl)acetamide;

N'-(*(1S,2R)*-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[(1*S*)-1-[oxo(methylamino)methyl]-3-(methylthio)propyl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;

N'-(*(1S,2R)*-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[(1*R*)-1-(hydroxymethyl)-2-oxo-2-(methylamino)ethyl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;

N'-[(*1S,2R*)-3-{[(*1S*)-1-[amino(oxo)methyl]-3-methylbutyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(*1S,2R*)-3-[*(2-amino-2-oxo-1-methylethyl)amino*]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;

tert-butyl (*1S,2R*)-1-(3,5-difluorobenzyl)-3-[*(3-ethylbenzyl)amino*]-2-hydroxypropylcarbamate;

tert-butyl (*1S,2R*)-3-(cyclopropylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropylcarbamate;

tert-butyl (*1S,2R*)-3-[*(cyclopropylmethyl)amino*]-1-(3,5-difluorobenzyl)-2-hydroxypropylcarbamate;

tert-butyl ((*1S,2R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[2-oxo-2-(isobutylamino)-1-methylethyl]amino}propyl)carbamate;

benzyl (*1S,2R*)-1-benzyl-3-[*(3-ethylbenzyl)amino*]-2-hydroxypropylcarbamate;

(*2R,3S*)-3-amino-4-(3,5-difluorophenyl)-1-{[1-(3-ethynylphenyl)cyclopropyl]amino}butan-2-ol;

tert-butyl [(*1S,2R*)-3-{[(*1S*)-2-(benzylamino)-2-oxo-1-methylethyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]carbamate;

N<sup>2</sup>-[(*2R,3S*)-3-amino-4-(3,5-difluorophenyl)-2-hydroxybutyl]-N<sup>1</sup>-benzyl-L-alaninamide bis(trifluoroacetate) (salt);

tert-butyl ((*1S,2R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[1-(2-isobutyl-1,3-thiazol-5-yl)cyclopropyl]amino}propyl)carbamate;

(*2R,3S*)-3-amino-4-(3,5-difluorophenyl)-1-{[1-(2-isobutyl-1,3-thiazol-5-yl)cyclopropyl]amino}butan-2-ol bis(trifluoroacetate) (salt);

tert-butyl ((1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[  
 {[1-(3-isobutylisoxazol-5-  
 yl)cyclopropyl]amino}propyl]carbamate;  
 (2*R*,3*S*)-3-amino-4-(3,5-difluorophenyl)-1-{[1-(3-  
 isobutylisoxazol-5-yl)cyclopropyl]amino}butan-2-ol  
 bis(trifluoroacetate) (salt);  
 tert-butyl ((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-{[(2-  
 ethylpyrimidin-4-yl)methyl]amino}-2-hydroxypropyl]carbamate;  
 (2*R*,3*S*)-3-amino-4-(3,5-difluorophenyl)-1-{[(2-  
 ethylpyrimidin-4-yl)methyl]amino}butan-2-ol  
 bis(trifluoroacetate) (salt);  
 tert-butyl ((1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[  
 [(7-methoxy-1,2,3,4-tetrahydronaphthalen-1-  
 yl)amino]propyl]carbamate;  
 tert-butyl ((1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[  
 (6,7,8,9-tetrahydro-5*H*-benzo[7]annulen-5-  
 ylamino)propyl]carbamate;  
 tert-butyl ((1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[  
 [(3-hydroxy-1-phenylpropyl)amino]propyl]carbamate;  
 tert-butyl ((1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[  
 {[[(1*S*)-1-[oxo(isobutylamino)methyl]-3-  
 (methylthio)propyl]amino}propyl]carbamate;  
 tert-butyl ((1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[  
 {[[(1*S*)-1-[isobutylamino]carbonyl]-3-  
 (methylsulfonyl)propyl]amino}propyl]carbamate;  
 tert-butyl ((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(2,2-  
 dioxido-3,4-dihydro-1,2-benzoxathien-4-yl)amino]-2-  
 hydroxypropyl]carbamate;  
 tert-butyl ((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(2,2-  
 dioxido-3,4-dihydro-1*H*-2,1-benzothiazin-4-yl)amino]-2-  
 hydroxypropyl]carbamate;  
 tert-butyl ((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-{[(1-  
 ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl]carbamate;  
 tert-butyl ((1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-{[(1-  
 ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl]carbamate;  
 tert-butyl ((1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[  
 {[1-(3-methylphenyl)cyclopropyl]amino}propyl]carbamate;  
 tert-butyl ((1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[  
 {[1-(3-iodophenyl)cyclopropyl]amino}propyl]carbamate;  
 tert-butyl [(1*S*,2*R*)-3-{[(3-  
 (cyclopropylamino)benzyl)amino]-1-(3,5-difluorobenzyl)-2-  
 hydroxypropyl]carbamate;  
 methyl 3-({[(2*R*,3*S*)-3-[(tert-butoxycarbonyl)amino]-4-  
 (3,5-difluorophenyl)-2-hydroxybutyl]amino}methyl)benzoate;  
 methyl [3-({[(2*R*,3*S*)-3-[(tert-butoxycarbonyl)amino]-4-  
 (3,5-difluorophenyl)-2-  
 hydroxybutyl]amino}methyl)phenyl]carbamate;  
 methyl [3-({[(2*R*,3*S*)-3-[(tert-butoxycarbonyl)amino]-4-  
 (3,5-difluorophenyl)-2-  
 hydroxybutyl]amino}methyl)phenyl]methylcarbamate;  
 tert-butyl [(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-{[(3-  
 (dimethylamino)sulfonyl)benzyl]amino}-2-  
 hydroxypropyl]carbamate;  
 tert-butyl [(1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[  
 {(3-[(methylsulfonyl)amino]benzyl)amino}propyl]carbamate;  
 tert-butyl [(1*S*,2*R*)-3-{[(3-cyanobenzyl)amino]-1-(3,5-

difluorobenzyl)-2-hydroxypropyl]carbamate;  
 3-({[(2R,3S)-3-[(tert-butoxycarbonyl)amino]-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino}methyl)phenyl dimethylcarbamate;  
 tert-butyl [(2R,3S)-4-(3,5-difluorophenyl)-3-({3-[(dipropylamino)carbonyl]-5-methylbenzoyl}amino)-2-hydroxybutyl][3-(ethylthio)benzyl]carbamate;  
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1R)-2,3-dihydro-1H-inden-1-ylamino]-2-hydroxypropyl]carbamate;  
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1S)-2,3-dihydro-1H-inden-1-ylamino]-2-hydroxypropyl]carbamate;  
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{{(1S,2R)-2-hydroxy-2,3-dihydro-1H-inden-1-yl}amino}propyl]carbamate;  
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{{(1R,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl}amino}propyl]carbamate;  
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{{(3S)-2-oxoazepan-3-yl}amino}propyl]carbamate;  
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{{(3R)-2-oxoazepan-3-yl}amino}propyl]carbamate;  
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-3-{{[(5S)-3-ethyl-2-oxo-1,3-oxazolidin-5-yl]methyl}amino}-2-hydroxypropyl]carbamate;  
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-3-{{[(5R)-3-ethyl-2-oxo-1,3-oxazolidin-5-yl]methyl}amino}-2-hydroxypropyl]carbamate;  
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-3-{{[1-(3-ethylphenyl)-1-methylethyl]amino}-2-hydroxypropyl}carbamate;  
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-naphthylmethyl)amino]propyl]carbamate;  
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{{[2-oxo-2-(isobutylamino)-1,1-dimethylethyl]amino}propyl}carbamate;  
 tert-butyl [(1S,2R)-3-[(benzyloxy)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]carbamate;  
 tert-butyl 4-{{[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino}carbonyl}piperidine-1-carboxylate trifluoroacetate;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-fluoro-1-naphthamide;  
 N-[(1S,2R)-1-benzyl-3-(2-butyryl-1-ethylhydrazino)-2-hydroxypropyl]-2-(3-methylisoxazol-5-yl)acetamide;  
 N'-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N-hexyl-N,5-dimethylisophthalamide;  
 N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzoyl)amino]propyl]-5-methyl-N,N-dipropylisophthalamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-methyl-1H-imidazole-2-carboxamide;  
 N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3,3-dimethyl-N<sup>2</sup>,N<sup>2</sup>-dipropylcyclopropane-1,2-dicarboxamide;  
 tert-butyl 2-{{[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-

ethylbenzyl)amino]-2-hydroxypropyl]amino)carbonyl]-1-methyl-1*H*-imidazol-4-ylcarbamate;  
 N<sup>5</sup>-{(1*S*,2*R*)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,2-dimethyl-N<sup>1</sup>,N<sup>1</sup>-dipropylpentanediamide;  
 N-((1*S*,2*R*)-1-benzyl-2-hydroxy-3-[(2-morpholin-4-ylethyl)amino]propyl)-2-(4-chlorophenoxy)-2-methylpropanamide compound with methyl hydroperoxide (1:2);  
 N-[(1*S*,2*R*)-3-(benzylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-4-fluoro-1-naphthamide;  
 3-[(dipropylamino)sulfonyl]-N-[(1*S*,2*R*)-2-hydroxy-3-(isopentylamino)-1-(4-isopropylbenzyl)propyl]propanamide;  
 3-[(dipropylamino)sulfonyl]-N-[(1*S*,2*R*)-2-hydroxy-3-(isopentylamino)-1-(3-methoxybenzyl)propyl]propanamide;  
 N<sup>1</sup>-[(1*S*,2*R*)-1-(3,5-dichlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 N<sup>1</sup>-[(1*S*,2*R*)-3-(benzylamino)-2-hydroxy-1-(4-methoxybenzyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1*S*,2*R*)-3-(benzylamino)-2-hydroxy-1-(4-methoxybenzyl)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 N<sup>1</sup>-[(1*S*,2*R*)-2-hydroxy-1-(4-isopropylbenzyl)-3-[(3-methoxybenzyl)amino]propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 3-[(dipropylamino)sulfonyl]-N-((1*S*)-1-{(1*R*)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl}but-3-ynyl)propanamide;  
 N<sup>1</sup>-[(1*S*,2*R*)-1-(2-furylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-N<sup>5</sup>,N<sup>5</sup>-dipropylpentanediamide;  
 N<sup>1</sup>-[(1*S*,2*R*)-1-(2-furylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-[(1*S*,2*R*)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(naphthylmethyl)propyl]-5-methyl-N<sup>3</sup>,N<sup>3</sup>-dipropylisophthalamide;  
 N<sup>1</sup>-((1*S*)-1-{(1*R*)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl}-3-methylbutyl)-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 N<sup>1</sup>-[(1*S*,2*R*)-1-(2-furylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 N<sup>1</sup>-[(1*S*,2*R*)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(naphthylmethyl)propyl]-N<sup>3</sup>,N<sup>3</sup>-dipropylbenzene-1,3,5-tricarboxamide;  
 N-[(1*S*,2*R*)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(2-methoxyethyl)(propyl)amino]sulfonyl]propanamide;  
 N-[(1*S*,2*R*)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-(4,5-dimethyl-2-furoyl)-5-methylbenzamide;  
 3-[(dipropylamino)sulfonyl]-N-[(1*S*,2*R*)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]propanamide;  
 1 3-[(dipropylamino)sulfonyl]-N-[(1*S*,2*R*)-1-(3-fluoro-5-hydroxybenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]propanamide;  
 N-[(1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]-1,3-benzothiazole-2-carboxamide;  
 N-[(1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]-5-(2,5-dimethylphenoxy)-2,2-

dimethylpentanamide;  
N-[(1S,2R)-3-amino-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-3-(isopentylsulfonyl)propanamide trifluoroacetate;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-hydroxy-5-methylbenzamide;  
4-amino-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]butanamide bis(trifluoroacetate);  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(pyridin-4-ylmethyl)thio]benzamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,1,3-benzoxadiazole-5-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-methyl-1,2,3-thiadiazole-5-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[(pyridin-2-ylthio)methyl]-2-furamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-phenyl-5-propyl-1H-pyrazole-4-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-(trifluoromethoxy)-1H-indole-2-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(5-methyl-1H-tetraazol-1-yl)benzamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,8-dimethylquinoline-3-carboxamide;  
2-(3-chlorophenoxy)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]propanamide;  
2-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(1H-tetraazol-1-yl)benzamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[5-(2-methylphenyl)-2H-tetraazol-2-yl]acetamide;  
3-(1,3-benzoxazol-2-ylthio)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]propanamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-6-methylquinoline-4-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-propylpyrazine-2-carboxamide 4-oxide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-benzothiophene-3-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-methyl-1H-indole-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-methoxy-1,3-benzothiazole-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[6-methoxy-1H-benzimidazol-2-yl]acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-phenylthiophene-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methoxythiophene-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,3'-bithiophene-5-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-morpholin-4-yl-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1H-indole-3-carboxamide;

4-(acetylamino)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,6-dimethylbenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-furamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-hydroxy-3,5-dimethoxybenzamide;

4-acetyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}nicotinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-hydroxyquinoline-4-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-hydroxynicotinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-benzothiophene-2-carboxamide;

7-chloro-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-hydroxyquinoline-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-methylisoxazole-5-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methylisoxazole-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(3,5-dimethyl-1H-pyrazol-1-yl)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methoxy-1H-indole-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,5-dimethyl-3-furamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-6-hydroxy-2-(methylthio)pyrimidine-4-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-methyl-1,3-oxazole-4-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-1H-pyrazole-5-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]thiophene-3-carboxamide;  
 6-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-indole-2-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-indole-5-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-methyl-1,3-oxazole-5-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-methoxybenzamide;  
 4-(acetylamino)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-piperidin-1-ylbenzamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-methylpyrimidine-5-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]quinoline-4-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-phenylimidazo[1,2-a]pyridine-7-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-6-hydroxy-4-methylpyridine-2-carboxamide;  
 N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>4</sup>,N<sup>4</sup>-diphenylsuccinamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[ethyl(methyl)amino]-4-hydroxypyrimidine-5-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4,8-dihydroxyquinoline-2-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-benzofuran-2-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-ethyl-1H-indole-2-carboxamide;  
 2-(acetylamino)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4,5-dimethylthiophene-3-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-hydroxyquinoxaline-2-carboxamide;  
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-indazole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-2-phenyl-1,3-oxazole-4-carboxamide;  
 4-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-methylquinoline-2-carboxamide;  
 N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N<sup>2</sup>,N<sup>2</sup>-dimethylphthalamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thiophene-2-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-furamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-3-furamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-hydroxy-6-neopentylopyridine-2-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,3-thiazole-4-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxy-7-methoxy-1-benzothiophene-5-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxy-7-methoxy-1-benzofuran-5-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-phenyl-1,3-oxazole-4-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,4-dihydroxybenzamide;  
 N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N<sup>4</sup>-phenylsuccinamide;  
 N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N<sup>4</sup>-pyridin-3-ylsuccinamide;  
 N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N<sup>4</sup>-(2,6-dimethylphenyl)succinamide;  
 N<sup>1</sup>-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N<sup>4</sup>-methylsuccinamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(4-methoxyphenoxy)propanamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxy-7-methoxyquinoline-3-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-  
 [methyl(methylosulfonyl)amino]benzamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(pyrrolidin-3-ylsulfonyl)benzamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-5-(4-methyl-1,2,3-thiadiazol-5-yl)isoxazole-4-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-2-phenyl-2H-1,2,3-

triazole-4-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(4-methyl-1,2,3-thiadiazol-5-yl)-1,3-thiazole-4-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-phenylimidazo[1,2-a]pyridine-6-carboxamide;  
N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>5</sup>-(1,3-thiazol-2-yl)pentanediamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(4-methyl-1,2,3-thiadiazol-5-yl)thio]acetamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-(piperidin-1-ylmethyl)-2-furamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,5-dimethyl-1-phenyl-1H-pyrrole-3-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methyl-1-phenyl-1H-pyrazole-3-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-fluoro-4-morpholin-4-ylbenzamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3,5-bis(methylthio)isothiazole-4-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-5-(trifluoromethyl)isoxazole-4-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-5-(propionylamino)benzamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-phenyl-1H-pyrrole-2-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]pyrazine-2-carboxamide 4-oxide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methyl-1-pyridin-4-yl-1H-1,2,3-triazole-4-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-6-methoxypyrazine-2-carboxamide 4-oxide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-methyl-5-phenyl-1H-pyrazole-3-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-hydroxy-3-propylhexanamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1H-benzimidazole-5-carboxamide;  
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-

ethylbenzyl)amino]-2-hydroxypropyl}-2-hydroxy-4-(propionylamino)benzamide;  
 5-chloro-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-benzofuran-2-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-pyridin-3-yl-1,3-thiazole-4-carboxamide;  
 8-cyano-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-hydroxyquinoline-3-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1,6-naphthyridine-2-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,2-dimethyl-4-oxochromane-6-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(morpholin-4-ylmethyl)benzamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4,7-dimethoxy-1-benzofuran-5-carboxamide;  
 3-chloro-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-phenylisothiazole-4-carboxamide;  
 2-(2,1,3-benzothiadiazol-4-yloxy)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methoxy-4-(methylthio)benzamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[ (4-methyl-1,3-thiazol-2-yl)thio]acetamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-methoxy-1-benzofuran-2-carboxamide;  
 5-chloro-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-morpholin-4-ylbenzamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-methoxy-1H-pyrrole-3-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methyl-1,3-thiazole-4-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methyl-5-(2-thienyl)-3-furamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-methoxythiophene-3-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N'-(3,5-dimethylpyrazin-2-yl)succinamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[(3,4-

dimethoxyphenyl)thio]acetamide;  
 6-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(trifluoromethyl)pyridine-2-carboxamide;  
 N-(2-acetyl-3-thienyl)-N'-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(4-fluorophenyl)-5-methyl-1H-1,2,4-triazole-3-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N'-[2-fluoro-5-(methylsulfonyl)phenyl]succinamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(4-methoxyphenyl)thiophene-2-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[5-(methylsulfinyl)-2,3-dihydro-1H-indol-1-yl]-4-oxobutanamide;  
 2-(acetylamino)-5-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thiophene-3-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-propyltetrahydro-2H-pyran-4-carboxamide;  
 4-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-7,7-dimethyl-7,8-dihydro-5H-pyrano[4,3-b]pyridine-2-carboxamide;  
 2-(2-chlorophenyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,3-thiazole-4-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(3-methylphenyl)-1,3-thiazole-4-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,2,5-thiadiazole-3-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(phenoxyethyl)-1,3-thiazole-4-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(4-methylphenyl)-1,3-thiazole-4-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-pyridin-3-ylbenzamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-methyl-2-phenyl-1,3-oxazole-5-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-ethyl-3-(2-thienyl)-1H-pyrazole-5-carboxamide;  
 4-(acetylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-methyl-1H-pyrrole-2-carboxamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2,6-

dimethylphenoxy)propanamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-phenyl-1,2,3-thiadiazole-5-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2,5-dimethyl-1H-pyrrol-1-yl)thiophene-3-carboxamide;  
 5-(acetylamino)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-hydroxybenzamide;  
 4-(acetylamino)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}butanamide trifluoroacetate;  
 N-{(1S,2R)-1-benzyl-3-[1-ethyl-2-(4-methylpentanoyl)hydrazino]-2-hydroxypropyl}-2-[(methylsulfonyl)amino]-1,3-oxazole-4-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(1-methyl-1H-imidazol-2-yl)benzamide;  
 N'-{[(1S,2R)-3-[(1R)-3-cyclohexyl-1-phenylpropyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl}-5-methyl-N,N-dipropylisophthalamide;  
 N<sup>1</sup>-{[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>3</sup>,N<sup>3</sup>-dipropyl-5-pyridin-3-ylisophthalamide};  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-fluoro-1-naphthamide;  
 N-cyclohexyl-N'-{[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N,5-dimethylisophthalamide};  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-methyl-1H-imidazole-2-carboxamide;  
 N<sup>1</sup>-{[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N<sup>3</sup>-[oxo(phenyl)methyl]-β-alaninamide};  
 N<sup>1</sup>-{[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N<sup>2</sup>-[imino(phenyl)methyl]glycinamide};  
 N<sup>1</sup>-{[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>3</sup>-(2-propylpentanimidoyl)-β-alaninamide};  
 6-(4-benzylpiperazin-1-yl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}nicotinamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(3-methoxyphenyl)sulfonyl]propanamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl-7-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-2-carboxamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N'-{(5-phenyl-1,3,4-thiadiazol-2-yl)succinamide};  
 N-(5-cyclopropyl-1,3,4-thiadiazol-2-yl)-N'-{[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]succinamide};  
 N-{[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(3-methyl-5-oxo-4,5-dihydro-1H-pyrazol-1-yl)benzamide};

- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]thieno[2,3-b]quinoline-2-carboxamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-methyl-5-oxo-2-phenylprolinamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-methyl-4H,6H-pyrrolo[1,2-a][4,1]benzoxazepine-4-carboxamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[ (7-hydroxy-5-methyl[1,2,4]triazolo[1,5-a]pyrimidin-2-yl)thio]acetamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-oxo-2,3-dihydro-1,2-benzisothiazole-6-carboxamide 1,1-dioxide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]thieno[3,2-c]pyridine-2-carboxamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-oxo-2,3-dihydro-1,3-benzoxazole-6-carboxamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-[oxo(phenoxy)methyl]prolinamide;
- 6-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-2-oxo-2,3-dihydro-1,3-benzoxazole-5-carboxamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[4-(2,5-dioxopyrrolidin-1-yl)phenoxy]acetamide;
- N<sup>2</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>1</sup>-phenylpyrrolidine-1,2-dicarboxamide;
- 2-(1,3-benzothiazol-2-ylmethoxy)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]acetamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-4-oxo-3,4-dihydrophthalazine-1-carboxamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]indolizine-2-carboxamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-oxo-4-phenylbutanamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(1,3-dimethyl-2,6-dioxo-1,2,3,6-tetrahydro-7H-purin-7-yl)acetamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(3-hydroxyphenyl)-4-oxobutanamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(3-methoxyphenyl)-4-oxobutanamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3',4'-dihydro-1'H-spiro[1,3-dioxolane-2,2'-naphthalene]-8'-carboxamide;
- N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-

ethylbenzyl)amino]-2-hydroxypropyl}-3',4'-dihydro-1'H-  
 spiro[1,3-dioxolane-2,2'-naphthalene]-7'-carboxamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-  
 ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-  
 [mercapto(methylthio)methyl]-D-alaninamide;  
 N<sup>2</sup>-[(4-chlorophenyl)(oxo)methyl]-N<sup>1</sup>-{(1S,2R)-1-(3,5-  
 difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-  
 hydroxypropyl}glycinamide;  
 N<sup>2</sup>-[(4-tert-butylphenyl)(oxo)methyl]-N<sup>1</sup>-{(1S,2R)-1-(3,5-  
 difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-  
 hydroxypropyl}glycinamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-  
 ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-[oxo(pyridin-3-  
 yl)methyl]glycinamide;  
 2-{{2-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-  
 ethylbenzyl)amino]-2-hydroxypropyl)amino}-2-oxoethyl]thio}-N-  
 [4-(1,3-oxazol-5-yl)phenyl]acetamide;  
 N<sup>2</sup>-[(4-chlorophenyl)(oxo)methyl]-N<sup>1</sup>-{(1S,2R)-1-(3,5-  
 difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-D-  
 alaninamide;  
 N<sup>2</sup>-[(3,4-dichlorophenyl)(oxo)methyl]-N<sup>1</sup>-{(1S,2R)-1-(3,5-  
 difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-  
 hydroxypropyl}glycinamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-  
 ethylbenzyl)amino]-2-hydroxypropyl)-4-(5a,9a-  
 dihydronaphthalen-2-yl)-4-oxobutanamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-  
 ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-{oxo[4-  
 (trifluoromethyl)phenyl]methyl}glycinamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-  
 ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-[(2,6-  
 difluorophenyl)(oxo)methyl]glycinamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-  
 ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-[oxo(4-  
 methoxyphenyl)methyl]glycinamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-  
 ethylbenzyl)amino]-2-hydroxypropyl)-4-(2-oxo-1,3-oxazolidin-3-  
 yl)benzamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-  
 ethylbenzyl)amino]-2-hydroxypropyl)-5-  
 (phenylethynyl)nicotinamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-  
 ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>3</sup>-[oxo(1H-1,2,4-triazol-5-  
 yl)methyl]-β-alaninamide;  
 2-{{2-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-  
 ethylbenzyl)amino]-2-hydroxypropyl)amino}-2-oxoethyl]thio}-N-  
 (pyridin-4-ylmethyl)acetamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-  
 ethylbenzyl)amino]-2-hydroxypropyl)-4-  
 [(methoxymethyl)thio]benzamide;  
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-  
 ethylbenzyl)amino]-2-hydroxypropyl)-4-(1,5-dimethyl-3-oxo-2-  
 phenyl-2,3-dihydro-1H-pyrazol-4-yl)-4-oxobutanamide;  
 4-(4-benzyl-1,4-diazepan-1-yl)-N-((1S,2R)-1-(3,5-  
 difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-  
 oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,5-dimethyl-1-(pyridin-4-ylmethyl)-1H-pyrrole-3-carboxamide;

N-[(dimethylamino)sulfonyl]glycyl-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}glycinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-hydroxy-1-[(1R,2R)-2-hydroxycyclohexyl]prolinamide;

(2S,3S)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-methyl-5-oxo-2-pyridin-3-ylpyrrolidine-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(2,5-dioxopyrrolidin-1-yl)benzamide;

N-(2-cyano-4,5,6,7-tetrahydro-1-benzothien-3-yl)-N'-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(2,5-dioxoimidazolidin-4-yl)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(5,7-dimethyl[1,2,4]triazolo[1,5-a]pyrimidin-2-yl)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-(2-furylmethyl)-5-oxopyrrolidine-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-oxo-4-(5-oxo-1,4-diazepan-1-yl)butanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(4-methylphenyl)-4,5-dihydro-1H-pyrazole-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,1,3-benzoxadiazole-5-carboxamide 1-oxide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(2-pyridin-3-ylpiperidin-1-yl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-oxo-4-(2-propyl-1H-imidazol-1-yl)butanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4a,9a-dihydro-9H-carbazole-9-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-6-methyl-4-oxo-1-phenyl-1,4-dihdropyridazine-3-carboxamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-methyl-5-(pyrrolidin-1-ylcarbonyl)-1H-pyrrol-3-yl)amino]propyl)-5-methyl-N,N-dipropylisophthalamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-(2-oxo-2-pyrrolidin-1-yethoxy)phenyl)amino]propyl)-5-methyl-N,N-dipropylisophthalamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-{[3-(hydroxymethyl)piperidin-1-yl]carbonyl}phenyl)amino]propyl)-5-

methyl-N,N-dipropylisophthalamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-[3-(methylthio)-1-oxopropyl]-N<sup>2</sup>-pentylglycinamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-[3-(methylsulfonyl)-1-oxopropyl]-N<sup>2</sup>-pentylglycinamide;  
 N-{(1S,2R)-1-benzyl-2-hydroxy-3-[ (3-methoxybenzyl)amino]propyl}-3-(phenylsulfonyl)propanamide;  
 N'-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (7-oxabicyclo[2.2.1]hept-2-ylmethyl)amino]propyl}-5-methyl-N,N-dipropylisophthalamide;  
 N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3R)-2-oxo-1-propylazepan-3-yl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;  
 N'-[(1S,2R)-3-[(1-acetylpiridin-4-yl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;  
 N'-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N-[2-(dimethylamino)-2-oxoethyl]-N,5-dimethylisophthalamide;  
 N'-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N-[2-(dimethylamino)ethyl]-N-ethyl-5-methylisophthalamide;  
 N-benzyl-N'-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N,5-dimethylisophthalamide;  
 N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2-(2-hydroxyethyl)piperidin-1-yl)carbonyl]-5-methylbenzamide;  
 N'-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N,5-dimethyl-N-(2-phenylethyl)isophthalamide;  
 N'-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-(3-formyl-2-furyl)benzyl)amino]-2-hydroxypropyl)-5-methyl-N,N-dipropylisophthalamide;  
 N'-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-(5-formyl-2-thienyl)benzyl)amino]-2-hydroxypropyl)-5-methyl-N,N-dipropylisophthalamide;  
 N'-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[ (3-ethylbenzyl)amino]-2-hydroxypropyl}-N,5-dimethyl-N-(2-pyridin-2-ylethyl)isophthalamide;  
 N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-(methylsulfonyl)piperidin-4-yl)methyl]amino}propyl]-5-methyl-N,N-dipropylisophthalamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (3-methoxybenzyl)amino]propyl}-N<sup>3</sup>,N<sup>3</sup>-diethylpiperidine-1,3-dicarboxamide;  
 N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[ (3-methoxybenzyl)amino]propyl}-N<sup>3</sup>,N<sup>3</sup>-dipropylpiperidine-1,3-dicarboxamide;  
 N'-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-(5-formyl-4-methyl-2-thienyl)benzyl)amino]-2-hydroxypropyl)-5-methyl-N,N-dipropylisophthalamide;  
 N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(1-phenylvinyl)benzyl)amino}propyl)-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-3-[(3-bicyclo[2.2.1]hept-2-ylbenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide; ethyl 3-[3-({[(2R,3S)-4-(3,5-difluorophenyl)-3-[(dipropylamino)carbonyl]-5-methylbenzoyl]amino}-2-hydroxybutyl)amino)methyl]phenylpropanoate; ethyl 4-[3-({[(2R,3S)-4-(3,5-difluorophenyl)-3-[(dipropylamino)carbonyl]-5-methylbenzoyl]amino}-2-hydroxybutyl)amino)methyl]phenylbutanoate; methyl (2R)-3-[3-({[(2R,3S)-4-(3,5-difluorophenyl)-3-[(dipropylamino)carbonyl]-5-methylbenzoyl]amino}-2-hydroxybutyl)amino)methyl]phenyl-2-methylpropanoate; ethyl 3'-({[(2R,3S)-4-(3,5-difluorophenyl)-3-[(dipropylamino)carbonyl]-5-methylbenzoyl]amino}-2-hydroxybutyl)amino)biphenyl-2-carboxylate; 2-{1-[2-({(1S,2R)-1-(3,5-difluorobenzyl)-3-[(ethylbenzyl)amino]-2-hydroxypropyl}amino)-2-oxoethyl]cyclopentyl}-N,N-dipropylacetamide; N<sup>2</sup>-[(benzyloxy)carbonyl]-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate; N<sup>2</sup>-[(benzyloxy)carbonyl]-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-methylbutyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide; N<sup>2</sup>-[(benzyloxy)carbonyl]-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-(cyclopropylamino)-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate; N<sup>2</sup>-[(benzyloxy)carbonyl]-N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate; N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-{[(3S)-tetrahydrofuran-3-yloxy]carbonyl}-3-[(1-propylbutyl)sulfonyl]-L-alaninamide trifluoroacetate; N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-{[(3S)-tetrahydrofuran-3-yloxy]carbonyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate; N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-{[(3R)-tetrahydrofuran-3-yloxy]carbonyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate; N<sup>1</sup>-{(1S,2R)-1-benzyl-3-[(3-methoxybenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-{[(3S)-tetrahydrofuran-3-yloxy]carbonyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide; N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-{[(3S)-1,1-dioxidotetrahydrothien-3-yloxy]carbonyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate; N<sup>1</sup>-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N<sup>2</sup>-{[(3S)-tetrahydrothiophen-3-yloxy]carbonyl}-3-[(1-

propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate; . . .  
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3-}}\text{ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}N}^2\text{-\{[tetrahydropyran\text{-}4-yloxy]carbonyl\text{-}3\text{-}\{[1-propylbutyl)sulfonyl\text{-}D,L-alaninamide trifluoroacetate;}}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3-}}\text{ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}N}^2\text{-\{[1-}}\text{(methylsulfonyl)piperidin\text{-}4-yloxy]carbonyl\text{-}3\text{-}\{[1-}}\text{propylbutyl)sulfonyl\text{-}D,L-alaninamide trifluoroacetate;}$   
 $N^2\text{-\{[1-acetyl piperidin\text{-}4-yloxy]carbonyl\text{-}N}^1\text{-}\{(1S,2R)\text{-}1\text{-}}\text{(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3-ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}3\text{-}\{[1-propylbutyl)sulfonyl\text{-}D,L-alaninamide trifluoroacetate;}}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl)\text{-}3\text{-}\{[3-}}\text{ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}N}^2\text{-\{[(3R)-5-oxopyrrolidin\text{-}3-yl]methyl]carbonyl\text{-}3\text{-}\{[1-propylbutyl)sulfonyl\text{-}D,L-alaninamide trifluoroacetate;}}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-benzyl\text{-}3\text{-}\{[3-methoxybenzyl)amino\text{-}2\text{-}}\text{hydroxypropyl\text{-}N}^2\text{-[(benzyloxy)carbonyl\text{-}3\text{-}\{[1-}}\text{propylbutyl)sulfonyl\text{-}D,L-alaninamide;}$   
 $N^2\text{-[(benzyloxy)carbonyl\text{-}N}^1\text{-\{(1S,2R)\text{-}1\text{-}(3,5\text{-}}\text{difluorobenzyl\text{-}2\text{-hydroxy\text{-}3\text{-}\{[2-(3-}}\text{methoxyphenyl)ethyl)amino\text{-}propyl\text{-}3\text{-}\{[1-propylbutyl)sulfonyl\text{-}D,L-alaninamide trifluoroacetate;}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl\text{-}3\text{-}\{[3-}}\text{ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}N}^2\text{-\{[(3S)-tetrahydrofuran\text{-}3-yloxy]carbonyl\text{-}D-leucinamide trifluoroacetate;}}$   
 $N^1\text{-}\{(1S,2R)\text{-}1\text{-benzyl\text{-}2\text{-hydroxy\text{-}3\text{-}\{[3-}}\text{methoxybenzyl)amino\text{-}propyl\text{-}N}^2\text{-[(benzyloxy)carbonyl\text{-}L-}}\text{leucinamide;}$   
 $N^2\text{-[(benzyloxy)carbonyl\text{-}N}^1\text{-\{(1S)\text{-}1\{-\{1R\text{-}2\text{-}}\text{[ethyl(isobutylsulfonyl)amino\text{-}1\text{-hydroxyethyl\text{-}3\text{-methylbutyl\text{-}3\text{-}\{[1-propylbutyl)sulfonyl\text{-}D,L-alaninamide;}}$   
 $N^2\text{-[(benzyloxy)carbonyl\text{-}N}^1\text{-\{(1S,2R)\text{-}1\text{-}(3,5\text{-}}\text{difluorobenzyl\text{-}3\text{-}\{[3-ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}N}^5,N^5\text{-dipropyl-L-glutamamide trifluoroacetate;}}$   
 $N^2\text{-[(benzyloxy)carbonyl\text{-}N}^1\text{-\{(1S,2R)\text{-}1\text{-}(3,5\text{-}}\text{difluorobenzyl\text{-}3\text{-}\{[3-ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}N}^5,N^5\text{-dipropyl-D-glutamamide;}}$   
 $N^1\text{-\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl\text{-}3\text{-}\{[3-}}\text{ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}N}^2\text{-[(1H-pyrazol\text{-}4-}}\text{yl)carbonyl\text{-}3\text{-}\{[1-propylbutyl)sulfonyl\text{-}D,L-alaninamide;}$   
 $N^2\text{-[(6-chloropyridin\text{-}3-yl)carbonyl\text{-}N}^1\text{-\{(1S,2R)\text{-}1\text{-}(3,5\text{-}}\text{difluorobenzyl\text{-}3\text{-}\{[3-ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}3\text{-}\{[1-propylbutyl)sulfonyl\text{-}D,L-alaninamide;}}$   
 $N^1\text{-\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl\text{-}3\text{-}\{[3-}}\text{ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}N}^2\text{-[(pyridin\text{-}2-}}\text{yl)carbonyl\text{-}3\text{-}\{[1-propylbutyl)sulfonyl\text{-}D,L-alaninamide;}$   
 $N^1\text{-\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl\text{-}3\text{-}\{[3-}}\text{ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}N}^2\text{-[(2-methylbenzoyl\text{-}3\text{-}\{[1-}}\text{propylbutyl)sulfonyl\text{-}D,L-alaninamide;}$   
 $N^1\text{-\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl\text{-}3\text{-}\{[3-}}\text{ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}N}^2\text{-[(3-methylbenzoyl\text{-}3\text{-}\{[1-}}\text{propylbutyl)sulfonyl\text{-}D,L-alaninamide;}$   
 $N^1\text{-\{(1S,2R)\text{-}1\text{-}(3,5\text{-difluorobenzyl\text{-}3\text{-}\{[3-}}\text{ethylbenzyl)amino\text{-}2\text{-hydroxypropyl\text{-}N}^2\text{-[(4-methylbenzoyl\text{-}3\text{-}\{[1-}}\text{propylbutyl)sulfonyl\text{-}D,L-alaninamide;}}$

$\text{N}^2-(3\text{-chlorobenzoyl})-\text{N}^1-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-$   
 $\text{o}[(3\text{-ethylbenzyl)amino}-2\text{-hydroxypropyl})-3-[ (1-$   
 $\text{propylbutyl)sulfonyl]-\text{D,L-alaninamide};$   
 $\text{N}^1-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3-$   
 $\text{ethylbenzyl)amino}-2\text{-hydroxypropyl})-\text{N}^2-(4\text{-methoxybenzoyl})-3-$   
 $[ (1\text{-propylbutyl)sulfonyl]-\text{D,L-alaninamide};$   
 $\text{N}^1-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3-$   
 $\text{ethylbenzyl)amino}-2\text{-hydroxypropyl})-\text{N}^2-(4\text{-}$   
 $\text{trifluoromethylbenzoyl})-3-[ (1\text{-propylbutyl)sulfonyl]-\text{D,L-}$   
 $\text{alaninamide};$   
 $\text{N}^2-(\text{cyclohexylcarbonyl})-\text{N}^1-\{(1S,2R)-1-(3,5\text{-}$   
 $\text{difluorobenzyl})-3-[ (3\text{-ethylbenzyl)amino}-2\text{-hydroxypropyl})-3-$   
 $[ (1\text{-propylbutyl)sulfonyl]-\text{D,L-alaninamide};$   
 $\text{N}^2(\text{benzoyl})-\text{N}^1-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3-$   
 $\text{ethylbenzyl)amino}-2\text{-hydroxypropyl})-3-[ (1-$   
 $\text{propylbutyl)sulfonyl]-\text{D,L-alaninamide};$   
 $\text{N}^1-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3-$   
 $\text{ethylbenzyl)amino}-2\text{-hydroxypropyl})-\text{N}^2-(\text{phenylacetyl})-3-[ (1-$   
 $\text{propylbutyl)sulfonyl]-\text{D,L-alaninamide};$   
 $\text{N}^1-\{(1S,2R)-1-(3,5\text{-difluorobenzyl})-3-[ (3-$   
 $\text{ethylbenzyl)amino}-2\text{-hydroxypropyl})-\text{N}^2-(3\text{-phenylpropanoyl})-3-$   
 $[ (1\text{-propylbutyl)sulfonyl]-\text{D,L-alaninamide trifluoroacetate};$   
 $\text{N}^1-\{(1S,2R)-1\text{-benzyl}-2\text{-hydroxy}-3-[ (3-$   
 $\text{methoxybenzyl)amino}]\text{propyl})-\text{N}^2-(\text{cyclopropylacetyl})-3-[ (1-$   
 $\text{propylbutyl)sulfonyl]-\text{D,L-alaninamide};$   
 $\text{N}^1-\{(1S,2R)-1\text{-benzyl}-2\text{-hydroxy}-3-[ (3-$   
 $\text{methoxybenzyl)amino}]\text{propyl})-\text{N}^2-(\text{methylsulfonyl})\text{acetyl})-3-[ (1-$   
 $\text{propylbutyl)sulfonyl]-\text{D,L-alaninamide trifluoroacetate};$   
 $\text{N}^1-\{(1S,2R)-1\text{-benzyl}-2\text{-hydroxy}-3-[ (3-$   
 $\text{methoxybenzyl)amino}]\text{propyl})-\text{N}^2-(\text{methylthio})\text{acetyl})-3-[ (1-$   
 $\text{propylbutyl)sulfonyl]-\text{D,L-alaninamide};$   
 $\text{N}^1-\{(1S,2R)-1\text{-benzyl}-2\text{-hydroxy}-3-[ (3-$   
 $\text{methoxybenzyl)amino}]\text{propyl})-\text{N}^2-(4\text{-hydroxy}-4\text{-oxobutanoyl})-3-[ (1-$   
 $\text{propylbutyl)sulfonyl]-\text{D,L-alaninamide};$   
 $\text{N}^1-\{(1S,2R)-1\text{-benzyl}-2\text{-hydroxy}-3-[ (3-$   
 $\text{methoxybenzyl)amino}]\text{propyl})-\text{N}^2-[ 4\text{-(methylamino)}-4\text{-oxobutanoyl})-$   
 $3-[ (1\text{-propylbutyl)sulfonyl]-\text{D,L-alaninamide};$   
 $\text{N}^1-\{(1S,2R)-1\text{-benzyl}-2\text{-hydroxy}-3-[ (3-$   
 $\text{methoxybenzyl)amino}]\text{propyl})-\text{N}^2-(4\text{-methoxy}-4\text{-oxobutanoyl})-3-[ (1-$   
 $\text{propylbutyl)sulfonyl]-\text{D,L-alaninamide};$   
 $\text{N}^1-\{(1S,2R)-1\text{-benzyl}-2\text{-hydroxy}-3-[ (3-$   
 $\text{methoxybenzyl)amino}]\text{propyl})-\text{N}^2-(\text{methylsulfonyl})\text{glycyl}-\text{N}^1-\{(1S,2R)-1\text{-benzyl}-2\text{-hydroxy}-3-$   
 $[ (3\text{-methoxybenzyl)amino}]\text{propyl})-3-[ (1\text{-propylbutyl)sulfonyl]-$   
 $\text{D,L-alaninamide};$   
 $\text{N}^2\text{-acetyl}-\text{N}^1-\{(1S,2R)-1\text{-benzyl}-2\text{-hydroxy}-3-[ (3-$   
 $\text{methoxybenzyl)amino}]\text{propyl})-3-(\text{phenylsulfonyl})-\text{D,L-alaninamide};$   
 $(2S)-2\text{-}(4\text{-methoxy}-4\text{-oxobutanoyl})\text{amino}-\text{N}^1-\{(1S,2R)-1\text{-}$   
 $\text{benzyl}-2\text{-hydroxy}-3-[ (3\text{-methoxybenzyl)amino}]\text{propyl})-5\text{-oxo}-5\text{-}$   
 $\text{piperidin-1-ylpentanamide};$   
 $(2R)-2\text{-}\{[(\text{benzyloxy})\text{carbonyl}] \text{amino}\}-\text{N}^1-\{(1S,2R)-1\text{-benzyl}-$   
 $2\text{-hydroxy}-3-[ (3\text{-methoxybenzyl)amino}]\text{propyl})-5\text{-oxo}-5\text{-piperidin-}$   
 $1\text{-ylpentanamide};$   
 $(2R)-2\text{-}(3\text{-ethoxy}-3\text{-oxopropanoyl})\text{amino}-\text{N}^1-\{(1S,2R)-1\text{-}$   
 $\text{benzyl}-2\text{-hydroxy}-3-[ (3\text{-methoxybenzyl)amino}]\text{propyl})-5\text{-oxo}-5\text{-}$   
 $\text{piperidin-1-ylpentanamide};$   
 $\text{N}^1-\{(1S,2R)-1\text{-benzyl}-3-[ (3\text{-methoxybenzyl)amino}]-2\text{-}$   
 $\text{hydroxypropyl})-\text{N}^2-(4\text{-methoxy}-4\text{-oxobutanoyl})-\text{N}^5,\text{N}^5\text{-dipropyl-D-}$

glutamamide;

(2R)-2-(4-methoxy-4-oxobutanoyl)amino-N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-5-oxo-5-piperidin-1-ylpentanamide;

(2R)-2-(5-methoxy-5-oxopentanoyl)amino-N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-5-oxo-5-piperidin-1-ylpentanamide;

N<sup>2</sup>-[(5-chlorothien-2-yl)sulfonyl]-N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N<sup>2</sup>-(phenylsulfonyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N<sup>2</sup>-[(benzylamino)carbonyl]-N<sup>1</sup>-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

4-([(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]amino)-3-[(isopentylsulfonyl)methyl]-4-oxobutanoic acid;

methyl 4-([(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]amino)-3-[(isopentylsulfonyl)methyl]-4-oxobutanoate;

N<sup>1</sup>-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-[(isopentylsulfonyl)methyl]-N<sup>4</sup>-methylsuccinamide;

N<sup>1</sup>-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-[(isopentylsulfonyl)methyl]-N<sup>4</sup>,N<sup>4</sup>-dimethylsuccinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(4,4-dimethyl-2,5-dioxoimidazolidin-1-yl)-2-[(1-propylbutyl)sulfonyl)methyl]propanamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-(ethylsulfonyl)-2-[(isobutylsulfonyl)amino]methyl]propanamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-(ethylthio)-2-[(isobutylsulfonyl)amino]methyl]propanamide;

(2S)-N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-[(isopentylsulfonyl)amino]-4-(methylsulfonyl)butanamide;

N<sup>1</sup>-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N<sup>2</sup>-(isopentylsulfonyl)-L-methioninamide;

S-[(3-([(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]amino)-2-[(isopentylsulfonyl)methyl]-3-oxopropyl] ethanethioate;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-hydroxy-3-[(1-propylbutyl)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-4-(phenylsulfonyl)butanamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-2-hydroxy-4-(isopentylsulfonyl)butanamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-4-(isopentylsulfonyl)-2-phenoxybutanamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-4-(isopentylsulfonyl)-2-(3-methoxyphenoxy)butanamide;

3-[1-[({(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}amino)carbonyl]-3-(isopentylsulfonyl)propoxy]benzoic acid trifluoroacetate;

methyl 3-[1-[({(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}amino)carbonyl]-3-(isopentylsulfonyl)propoxy]benzoate;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-2-hydroxy-4-(phenylsulfonyl)butanamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-2-hydroxy-4-(phenylthio)butanamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-2-methoxy-4-(phenylsulfonyl)butanamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-2-methoxy-4-(phenylthio)butanamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-4-(phenylsulfonyl)-2-propoxybutanamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-2-(benzyloxy)-4-(phenylsulfonyl)butanamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N<sup>2</sup>-[(benzyloxy)carbonyl]-D,L-methioninamide;

(2S)-2-amino-N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-5-oxo-5-piperidin-1-ylpentanamide;

(2S)-2-(2-ethoxy-2-oxoethanyl)amino-N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-5-oxo-5-piperidin-1-ylpentanamide;

(2R)-2-amino-N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-5-oxo-5-piperidin-1-ylpentanamide;

(2R)-2-(2-ethoxy-2-oxoethanyl)amino-N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-5-oxo-5-piperidin-1-ylpentanamide;

(2R)-2-(4-ethoxy-4-oxobutanyl)amino-N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-5-oxo-5-piperidin-1-ylpentanamide ditrifluoroacetate;

N<sup>1</sup>-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N<sup>2</sup>-[(benzyloxy)carbonyl]-L-aspartamide;

N<sup>1</sup>-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N<sup>2</sup>-[(tertbutyloxy)carbonyl]-L-aspartamide;

or a pharmaceutically acceptable salt thereof.

**This Page Blank (uspto)**